

Product specifications



LED Plug lights / spotlights

Product Code: PNTY-3W-A

Power:3W

Luminous flux:290Lm

CRI: >80Ra

LED Brand:EPSTAR COB LED

Input voltage: DC12V-24V

Beam angle:30°

Color temperature options: warm white (2700-3000K), neutral white (4000-4500K),
cool white (6000-6500K)

Other light color options: red, green, blue



Ingress Protection : IP67

Light body material:6063 aluminum

Service life: 35000 hours



Product Specifications:



Product Features:

- ◆ Independent research and development, private-mode products, uncompromising attention, light body compact, flexible and widely used;
- ◆ Light color rich optional, warm white, sun white, cold white light;
- ◆ can be monochrome dimming;
- ◆ Protection class IP67, can be used in the 1 meter underwater;
- ◆ The main surface can withstand pressure up to 300KG or more;
- ◆ 6063 pure aluminum lamp body, with corrosion-resistant, high temperature, real durable;
- ◆ Low-voltage input voltage, safe and reliable;

Applications:

Garden trees, squares, sculpture, balcony courtyard, building walls, bridges and other outdoor places




Detailed description:




Use the installation method

method 1:


- 1 Install the lamp bracket




- 2 Fix the lamp in the preloaded position with the upper nut



- 3 Wiring, corresponding to the male and female-side connection, tighten the line head cover, pay attention to waterproof




- 4 Access to power, turn on the power, the normal light




Method 2:


1 Install the lamp bracket




2 Fix the lamp in the preloaded position with the screw




3 Wiring, corresponding to the male and female-side connection, tighten the line head cover, pay attention to waterproof




4 Access to power, turn on the power, the normal light



Light distribution curve:





Illumination:



Packing:

Unit: cm



Weight: 0.34KG / light