

## Artisan Lighting Phuket Co., Ltd.


Address : 100/364-5 Moo.5 Pracha-U-Thit Rd.,  
Rassada, Muang, Phuket. 83000 Thailand.

<https://artisanlighting.net/>

Support@artisanlighting.net or mojo@artisanlighting.net



## LED STEP LIGHT



<https://artisanlighting.net/>



## FACTORY SHOOTING









**Product characteristics**

- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.



In the dark,  
there will always be a ray of dawn for you.



White



Golden



Black




Silver

**GS-095C**


TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 95\*95\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



LED STEP LIGHT





When a man comes,  
the lamp lights up and he goes out



White



Golden



Black




Silver

## GS-095G

### TECHNICAL PARAMETER


Power: 1.5W  
CCT: 3000K-6500K  
Size: 95\*95\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)





**Product characteristics**

- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.



Steel + PC

In the dark,  
there will always be a ray of dawn for you.



White



Golden



Grey



Black

Everbright  
GS-086AC



White



Golden



Grey




Black

GS-086AG

GS-086A

TECHNICAL  
PARAMETER


Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



LED STEP LIGHT







When a man comes,  
the lamp lights up and he goes out



Steel + PC



White




Grey

## GS-086AL

TECHNICAL PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



ABS



White



Golden




Black



## GS-086SG

TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)





**Product characteristics**


- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.




Aluminum + PC



In the dark,  
there will always be a ray of dawn for you.



Golden+Black



Grey+Black



Black




Grey

**GS-086ALC**

TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



LED STEP LIGHT







INFRARED  
BODY INDUCTION

When a man comes,  
the lamp lights up and he goes out



120°

3M

35s



Aluminum + PC



Golden+Black



Grey+Black



Golden




Black

# GS-086ALG

TECHNICAL  
PARAMETER


Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



LED STEP LIGHT








Golden  
Stainless Steel + PC


## GS-086ASG

### TECHNICAL PARAMETER


Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



When a man comes,  
the lamp lights up and he goes out



When a man comes,  
the lamp lights up and he goes out




Golden  
Stainless Steel + PC

## GS-086FSG

### TECHNICAL PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)




Golden  
Stainless Steel + PC

## GS-086ASC

### TECHNICAL PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)




Golden  
Stainless Steel + PC

## GS-086FSC

### TECHNICAL PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)






INFRARED  
BODY INDUCTION



When a man comes,  
the lamp lights up and he goes out.



INFRARED  
BODY INDUCTION




Acrylic+ PC

GS-086FYC

TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)




Acrylic+ PC

GS-086FYC

TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)





**Product characteristics**

- Long life of LED light source, more than 50,000 hours of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.



ABS



Stainless Steel + ABS

In the dark,  
there will always be a ray of dawn for you.




GS-118C

GS-118SC

**GS-118**  
TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 118\*75\*30mm  
Cut Size: 100\*65mm  
(compatible with 118-2 standard box)



LED STEP LIGHT







When a man comes,  
the lamp lights up and he goes out



Stainless Steel + ABS

In the dark,  
there will always be a ray of dawn for you.



Everbright  
GS-H08C




GS-H08G

GS-H08

TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



LED STEP LIGHT



## MAGNETIC LIGHTING

Aluminum + ABS



Dark Grey



White



Light Gray



Dark Grey



Golden




Light Gray




### GS-C86G

#### TECHNICAL PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)



INFRARED  
BODY INDUCTION



When a man comes,  
the lamp lights up and he goes out



White



Golden



Black




Grey

### GS-01G

#### TECHNICAL PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 86\*86\*30mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)





LED STEP LIGHT



When a man comes,  
the lamp lights up and he goes out



Aluminum



Everbright  
GS-020FC



GS-020FG



Everbright  
GS-020YC






GS-020YG

## GS-020

TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 90\*90\*55mm /  $\Phi$ 90mm  
Cut Size: 80\*80mm /  $\Phi$ 80mm








Aluminum



INFRARED  
BODY INDUCTION



When a man comes,  
the lamp lights up and he goes out



Everbright  
GS-020C





GS-020G

## GS-020

TECHNICAL  
PARAMETER

Power: 1.5W  
CCT: 3000K-6500K  
Size: 185\*40\*45mm  
Cut Size: 175\*38\*45mm



#### Product characteristics

- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.



White

Golden



Black

Silver

## GS-020XC

TECHNICAL  
PARAMETER

Power: 1-3W  
CCT: 3000K-6500K  
Size: 105\*40\*50mm  
Cut Size: 80\*35mm



When a man comes,  
the lamp lights up and he goes out



White

Golden



Black

Silver

## GS-020XG


TECHNICAL  
PARAMETER

Power: 1-3W  
CCT: 3000K-6500K  
Size: 105\*40\*50mm  
Cut Size: 80\*35mm



LED STEP LIGHT







## GS-105G

TECHNICAL PARAMETER

Power: 1W  
CCT: 3000K-6500K  
Size: 100\*40\*50mm  
Cut Size: 95\*35mm




When a man comes,  
the lamp lights up and he goes out



White

Grey



Black



## GS-013S

### TECHNICAL PARAMETER



Power: 1W  
CCT: 3000K-6500K  
Size: 65\*65\*30mm  
Cut Size: Ø45mm



## GS-012

### TECHNICAL PARAMETER

Power: 1W  
CCT: 3000K-6500K  
Size: Ø80mm / 80\*80\*50mm  
Cut Size: Ø75mm





#### Product characteristics

- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.

IP65



Everbright  
GS-004C

Aluminum




GS-004G

Aluminum

#### GS-004C

##### TECHNICAL PARAMETER



Power: 3W  
CCT: 3000K-6500K  
Size: 85\*85\*45mm  
Cut Size: 75\*75\*35mm



#### GS-004G

##### TECHNICAL PARAMETER

Power: 3W  
CCT: 3000K-6500K  
Size: 85\*85\*50mm  
Cut Size: 75\*75\*35mm



IP65

Aluminum



Everbright  
GS-005C




GS-005G

#### GS-005

##### TECHNICAL PARAMETER

Power: 3W  
CCT: 3000K-6500K  
Size: 85\*85\*50mm  
Cut Size: 80\*80mm  
(compatible with 86 standard box)





LED STEP LIGHT



IP65

When a man comes,  
the lamp lights up and he goes out



GS-H901


GS-P901

GS-X901

## GS-901

TECHNICAL  
PARAMETER

Power: 1~3W  
CCT: 3000K-6500K  
Size: 90\*90\*50mm  
Cut Size: 80\*80mm



## MAGNETIC LIGHTING



IP65



Everbright  
GS-C901C




GS-C901G

## GS-C901

TECHNICAL  
PARAMETER

Power: 1~3W  
CCT: 3000K-6500K  
Size: 90\*90\*50mm  
Cut Size: 80\*80mm



#### Product characteristics

- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.

IP65




GS-007H

GS-007S

## GS-007

TECHNICAL  
PARAMETER

Power: 1~3W  
CCT: 3000K-6500K  
Size: 105\*60\*40mm  
Cut Size: 95\*50mm



In the dark,  
there will always be a ray of dawn for you.

IP65




GS-019H

GS-019S

## GS-019

TECHNICAL  
PARAMETER

Power: 1~6W  
CCT: 3000K-6500K  
Size: 210\*65\*40mm  
Cut Size: 200\*55mm



LED STEP LIGHT



**Product characteristics**

- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.



GS-081H




GS-081S

## GS-081

**TECHNICAL  
PARAMETER**

Power:3W  
CCT:3000K-6500K  
Size:165\*105\*60mm  
Cut Size: 160\*100mm



In the dark,  
there will always be a ray of dawn for you.



GS-165S




GS-165H

## GS-165

**TECHNICAL  
PARAMETER**

Power:3W  
CCT:3000K-6500K  
Size:165\*105\*65mm  
Cut Size: 160\*100mm

Power:3W  
CCT:3000K-6500K  
Size:100\*162\*65mm  
Cut Size: 100\*159mm



LED STEP LIGHT





**Product characteristics**


- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.

IP65




**GS-021**

Power:1W  
CCT:3000K-6500K  
Size:58\*58\*50mm  
Cut Size: 40\*40mm




**GS-006**

Power:3W  
CCT:3000K-6500K  
Size:145\*70\*50mm  
Cut Size: 140\*68mm





**GS-014**

Power:1~3W  
CCT:3000K-6500K  
Size:85\*85\*50mm  
Cut Size: 65\*65mm




**GS-008**

Power:1~3W  
CCT:3000K-6500K  
Size:Ø83\*50mm  
Cut Size: Ø65mm




**GS-018-1**

Power:3W  
CCT:3000K-6500K  
Size:115\*85\*50mm  
Cut Size: 105\*75mm




**GS-018-2**

Power:6W  
CCT:3000K-6500K  
Size:214\*85\*50mm  
Cut Size: 204\*75mm




**GS-017Y**

Power:6W/9W  
CCT:3000K-6500K  
Size:Ø117\*33mm  
Ø200\*33mm



**GS-017F**

Power:6W/9W  
CCT:3000K-6500K  
Size:117\*117\*33mm  
200\*200\*33mm



In the dark,  
there will always be a ray of dawn for you.

IP65

LED STEP LIGHT



**Product characteristics**


- Long life of LED light source, once construction, several years of use.
- Low power consumption, no need to pay high electricity charges for lighting and beautification.
- Waterproof, dustproof, pressure and corrosion resistance.

IP65



**GS-011**

Power:2W  
CCT:3000K-6500K  
Size:70\*70\*50mm  
Cut Size: 65\*65mm




In the dark,  
there will always be a ray of dawn for you.

IP65




**GS-009**

Power:4W  
CCT:3000K-6500K  
Size:170\*70\*50mm  
Cut Size: 155\*55mm



**GS-010**

Power:2W  
CCT:3000K-6500K  
Size:110\*45\*50mm  
Cut Size:105\*40mm



LED STEP LIGHT





scan me



FB : Artisanlightingphuket



Artisanlighting S3



Artisanlighting S5



scan me



scan me



IG : Artisanlightingpk



WhatsApp

