ARTISAN
LIGHTING PHUKET

CATALOGUE 2023

Scan Me



SCENE DISPLAY







Present the artistic aesthetic

style of modern space

A warm home, a tender light,

mapping a simple happiness.

LIGHT

let the heart

have a quiet

Wall washer spotlight

Page 004 Page 006 Page 008 Page 008 Page 012 Page 012 Page 014

Ceiling spotlight

Page 018 Page 018 Page 019 Page 020 Page 020 Page 021 Page 021 Page 021 Page 024

Page 026 Page 026 Page 028 Page 030 Page 032 Page 034 Page 036 Page 038 Page 040

Ceiling downlight

Page 044 Page 046 Page 048 Page 050 Page 052 Page 052 Page 054 Page 056 Page 058

Page 060 Page 062 Page 062

Line downlight

Page 066 Page 068 Page 070 Page 072 Page 074 Page 076 Page 078 Page 080 Page 082

Mini light

Page 84 Page 086 Page 088 Page 090 Page 092

Track light

Page 094 Page 096 Page 098 Page 100 Page 102 Page 104 Page 106 Page 108 Page 110

Magnetic light

Page 116 Page 116 Page 117 Page 117 Page 118 Page 118 Page 120 Page 122 Page 122

Page 122 Page 122 Page 124 Page 126 Page 126 Page128 Page 128 Page 128 Page 130

Ring light

Page 131

Decorative light

Page134

Linear light

Page 136

Hanging light

Page 138 Page 139 Page 139 Page 140 Page 140 Page 140 Page 142 Page 142 Page 142

Skyline / Floor Lamp

Page 144 Page 146 Page 146 Page 146

Wall light

Page148 Page 150 Page 152 Page 152 Page 152 Page 154 Page 154 Page 154 Page 01

Page 156 Page 156

Natural spectrum

Natural spectrum
Reduce blue light radiation energy
Natural and sharp light color performance
There is no ultraviolet light harmful to human body or objects

Wall Washer

Spotlight

The combination of structures and colors seem simple and stable,but in fact it is a profound expression of simplicity.

Optional

Black Chrome Pearl black White

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



SD04507

LED：CREE/Bridglux
Power：7W
Flux(Lm)：408Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

50PCS



SD04512

LED：CREE/Bridglux
Power：12W
Flux(Lm)：785Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

40PCS



SD04520

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1365Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS

ARTISAN LIGHTING PHUKET







SD04612

LED：CREE/Bridglux
Power：7W
Flux(Lm)：408Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

50PCS

SD04613

LED：CREE/Bridglux
Power：12W
Flux(Lm)：785Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

40PCS

SD04614

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1365Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS

Optional

Black Chrome Pearl black White

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS



IP20 | II | 1-10V | Constant Current | DALI | tuya



SD04512-1

LED：CREE/Bridglux
Power：1*12W
Flux(Lm)：739Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



SD04512-1

LED：CREE/Bridglux
Power：1*12W
Flux(Lm)：739Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS

Optional

Black Chrome Pearl black White

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS

ARTISAN LIGHTING PHUKET



SD04512-2

LED：CREE/Bridglux
Power：2*12W
Flux(Lm)：1481Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

15PCS



SD04612-2

LED：CREE/Bridglux
Power：2*12W
Flux(Lm)：1481Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

15PCS

Optional

Black Chrome Pearl black White

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS

Quietly elegant luxury,expresses kind of fashion that is not exaggerating,
experiencing a highly tasteful nobility.

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN
LIGHTING PHUKET





SD03107

LED：CREE/Bridglux
Power：7W
Flux(Lm)：4151Lm(3000K)
Material：Aluminum

15° 24° 36°

50PCS



SD03107M

LED：CREE/Bridglux
Power：7W
Flux(Lm)：4151Lm(3000K)
Material：Aluminum

15° 24° 36°

40PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS



ARTISAN LIGHTING PHUKET



TD02912X

LED：CREE/Bridglux
Power：12W
Flux(Lm)：585Lm(3000K)
Material：Aluminum

24*60°

40PCS



TD02920X

LED：CREE/Bridglux
Power：20W
Flux(Lm)：947Lm(3000K)
Material：Aluminum

24*60°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

Ceiling Spotlight







To absorb and purify the artistic soul of china and the western with simple simplicty,
and breakthrough of traditonal deesign to demonstrate the spirit of combination and present sense of stability and affluence.

The uinque design fully reveals elegance and noblenss.

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



SD03807

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS



SD03812

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS



SD04207

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS



SD04212

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS



SD03807-1

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



SD03812-1

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS



SD03807-2

LED：CREE/Bridglux
Power：2*7W
Flux(Lm)：790Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 55°

15PCS



SD03812-2

LED：CREE/Bridglux
Power：3*7W
Flux(Lm)：1600Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 55°

15PCS



SD03807-3

LED：CREE/Bridglux
Power：2*12W
Flux(Lm)：1185Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 55°

10PCS



SD03812-3

LED：CREE/Bridglux
Power：3*12W
Flux(Lm)：2400Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 55°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS

IP20 | Constant Current

ARTISAN LIGHTING PHUKET



GD02007

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



GD02012

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



XD02007

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



XD02012

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



XD02007A

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



XD02012A

LED：CREE/Bridglux
Power：10W
Flux(Lm)：667Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | Constant Current

ARTISAN LIGHTING PHUKET



BD00207-2

LED：CREE/Bridglux
Power：2*7W
Flux(Lm)：790Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

10PCS



BD00212-2

LED：CREE/Bridglux
Power：2*12W
Flux(Lm)：1600Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

ARTISAN LIGHTING PHUKET

SD02005

LED：CREE/Bridglux
Power：5W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36°

40PCS

SD02010

LED：CREE/Bridglux
Power：10W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS

SD02015

LED：CREE/Bridglux
Power：15W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36°

20PCS

SD02020

LED：CREE/Bridglux
Power：20W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36°

12PCS



SD02030

LED：CREE/Bridglux
Power：30W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36°

8PCS



SD02010M

LED：CREE/Bridglux
Power：10W
Flux(Lm)：667Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS

IP20 | II | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



SD02110-2

LED：CREE/Bridglux
Power：2*10W
Flux(Lm)：1332Lm(3000K)
Material：Aluminum

15° 24° 36°

15PCS



SD02115-2

LED：CREE/Bridglux
Power：2*15W
Flux(Lm)：1980Lm(3000K)
Material：Aluminum

15° 24° 36°

10PCS



SD02120-2

LED：CREE/Bridglux
Power：2*20W
Flux(Lm)：2710Lm(3000K)
Material：Aluminum

15° 24° 36°

6PCS



SD02130-2

LED：CREE/Bridglux
Power：2*30W
Flux(Lm)：4584Lm(3000K)
Material：Aluminum

15° 24° 36°

4PCS



SD02120-3

LED：CREE/Bridglux
Power：3*15W
Flux(Lm)：2970Lm(3000K)
Material：Aluminum

15° 24° 36°

4PCS



SD02130-3

LED：CREE/Bridglux
Power：3*20W
Flux(Lm)：6876Lm(3000K)
Material：Aluminum

15° 24° 36°

4PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya



SD01607

LED：CREE/Bridglux
Power：7W
Flux(Lm)：430Lm(3000K)
Material：Aluminum

15° 24° 38°

50PCS



SD01612

LED：CREE/Bridglux
Power：12W
Flux(Lm)：961Lm(3000K)
Material：Aluminum

15° 24° 38° 60°

30PCS



SD01615

LED：CREE/Bridglux
Power：15W
Flux(Lm)：1216Lm(3000K)
Material：Aluminum

15° 24° 38° 60°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS



IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



SD02407

LED：CREE/Bridglux
Power：7W
Flux(Lm)：435Lm(3000K)
Material：Aluminum

15° 20° 30°

50PCS



SD02412

LED：CREE/Bridglux
Power：12W
Flux(Lm)：885Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



SD02420

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1460Lm(3000K)
Material：Aluminum

15° 24° 36°

18PCS



SD02435

LED：CREE/Bridglux
Power：35W
Flux(Lm)：2680Lm(3000K)
Material：Aluminum

15° 24° 36°

8PCS



SD02445

LED：CREE/Bridglux
Power：45W
Flux(Lm)：3248Lm(3000K)
Material：Aluminum

15° 24° 36°

6PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



GS00412-1

LED：CREE/Bridglux
Power：12W*1
Flux(Lm)：885Lm(3000K)
Material：Aluminum

40PCS



GS00412-2

LED：CREE/Bridglux
Power：12W*2
Flux(Lm)：1770Lm(3000K)
Material：Aluminum

20PCS



GS00412-3

LED：CREE/Bridglux
Power：12W*3
Flux(Lm)：2655Lm(3000K)
Material：Aluminum

15PCS



GS00420-1

LED：CREE/Bridglux
Power：20W*1
Flux(Lm)：1460Lm(3000K)
Material：Aluminum

24PCS



GS00420-2

LED：CREE/Bridglux
Power：20W*2
Flux(Lm)：2920Lm(3000K)
Material：Aluminum

18PCS



GS00420-3

LED：CREE/Bridglux
Power：20W*3
Flux(Lm)：4380Lm(3000K)
Material：Aluminum

12PCS



GS00430-1

LED：CREE/Bridglux
Power：30W*1
Flux(Lm)：2280Lm(3000K)
Material：Aluminum

18PCS



GS00430-2

LED：CREE/Bridglux
Power：30W*2
Flux(Lm)：4560Lm(3000K)
Material：Aluminum

12PCS



GS00430-3

LED：CREE/Bridglux
Power：30W*3
Flux(Lm)：6840Lm(3000K)
Material：Aluminum

8PCS

15° 24° 36°

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS



GS00512-1

LED：CREE/Bridglux
Power：12W*1
Flux(Lm)：885Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



GS00512-2

LED：CREE/Bridglux
Power：12W*2
Flux(Lm)：1770Lm(3000K)
Material：Aluminum

15° 24° 36°

15PCS



GS00520-1

LED：CREE/Bridglux
Power：20W*1
Flux(Lm)：1400Lm(3000K)
Material：Aluminum

15° 24° 36°

24PCS



GS00520-2

LED：CREE/Bridglux
Power：20W*2
Flux(Lm)：2800Lm(3000K)
Material：Aluminum

15° 24° 36°

12PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS

Art can attract any one without any excessive decoration.

Our special designed meeting table can surely offer you a delighted working mood.

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



GS00707-1

LED：CREE/Bridglux
Power：7W*1
Flux(Lm)：460Lm(3000K)
Material：Aluminum

40PCS



GS00707-2

LED：CREE/Bridglux
Power：7W*2
Flux(Lm)：920Lm(3000K)
Material：Aluminum

20PCS



GS00707-3

LED：CREE/Bridglux
Power：7W*3
Flux(Lm)：1380Lm(3000K)
Material：Aluminum

15PCS



GS00712-1

LED：CREE/Bridglux
Power：12W*1
Flux(Lm)：885Lm(3000K)
Material：Aluminum

40PCS



GS00712-2

LED：CREE/Bridglux
Power：12W*2
Flux(Lm)：1770Lm(3000K)
Material：Aluminum

20PCS



GS00712-3

LED：CREE/Bridglux
Power：12W*3
Flux(Lm)：2655Lm(3000K)
Material：Aluminum

15PCS



GS00715-1

LED：CREE/Bridglux
Power：15W*1
Flux(Lm)：1106Lm(3000K)
Material：Aluminum

40PCS



GS00715-2

LED：CREE/Bridglux
Power：15W*2
Flux(Lm)：2212Lm(3000K)
Material：Aluminum

20PCS



GS00715-3

LED：CREE/Bridglux
Power：15W*3
Flux(Lm)：3318Lm(3000K)
Material：Aluminum

15PCS

15° 24° 36° 60°

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



GS00907-1

LED：CREE/Bridglux
Power：1*7W
Flux(Lm)：460Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



GS00907-2

LED：CREE/Bridglux
Power：2*7W
Flux(Lm)：920Lm(3000K)
Material：Aluminum

15° 24° 36°

18PCS



GS00912-1

LED：CREE/Bridglux
Power：1*12W
Flux(Lm)：885Lm(3000K)
Material：Aluminum

24° 36°

30PCS



GS00912-2

LED：CREE/Bridglux
Power：2*12W
Flux(Lm)：1770Lm(3000K)
Material：Aluminum

24° 36°

18PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White







Downlight



Optional

Black Chrome Pearl black White

Quietly elegant luxury,expresses kind of fashion that is not exaggerating,experiencing a highly tasteful nobility.

IP44 | II | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



TD02207

LED：CREE/Bridglux
Power：7W
Flux(Lm)：473Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

40PCS



TD02210

LED：CREE/Bridglux
Power：10W
Flux(Lm)：645Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

40PCS



TD02212

LED：CREE/Bridglux
Power：15W
Flux(Lm)：967Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

30PCS



TD02220

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1429Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

20PCS



TD02230

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2261Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

12PCS



TD02245

LED：CREE/Bridglux
Power：40W
Flux(Lm)：3392Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

8PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

ARTISAN LIGHTING PHUKET



TD00207

LED：CREE/Bridglux
Power：7W
Flux(Lm)：452Lm(3000K)
Material：Aluminum

100°

40PCS



TD00212

LED：CREE/Bridglux
Power：12W
Flux(Lm)：985Lm(3000K)
Material：Aluminum

100°

30PCS



TD00218

LED：CREE/Bridglux
Power：18W
Flux(Lm)：1543Lm(3000K)
Material：Aluminum

100°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

ARTISAN LIGHTING PHUKET

TD00106

LED：CREE/Bridglux
Power：6W
Flux(Lm)：467Lm(3000K)
Material：Aluminum

100°

50PCS

TD00112

LED：CREE/Bridglux
Power：12W
Flux(Lm)：1082Lm(3000K)
Material：Aluminum

100°

30PCS



TD00118

LED：CREE/Bridglux
Power：18W
Flux(Lm)：1622Lm(3000K)
Material：Aluminum

100°

30PCS



TD00124

LED：CREE/Bridglux
Power：24W
Flux(Lm)：2150Lm(3000K)
Material：Aluminum

100°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White

ARTISAN LIGHTING PHUKET



TD00505

LED：CREE/Bridglux
Power：5W
Flux(Lm)：268Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

50PCS



TD00510

LED：CREE/Bridglux
Power：10W
Flux(Lm)：617Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

40PCS



TD00515

LED：CREE/Bridglux
Power：15W
Flux(Lm)：945Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



TD00607

LED：CREE/Bridglux
Power：7W
Flux(Lm)：435Lm(3000K)
Material：Aluminum

15° 24° 36°

50PCS



TD00612

LED：CREE/Bridglux
Power：12W
Flux(Lm)：867Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



TD00620

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1300Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

24PCS



TD00607-2

LED：CREE/Bridglux
Power：2*7W
Flux(Lm)：870Lm(3000K)
Material：Aluminum

15° 24° 36°

25PCS



TD00612-2

LED：CREE/Bridglux
Power：2*12W
Flux(Lm)：1734Lm(3000K)
Material：Aluminum

15° 24° 36°

15PCS



TD00620-2

LED：CREE/Bridglux
Power：2*20W
Flux(Lm)：2600Lm(3000K)
Material：Aluminum

15° 24° 36°

12PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | Constant Current



XD01407

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

50PCS



XD01412

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

50PCS



XD01507

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS

XD01512

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | Constant Current | DALI



XD00812

LED：CREE/Bridglux
Power：12W
Flux(Lm)：775Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

40PCS



XD00820

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1429Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

30PCS



XD00830

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2261Lm(3000K)
Material：Aluminum

15° 24° 36° 55°

16PCS



XD00845

LED：CREE/Bridglux
Power：40W
Flux(Lm)：3392Lm(3000K)
Material：Aluminum

15° 24° 36° 45° 55°

8PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

XD01010

LED：CREE/Bridglux
Power：10W
Flux(Lm)：902Lm(3000K)
Material：Aluminum

100°

40PCS



XD01015

LED：CREE/Bridglux
Power：15W
Flux(Lm)：1352Lm(3000K)
Material：Aluminum

100°

30PCS

XD01020

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1845Lm(3000K)
Material：Aluminum

100°

30PCS



XD01030

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2768Lm(3000K)
Material：Aluminum

100°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

IP20 | Constant Current | DALI



XD00912

LED：CREE/Bridglux
Power：12W
Flux(Lm)：792Lm(3000K)
Material：Aluminum

15° 30° 45°

40PCS



XD00920

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1445Lm(3000K)
Material：Aluminum

15° 30° 45°

30PCS



XD00930

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2293Lm(3000K)
Material：Aluminum

15° 30° 45°

16PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

IP54 | II | 1-10V | Constant Current | DALI | tuya



TD50907

LED：CREE/Bridglux
Power：12W
Flux(Lm)：768Lm(3000K)
Material：Aluminum

15° 24° 45°

30PCS



TD50920

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1345Lm(3000K)
Material：Aluminum

15° 24° 45°

20PCS

XD509012

LED：CREE/Bridglux
Power：12W
Flux(Lm)：775Lm(3000K)
Material：Aluminum

45°

40PCS



XD50920

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1429Lm(3000K)
Material：Aluminum

45°

30PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

Line
Downlight

IP20 | 1-10V | Constant Current | DALI



XT00310

LED：CREE
Power：10W
Flux(Lm)：525Lm(3000K)
Material：Aluminum

24*45°

40PCS



XT00320

LED：CREE
Power：20W
Flux(Lm)：789Lm(3000K)
Material：Aluminum

24*45°

20PCS



XT00330

LED：CREE
Power：30W
Flux(Lm)：1575Lm(3000K)
Material：Aluminum

24*45°

15PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



IP20 | 1-10V | Constant Current | DALI | tuya









XT00402

LED：CREE
Power：2W
Flux(Lm)：132Lm(3000K)
Material：Aluminum

15° 24° 36°

100PCS

XT00404

LED：CREE
Power：4W
Flux(Lm)：262Lm(3000K)
Material：Aluminum

15° 24° 36°

60PCS

XT00410

LED：CREE
Power：10W
Flux(Lm)：656Lm(3000K)
Material：Aluminum

15° 24° 36°

40PCS

XT00420

LED：CREE
Power：20W
Flux(Lm)：985Lm(3000K)
Material：Aluminum

15° 24° 36°

20PCS

XT00430

LED：CREE
Power：30W
Flux(Lm)：1968Lm(3000K)
Material：Aluminum

15° 24° 36°

15PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



IP20 | II | 1-10V | Constant Current | DALI | tuya



XT00503

LED：OSRAM
Power：3W
Flux(Lm)：201Lm(3000K)
Material：Aluminum

30°

50PCS



XT00506

LED：OSRAM
Power：6W
Flux(Lm)：402Lm(3000K)
Material：Aluminum

30°

40PCS



XT00512

LED：OSRAM
Power：12W
Flux(Lm)：804Lm(3000K)
Material：Aluminum

30°

20PCS



XT00504

LED：OSRAM
Power：4W
Flux(Lm)：268Lm(3000K)
Material：Aluminum

30°

40PCS



XD00512

LED：OSRAM
Power：9W
Flux(Lm)：603Lm(3000K)
Material：Aluminum

30°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



XT00610

LED：CREE
Power：10W
Flux(Lm)：985Lm(3000K)
Material：Aluminum

15° 24° 36°

40PCS



XT00620

LED：CREE
Power：20W
Flux(Lm)：1968Lm(3000K)
Material：Aluminum

15° 24° 36°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



XT00710

LED：CREE
Power：10W
Flux(Lm)：656Lm(3000K)
Material：Aluminum

15° 24° 36°

40PCS



XT00720

LED：CREE
Power：20W
Flux(Lm)：985Lm(3000K)
Material：Aluminum

15° 24° 36°

20PCS



XT00730

LED：CREE
Power：30W
Flux(Lm)：1968Lm(3000K)
Material：Aluminum

15° 24° 36°

15PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



IP20 | 1-10V | Constant Current | DALI | tuya





TDS00605

LED：CREE
Power：5W
Flux(Lm)：220Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

50PCS

TDS00612

LED：CREE
Power：12W
Flux(Lm)：886Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

20PCS



TDS00630

LED：CREE
Power：30W
Flux(Lm)：2215Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

15PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



XDS00612

LED：CREE
Power：12W
Flux(Lm)：886Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

20PCS



XDS00630

LED：CREE
Power：30W
Flux(Lm)：2215Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

15PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



TDR00606

LED：OSRAM
Power：6W
Flux(Lm)：402Lm(3000K)
Material：Aluminum

20° 36° 50°

50PCS



TDR00612

LED：OSRAM
Power：12W
Flux(Lm)：804Lm(3000K)
Material：Aluminum

20° 36° 50°

30PCS



TDR00620

LED：OSRAM
Power：20W
Flux(Lm)：1206Lm(3000K)
Material：Aluminum

20° 36° 50°

20PCS



TDR00630

LED：OSRAM
Power：30W
Flux(Lm)：1608Lm(3000K)
Material：Aluminum

20° 36° 50°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White+Black

IP20 | II | Constant Current | DALI



XDR00912

LED：OSRAM
Power：12W
Flux(Lm)：804Lm(3000K)
Material：Aluminum

20° 36° 50°

30PCS



XDR00920

LED：OSRAM
Power：20W
Flux(Lm)：1206Lm(3000K)
Material：Aluminum

20° 36° 50°

20PCS



XDR00930

LED：OSRAM
Power：30W
Flux(Lm)：1608Lm(3000K)
Material：Aluminum

20° 36° 50°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White+Black

Mini Light



SD01201

LED：OSRAM
Power：1W
Flux(Lm)：62Lm(3000K)
Material：Aluminum

15° 24° 45°

100PCS



SD01203

LED：CREE
Power：3W
Flux(Lm)：148Lm(3000K)
Material：Aluminum

15° 24° 45°

50PCS



SD01205

LED：CREE
Power：5W
Flux(Lm)：347Lm(3000K)
Material：Aluminum

15° 24° 45°

40PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White

Quietly elegant luxury,expresses kind of fashion that is not exaggerating,
experiencing a highly tasteful nobility.

IP20 | 1-10V | Constant Current | DALI

ARTISAN LIGHTING PHUKET



SD01801

LED：OSRAM
Power：1W
Flux(Lm)：75Lm(3000K)
Material：Aluminum

15°

100PCS



SD01803

LED：CREE
Power：3W
Flux(Lm)：187Lm(3000K)
Material：Aluminum

15°

50PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Matte White+Black



SD02803

LED：CREE
Power：3W
Flux(Lm)：148Lm(3000K)
Material：Aluminum

10° 20°

50PCS



SD02803B

LED：CREE
Power：3W
Flux(Lm)：143Lm(3000K)
Material：Aluminum

10° 20°

50PCS



SD02805

LED：CREE
Power：5W
Flux(Lm)：347Lm(3000K)
Material：Aluminum

6° 10° 20°

50PCS



SD02805B

LED：CREE
Power：5W
Flux(Lm)：343Lm(3000K)
Material：Aluminum

6° 10° 20°

50PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black



SD01901B

LED：CREE
Power：1W
Flux(Lm)：62Lm(3000K)
Material：Aluminum

24°

100PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White



SD02703A

LED：CREE
Power：3W
Flux(Lm)：125Lm(3000K)
Material：Aluminum

10° 24°

30PCS



SD02703B

LED：CREE
Power：3W
Flux(Lm)：125Lm(3000K)
Material：Aluminum

10° 24°

20PCS



SD02703C

LED：CREE
Power：3W
Flux(Lm)：125Lm(3000K)
Material：Aluminum

10° 24°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand White+Black

Track Light

IP20 | 1-10V | Constant Current | DALI | tuya



GD90918A

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1385Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 60°

20PCS



GD90918B

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1465Lm(3000K)
Material：Aluminum

10° 20° 30°

20PCS



GD90918C

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1520Lm(3000K)
Material：Aluminum

100°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya



GD02512

LED：CREE/Bridglux
Power：12W
Flux(Lm)：844Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

30PCS



GD02520

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1437Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

20PCS



GD02530

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2140Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS



IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



XD02512

LED：CREE/Bridglux
Power：12W
Flux(Lm)：844Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

30PCS



XD02520

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1437Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

20PCS



XD02530

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2140Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

ARTISAN LIGHTING PHUKET



GD02612

LED：CREE/Bridglux
Power：12W
Flux(Lm)：844Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

30PCS



GD02620

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1437Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

20PCS



GD02630

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2140Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

20PCS



GD02645

LED：CREE/Bridglux
Power：45W
Flux(Lm)：2372Lm(3000K)
Material：Aluminum

15° 24° 36° 60°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



GD01912TJ

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15-50°

30PCS



GD01920TJ

LED：CREE/Bridglux
Power：20W
Flux(Lm)：1358Lm(3000K)
Material：Aluminum

15-50°

20PCS



GD01930TJ

LED：CREE/Bridglux
Power：30W
Flux(Lm)：2008Lm(3000K)
Material：Aluminum

15-50°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ARTISAN LIGHTING PHUKET



GD02440

LED：CREE/Bridglux
Power：35W
Flux(Lm)：2618Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

50PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya



GD02803

LED：CREE
Power：3W
Flux(Lm)：148Lm(3000K)
Material：Aluminum

10° 20°

50PCS



GD02805

LED：CREE
Power：5W
Flux(Lm)：347Lm(3000K)
Material：Aluminum

6° 10° 20°

50PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | 1-10V | Constant Current | DALI | tuya



GD02225

LED：CREE
Power：25W
Flux(Lm)：1477Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

8PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White



IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET



GD02330

LED：CITIZEN
Power：30W
Flux(Lm)：1500Lm(3000K)
Material：Aluminum

25-36°

1PCS

Application Specification



A(mm)	H(mm)	Ø(mm)
1000	410(MAX)	430-610
2000	850(MAX)	850-1220
3000	1310(MAX)	1260-1830

Performace Of Illumination

LOGO

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White





Magnetic Light

20QG1000 / 20QG2000 / 20QG3000

Material：Aluminum

5PCS



L=1M/1.5M/2M



20MG1000 / 20MG2000 / 20MG3000

Material：Aluminum

5PCS



L=1M/1.5M/2M



20-QP

Size: 100*100*48mm

Material：Aluminum



20PCS

20-MP

Size: 100*100*53mm

Material：Aluminum



20PCS

20-DY

Size: 358*18*16mm

Material：PC



100PCS

20-ML

Size: 80*22*2mm

Material：Iron



100PCS

20-CL

Size: 60*13*2mm

Material：Iron



100PCS

20-DYT

Size: 138*18*16mm

Material：Iron

100PCS

20-DYT-D

Size: 220*18*16mm

Material：PC



100PCS

20-DYT-L

Size: 330*18*16mm

Material：PC



100PCS

20-DX

Size: 2000mm

Material：Steel



100PCS

20D-48V100

Power：100W

Material：Iron

20PCS

20D-48V200

Power：150W

Material：Iron

20PCS



C20S02009

LED：CREE
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

20PCS



C20S02012

LED：CREE
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

20PCS



C20S02020

LED：CREE
Power：20W
Flux(Lm)：1345Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

20PCS



C20S02020

LED：CREE
Power：20W
Flux(Lm)：1385Lm(3000K)
Material：Aluminum

10° 15° 24° 36° 50°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS



C20G220

LED：CREE
Power：15W
Flux(Lm)：1376Lm(3000K)
Material：Aluminum

36°

20PCS



C20X220

LED：CREE
Power：15W
Flux(Lm)：715Lm(3000K)
Material：Aluminum

36*45°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black



C20ZG110

LED：CREE/Bridglux
Power：10W
Flux(Lm)：739Lm(3000K)
Material：Aluminum

36°

20PCS



C20ZG220

LED：CREE/Bridglux
Power：15W
Flux(Lm)：1376Lm(3000K)
Material：Aluminum

36°

10PCS



C20ZF220

LED：CREE/Bridglux
Power：15W
Flux(Lm)：725Lm(3000K)
Material：Aluminum

90°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black



C20F300

LED：Bridglux
Power：10W
Flux(Lm)：490Lm(3000K)
Material：Aluminum

90°

20PCS



C20F600

LED：Bridglux
Power：15W
Flux(Lm)：725Lm(3000K)
Material：Aluminum

90°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black



C20D30

LED：CREE
Power：3W
Flux(Lm)：145Lm(3000K)
Material：Aluminum

Sand Black
Sand White

24°

10PCS



C20D85

LED：CREE
Power：7W
Flux(Lm)：437Lm(3000K)
Material：Aluminum

Sand White

15° 24° 36°

10PCS



C20D80

LED：CREE
Power：7W
Flux(Lm)：490Lm(3000K)
Material：Aluminum

Sand White

15° 24° 36°

10PCS

C20QD005

LED：CREE
Power：5W
Flux(Lm)：564Lm(3000K)
Material：Aluminum

Sand White

350°

10PCS

CCT

2700K 3000K 3500K 4000K

16QG1000 / 16QG2000 / 16QG3000

Material: Aluminum

5PCS



16MG1000 / 16MG2000 / 16MG3000

Material: Aluminum

5PCS





16-QPL

Size: 100*100*29mm

Material: Aluminum

20PCS

16-MPL

Size: 100*100*29mm

Material: Aluminum

20PCS

CH-48V150W-MINI

Size: 32*16*18mm

Material: Aluminum

20PCS



C16G220

LED：OSRAM
Power：12W
Flux(Lm)：500Lm(3000K)
Material：Aluminum

30°

20PCS



C16G330

LED：OSRAM
Power：18W
Flux(Lm)：750Lm(3000K)
Material：Aluminum

30°

20PCS



C16F300

LED：OSRAM
Power：12W
Flux(Lm)：385Lm(3000K)
Material：Aluminum

90°

20PCS



C16F600

LED：OSRAM
Power：18W
Flux(Lm)：576Lm(3000K)
Material：Aluminum

90°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black

IP20

ARTISAN LIGHTING PHUKET

22MG1000

Size: 1000x28x8mm
Material：Aluminum

5PCS

22MG2000

Size: 2000x28x8mm
Material：Aluminum

5PCS

22MP

Size: 44x22x4mm
Material：PC

100PCS



22ML

Size: 46x46x4mm
Material：PC

100PCS



C22F400

LED：OSRAM
Power：9W
Size: 400x22x11mm
Flux(Lm)：676Lm(3000K)
Material：Aluminum

100°

20PCS

C22G300

LED：OSRAM
Power：9W
Size: 300x22x17mm
Flux(Lm)：585Lm(3000K)
Material：Aluminum

24°

20PCS

C22S02209

LED：OSRAM
Power：9W
Size: 35xH100mm
Flux(Lm)：565Lm(3000K)
Material：Aluminum

15° 24° 36°

20PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black

ARTISAN LIGHTING PHUKET

20YQG1000

Material：Aluminum

1PCS

20YQG1500

Material：Aluminum

1PCS

20YQG2000

Material：Aluminum

1PCS

20YMG1000

Material：Aluminum

1PCS

20YMG1500

Material：Aluminum

1PCS

20YMG2000

Material：Aluminum

1PCS

C20YG035

LED：CREE
Power：2W
Flux(Lm)：95Lm(3000K)
Material：Aluminum



C20YG045

LED：CREE
Power：3W
Flux(Lm)：145Lm(3000K)
Material：Aluminum



30°

20PCS

C20YG180

LED：CREE
Power：10W
Flux(Lm)：739Lm(3000K)
Material：Aluminum



C20YG360

LED：CREE
Power：15W
Flux(Lm)：1376Lm(3000K)
Material：Aluminum



30°

20PCS

C20YF180

LED：Bridglux
Power：10W
Flux(Lm)：725Lm(3000K)
Material：Aluminum



C20YF360

LED：Bridglux
Power：15W
Flux(Lm)：725Lm(3000K)
Material：Aluminum



100°

20PCS

C20S02010

LED：CREE
Power：10W
Flux(Lm)：395Lm(3000K)
Material：Aluminum



C20S02015

LED：CREE
Power：15W
Flux(Lm)：800Lm(3000K)
Material：Aluminum



15° 24° 36°

20PCS

The uinque design fully reveals elegance and noblenss.

IP20 | 1-10V | Constant Current | DALI | tuya

ARTISAN LIGHTING PHUKET

K450M

LED：OSRAM
Power：20W
Flux(Lm)：815Lm(3000K)
Material：Aluminum

K600M

LED：OSRAM
Power：30W
Flux(Lm)：1230Lm(3000K)
Material：Aluminum



K900M

LED：OSRAM
Power：40W
Flux(Lm)：1650Lm(3000K)
Material：Aluminum

K450D

LED：OSRAM
Power：20W
Flux(Lm)：815Lm(3000K)
Material：Aluminum

K600D

LED：OSRAM
Power：30W
Flux(Lm)：1230Lm(3000K)
Material：Aluminum



K900D

LED：OSRAM
Power：40W
Flux(Lm)：1650Lm(3000K)
Material：Aluminum

K450Q

LED：OSRAM
Power：20W
Flux(Lm)：815Lm(3000K)
Material：Aluminum



K600Q

LED：OSRAM
Power：30W
Flux(Lm)：1230Lm(3000K)
Material：Aluminum



K900Q

LED：OSRAM
Power：40W
Flux(Lm)：1650Lm(3000K)
Material：Aluminum

30°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black

IP20 | 1-10V | Constant Current | DALI | tuya



XD90505

LED：Bridglux
Power：5W
Flux(Lm)：275Lm(3000K)
Material：Aluminum

120°

1PCS



XD90518

LED：Bridglux
Power：18W
Flux(Lm)：990Lm(3000K)
Material：Aluminum

120°

1PCS

XD90524

LED：Bridglux
Power：24W
Flux(Lm)：1320Lm(3000K)
Material：Aluminum

120°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White



IP20 | 1-10V | Constant Current | DALI





BH001

Material: Aluminum

1PCS

BH002

Material: Aluminum

1PCS





BH-GD

Material: Aluminum

100PCS

COLOR

Sand Black



DX01907

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



DX01912

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



DX002007

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White



DX01407

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS



DX01412

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36° 50°

30PCS



DX01507

LED：CREE/Bridglux
Power：7W
Flux(Lm)：395Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



DX01512

LED：CREE/Bridglux
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

15° 24° 36°

30PCS



DX01603

LED：CREE/Bridglux
Power：3W
Flux(Lm)：145Lm(3000K)
Material：Aluminum

24°

10PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White



DX01807

LED：CREE/Bridglux
Power：7W
Flux(Lm)：437Lm(3000K)
Material：Aluminum

Sand Black

15° 24° 36°

10PCS



DX01707

LED：CREE/Bridglux
Power：7W
Flux(Lm)：490Lm(3000K)
Material：Aluminum

Sand White

15° 24° 36°

10PCS



DX02210

LED：CREE/Bridglux
Power：5W
Flux(Lm)：564Lm(3000K)
Material：Aluminum

Sand White

350°

10PCS

CCT

2700K 3000K 3500K 4000K



DX95340

LED：OSRAM
Power：40W
Flux(Lm)：2565Lm(3000K)
Material：Aluminum

15° 30° 45°

5PCS

Sand Black
Sand White



DX95440

LED：OSRAM
Power：40W
Flux(Lm)：2243Lm(3000K)
Material：Aluminum

15° 30° 45°

5PCS

Sand Black
Sand White



DX95540

LED：OSRAM
Power：40W
Flux(Lm)：1876Lm(3000K)
Material：Aluminum

100°

5PCS

Sand Black
Sand Gold

CCT

2700K 3000K 3500K 4000K

IP20 | 1-10V | Constant Current | DALI | tuya



TJ00175

LED：Bridglux
Power：75W
Flux(Lm)：420Lm(3000K)
Material：Aluminum

100°

1PCS



TJ001150

LED：Bridglux
Power：150W
Flux(Lm)：9240Lm(3000K)
Material：Aluminum

100°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black

LD90320

LED：Bridglux
Power：20W
Flux(Lm)：1250Lm(3000K)
Material：Aluminum

100°

1PCS

LD90515

LED：Bridglux
Power：15W
Flux(Lm)：825Lm(3000K)
Material：Aluminum

100°

1PCS

LD90510

LED：Bridglux
Power：10W
Flux(Lm)：550Lm(3000K)
Material：Aluminum

100°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black



BD92512

LED：Bridglux
Power：12W
Flux(Lm)：610Lm(3000K)
Material：Aluminum

100°

12PCS



BD92518

LED：Bridglux
Power：18W
Flux(Lm)：915Lm(3000K)
Material：Aluminum

100°

12PCS



BD92524

LED：Bridglux
Power：23W
Flux(Lm)：1220Lm(3000K)
Material：Aluminum

100°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black



BD88515

LED：Bridglux
Power：15W
Flux(Lm)：935Lm(3000K)
Material：Aluminum



BD88520

LED：Bridglux
Power：20W
Flux(Lm)：1247Lm(3000K)
Material：Aluminum



BD88525

LED：Bridglux
Power：25W
Flux(Lm)：1655Lm(3000K)
Material：Aluminum



BD88525

LED：Bridglux
Power：25W
Flux(Lm)：1559Lm(3000K)
Material：Aluminum



BD88530

LED：Bridglux
Power：30W
Flux(Lm)：1871Lm(3000K)
Material：Aluminum



BD88535

LED：Bridglux
Power：35W
Flux(Lm)：2318Lm(3000K)
Material：Aluminum

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black



BD00107

LED：CREE
Power：7W
Flux(Lm)：95Lm(3000K)
Material：Aluminum

36°

30PCS



BD00112

LED：CREE
Power：12W
Flux(Lm)：800Lm(3000K)
Material：Aluminum

36°

30PCS



BD87506

LED：Bridglux
Power：6W
Flux(Lm)：290Lm(3000K)
Material：Aluminum

100°

1PCS



BD91012

LED：/Bridglux
Power：9W+3W
Flux(Lm)：485Lm(3000K)
Material：Aluminum

100°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White



IP20 | 1-10V | Constant Current | DALI



BD86105

LED：Bridglux
Power：5W
Flux(Lm)：275Lm(3000K)
Material：Aluminum

100°

12PCS



BD86109

LED：Bridglux
Power：9W
Flux(Lm)：495Lm(3000K)
Material：Aluminum

100°

12PCS



BD87205

LED：Bridglux
Power：5W
Flux(Lm)：325Lm(3000K)
Material：Aluminum

100°

1PCS



BD85807

LED：Bridglux
Power：7W
Flux(Lm)：295Lm(3000K)
Material：Aluminum

100°

1PCS



BD85810

LED：Bridglux
Power：10W
Flux(Lm)：422Lm(3000K)
Material：Aluminum

100°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White



BD93815

LED：Bridglux
Power：15W
Flux(Lm)：635Lm(3000K)
Material：Aluminum

100°

1PCS



BD85603

LED：Bridglux
Power：3W
Flux(Lm)：132Lm(3000K)
Material：Aluminum

100°

1PCS



BD85510

LED：Bridglux
Power：10W
Flux(Lm)：456Lm(3000K)
Material：Gypsum

100°

1PCS



BD85520

LED：Bridglux
Power：20W
Flux(Lm)：912Lm(3000K)
Material：Gypsum

100°

1PCS

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Black
Sand White

COLOR

Sand White



IP20

TB32203

LED：CREE
Power：3W
Flux(Lm)：87Lm(3000K)
Material：Aluminum

30°

50PCS



TB32403

LED：CREE
Power：3W
Flux(Lm)：83Lm(3000K)
Material：Aluminum

30°

50PCS



TB32203G

LED：CREE
Power：3W
Flux(Lm)：65Lm(3000K)
Material：Aluminum

30°

50PCS



TB32303

LED：CREE
Power：3W
Flux(Lm)：87Lm(3000K)
Material：Aluminum

30°

50PCS



TB33003

LED：CREE
Power：3W
Flux(Lm)：66Lm(3000K)
Material：Aluminum

30°

50PCS



TB32403G

LED：CREE
Power：3W
Flux(Lm)：65Lm(3000K)
Material：Aluminum

30°

50PCS



CCT

2700K 3000K 3500K 4000K

COLOR

Sand White

TB32503

LED：CREE
Power：3W
Flux(Lm)：96Lm(3000K)
Material：Aluminum

30°

12PCS



TB32503G

LED：CREE
Power：3W
Flux(Lm)：96Lm(3000K)
Material：Aluminum

30°

12PCS



配件可选

CCT

2700K 3000K 3500K 4000K

COLOR

Sand Gray
Sand White

Scan Me

scan me

FB : Artisanlightingphuket

LINE

Artisanlighting S3

Artisanlighting S5

ARTISAN
LIGHTING PHUKET
www.artisanlighting.net

scan me

scan me

IG : Artisanlightingpk

WhatsApp