

QUALITY SERVICE IN NOVATION



HIGH - QUALITY CREATIVE LAMPS

ARTISAN LIGHTING PHUKET COMPANY LIMITED

100/364-5 Moo.5 Pracha-U-Thit Rd.,
Rassada, Muang, Phuket.Thailand
Postal code: 83000

Mobile : 0935799471 (TH), 086 945 8988 (EN&TH)

Tel: 076 376 101

Whatapp: 086 945 8988

E-mail: Support@artisanlighting.net


www.artisanlighting.co.th



Artisanlighting Phuket is only for the highest quality lamps.



Table of Contents

Recessed Series		01-10
Surfaced Series		11-13 35-43
Backlight Series		14-17
Soft wand Series		18-24 44-46
Wall Shelf Series		26-34
Fabric Shade series		47-51




Cutout size : L130 x W40 x H50mm

Code : RD-300-001
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.





Cutout size : L130 x W40 x H50mm

Code : RD-300-006
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.



Cutout size: L160 x W40 x H60mm

Code : RD-300-011
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.



Cutout size: L160 x W40 x H60mm



Code : RD-300-016
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.






Body Size : L180 x W50 x H65mm

Code : RD-300-002
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
USB Outle : 5V 2.1A fast charger
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.





Cutout size: L95 x W65 x H50mm

Code : RD-300-028
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
USB Outle : 5V 2.1A fast charger
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.



Cutout size: L160 x W40 x H60mm


Code : RD-300-017
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
USB Outle : 5V 2.1A fast charger
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.



Cutout size: L95 x W60 x H40mm

Code : RD-300-029
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.







Unit:mm

Cutout size: L95 x W65 x H50mm



Code : RD-300-030
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.



Unit:mm

Cutout size: L155xW55xH40mm

Code : RD-300-034
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.




Cutout size: L155xW55xH40mm



Switch


Code : RD-300-033
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Toggle switch on plate
Finish : Matte black, sand nickel, bright chrome, antique copper etc.




Unit:mm

Cutout size: L155 x W55 x H40mm

Code : RD-300-035
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
USB Outle : 5V 2.1A fast charger
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.






Unit:mm

Cutout size: L155xW55xH40mm

Code : RD-300-036
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Toggle switch on plate
Finish : Sand nickel, bright chrome, antique copper




Unit:mm

Cutout size : L150 x W55 x H45mm

Code : RD-300-041
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel , Bronze etc.



Switch




Unit:mm

Cutout size : L150 x W55 x H45mm

Code : RD-300-040
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Dock switch under head
Finish : Matt black, matt white



Switch



Unit:mm


Cutout size : L150 x W55 x H45mm

Code : RD-300-041-USB
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Dock switch under head
Finish : Matt black






Unit:mm




Code : RD-300-047
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : Beam angle 30°
Lumen: 180lm
Driver: TUV/UL/SAA certificate
Plug: Hard wired or custom wall plug
Installation : Recessed
Switch: Dock switch under light head
Finish : Matt Black, Matt White, Sand Nickel



Unit:mm

Cutout size : L16.5 × W6.5 × H6.5mm


Code : RD-300-048
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: No switch
Finish : Matt black, matt white, chrome, satin nickel, Bronze etc.



Unit:mm

Cutout size : L200 × W45 × H42mm

Code : RD-300-044
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : Beam angle 30°
Lumen: 180lm
Driver: TUV/UL/SAA certificate
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: Dock switch under light head
Finish : Black bronze, Satin nickel, Chrome




Unit:mm

Code : RD300-045
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : Beam angle 30°
Lumen: 180lm
Driver: TUV/UL/SAA certificate
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: Dock switch under light head
Finish : Black bronze








Code : RD-300-019
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: BJB Switch on plate
USB Outle : 5V 2.1A +Type-C
Finish : Matt black, matt white, chrome, satin nickel
 matt nickel, brushed brass, black bronze etc.




Code : RD-300-021
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: BJB Switch on plate
Finish : Matt black, matt white, chrome, satin nickel
 matt nickel, brushed brass, black bronze etc.




Code : RD-300-026
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: Push switch on head
USB Outle : 5V 2.1A fast charger
Finish : Matt black, brushed brass, chrome,
 satin nickel




Code : RD-300-027
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: rocker switch on plate
Finish : Matt black, matt white, chrome, satin nickel,
 Bronze etc.









Code : RD-300-064
Input : AC100~240V
Light Source : LED 3W Osram/ 6W SMD back mood
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm for reading light
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Twin BJB switch on plate
USB Outlet : Twin 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, wood grain, satin nickel, matt nickel, brushed brass, etc.





Code : RD-300-066/067
Input : AC100~240V
Light Source : LED 3W Osram/ 6W SMD back mood
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm for reading light
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Twin BJB switch on plate
Finish : Matt black, matt white, chrome, wood grain, satin nickel, matt nickel, brushed brass, etc.




Code : UNO-BH-068
Input : AC100~240V
Light Source : 3W Osram
USB : Output 5V 2.1A
Lumen : 180lm
Installation : Surface mounted
Switch : Rocker switch on plate
Finish : Matt white/Matt black/Satin nickel/Brushed brass





Code : RD-300-069
Input : AC100~240V
Light Source : 3W Osram LED
Beam Angle : 30° or customized
Lumen : 180lm
USB : Output 5V 2.1A
Installation : Surface mounted
Switch : BJB switch on plate
Finish : Matt black/Matt white







Code : RD-300-070
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Twin BJB switch on plate
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel



Code : RD-300-B A098
Input : AC100~240V
Light Source : Osram 3W + 6W backlit
CCT : 3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
Installation : Surface mounted
Switch : Slim switch
Finish : Matt black/Matt white




Built-in acrylic light belt



Code : RD-300-043
Light Source : Osram 3W + 6W backlit
CCT : 3000K/4000K
Installation : Surface mounted
Switch : Twin touch dimmable switch
Finish : Matt black/Matt white/Matt white +light wood grain/Matt black+brushed brass



Intimate design, two-way optional









Code : RD-300-037
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: BJB switch on plate
Finish : Brushod brass,black bronze etc



Code : RD-300-050
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface mounted
Switch: BJB switch on plate
USB Outle : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome,satin nickel, matt nickel, brushed brass, black bronze etc.




Code : RD-300-049
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface mounted
Switch: BJB switch on plate
USB Outle : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome,satin nickel, matt nickel, brushed brass, black bronze etc.




Code : RD-300-051
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Recessed
Switch: Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.







Code : RD-300-051B
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Recessed
Switch: No switch
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.




Code : RD-300-052
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface mounted
Switch: Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, brushed brass, black bronze etc.




Code : RD-300-054
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Recessed
Switch: No switch
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.



Code : RD-300-054
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Recessed
Switch: No switch
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.




Code : RD-300-055
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Recessed
Switch: Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.




Code : RD-300-056
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface mounted
Switch: Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.







Code : RD-300-057
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface mounted
Switch: Slim rocker switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, brushed brass, black bronze etc.



Code : RD-300-058
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface mounted
Switch: Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, brushed brass, black bronze etc.




Code : RD-300-BA091
Input : AC100~240V
Light Source : Osram 3W
CCT : 3000K/4000K
Characteristic : Black leather flexible arm
Installation: Surface mounted
Switch: Rocker switch
Finish: Matt black




Code : RD-300-P4313-184/111
Input : AC220~240V
Light Source : 3W Cree LED
CCT : 2700K/3000K/4000K
Lumen: 180lm
Driver: Eaglerise brand
Installation : Surface mounted
Switch: slim rocker switch
Finish : brushed brass, wooden color






Code : RD-300-010
Input : AC100~240V
Light Source : G9 + 3W Osram
CCT : 3000K/4000K
Installation : Surface mounted
Switch : Toggle switch
Finish : Matt black//Matt white




Code : RD-300-BA012
Input : AC100~240V
Light Source : G9 + 3W Osram
CCT : 3000K/4000K
Installation : Surface mounted
Switch : Slim rocker switch
Finish : Matt white/Matt black




Cutout size: L155 x W55 x H40mm

Code : RD-300-059
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
USB Outle : 5V 2.1A fast charger
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.



Code : RD-300-063
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Slim rocker switch on plate
Finish : Matt black, matt white, chrome, satin nickel, Bronze etc.





Code : RD-300-065
Input : AC100~240V
Light Source : LED 3W Osram/ 6W SMD back mood
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen : 180lm lm for reading light
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Round rocker switch on plate
USB Outlet : Twin 5V 2.1A fast charger
Shelf : 5V 1A Wireless charger
Finish : Matt black, matt white, chrome, wood grain, satin nickel, matt nickel, brushed brass, etc.



Intimate design, two-way optional




Left




Right








Code : RD-300-071
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: BJB switch/slim rocker switch
Finish : Matt black, matt white, chrome, satin nickel




Code : RD-300-072
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: BJB switch/slim rocker switch
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel






Code : RD-300-073
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Push switch on head
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel
Wireless charger: 5W on shelf




Code : RD-300-074
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: Twin BJB switch on plate
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel






Code : RD-300-075
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch: Twin BJB switch on plate
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel




Code : RD-300-BA220H
Input : AC110~240V
Light Source : 12W Osram LED
CCT : 2700K/3000K/4000K
Beam Angle : 30°
Lumen: 180lm
Driver: Eaglerise brand
Installation : Surface mounted
Switch: Metal push switch on plate
USB Outlet : 5V 2.1A
Finish : Matt black, matt white





Code : UNO-BA-220S
Input : AC110~240V
Light Source : 12W Osram LED
CCT : 2700K/3000K/4000K
Beam Angle : 30°
Lumen: 180lm
Driver: Eaglerise brand
Installation : Surface mounted
Switch: Metal push switch on plate
USB Outlet : 5V 2.1A
Finish : Matt black, matt white







Code : RD-300-BA017A/B
Input : AC100~240V
Light Source : SMD 5W Globe
CCT : 3000K/4000K
USB: 5V 2.1A +Type-C
Installation : Surface Mounted
Switch: Touch dimmable switch
Finish: Matt white + walnut wood
 Matt black + walnut wood





Code : RD-300-BA015
Input : AC100~240V
Light Source : G9 + 3W Osram
CCT : 3000K/4000K
Installation: Surface mounted
Switch: Twin slim rocker switch
Finish: Matt white/Matt black







Code : RD-300-014
Input : AC100~240V
Light Source : G9 + 3W Osram
CCT : 3000K/4000K
Installation: Surface mounted
Switch: Twin slim rocker switch
Finish: Matt white/Matt black




Code : RD-300-013
Input : AC100~240V
Light Source : 6W SMD backlit + 3W Osram
Reading
CCT : 3000K/4000K
Driver : Eaglerise brand
Installation: Surface mounted
Switch: Slim rocker switch
Finish: Matt black/Matt white/brash brass





Code : RD-300-BA040
Input : AC100~240V
Light Source : 3W SMD backlit + 2W Osram
Reading
CCT : 3000K/4000K/6000K
Driver : Eaglerise brand
Installation: Surface mounted
Switch: Twin switch
Finish: Matt black/Matt white






Two installation methods



Code : RD-300-224
Input : AC100~240V
Light Source : G9 + 3W Osram
CCT : 3000K/4000K/6000K
Installation: Surface mounted
Driver: Eaglerise brand
Switch: Rocker switch
Finish: Matt white/Matt black




Code : RD-300-BA223
Input : AC100~240V
Light Source : 6W SMD backlit + 3W Osram Reading
CCT : 3000K/4000K/6000K
Installation: Surface mounted
Driver: Eaglerise brand
Switch: Twin switch
Finish: sand white/sand black




Code : RD-300-BA071
Input : AC110~240V
Light Source : 6W SMD backlit + 3W Osram Reading
CCT : 3000K/4000K/6000K
Installation: Surface mounted
Driver: Eaglerise brand
Switch: 2pcs BJB switch to control seperately
Finish: sand white/sand black



Code : RD-300-BA221
Input : AC110~240V
Light Source : 10W Cree LED
Lumen: 180lm
CCT : 3000K/4000K/6000K
Installation: Surface mounted
Driver: Eaglerise brand
Beam Angle : Beam angle 30°
Finish: Matt black/Matt white





Code : RD-300-BA077/007L

Input : AC100~240V

Light Source : Osram 8W



CCT : 3000K+4000K+6000K

Driver: Eaglerise brand

Installation: Surface mounted

Switch: Rocker switch

Finish: sand black/sand white



Code : RD-300-WL073

Input : AC100~240V

Light Source : SMD 7W

CCT : 3000K

Installation: Surface mounted

Switch: No switch

Finish: Matt white+ gold / Matt black + gold



Code : RD-300-BA217

Input : AC220~240V

Light Source : Osram 7W



CCT : 3000K/4000K/6000K

Installation: Surface mounted

Driver: Eaglerise brand

Switch: Rocker switch

Finish: metal base +wood panel+acrylic lampshade+die-casting aluminum lamp cup



Code : RD-300-BA218-1/-2/-3

Input : AC110~240V


Light Source : Osram 8W


CCT : 3000K+4000K+6000K

Installation: Surface mounted



Driver: Eaglerise brand

Finish: sand white







Code : RD-300-BA127A/B
Input : AC100~240V
Light Source : Osram 3W
CCT : 3000K/4000K
Uplight: 3W
Installation: Surface mounted
Switch: Touch switch
Finish: Brushed brass




Code : RD-300-BA044
Input : AC100~240V
Light Source : SMD 5W
CCT : 3000K/4000K
Installation: Surface mounted
Switch: Roll switch Roll dimmable switch
Finish: Brushed brass




Code : RD-300-076
Input : AC100~240V
Light Source : 5W GU10
Installation: Surface mounted
Switch: No switch
Finish: Brushed brass




Preferred metal material




Lamp arm rotatable



Code : RD-300-BA030
Input : AC100~240V
Light Source : COB 5W
CCT : 3000K/4000K
Lumen : 200~220lm
USB: Output 5V 2.1A
Installation: Surface mounted
Switch: Metal push switch on plate
Finish: Sand black+ brushed brass





L:300MM W:270MM E:210MM




L:200MM W:350MM E:245MM

Code : RD-300-042/043
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Mood Light : 1x E27 lamp max 40W
Shade : Fabric TBA
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface Mounted
Switch: Single metal push switch on plate
Finish : Chrome, satin nickel, black chrome, etc.



L:335MM W:200MM E:300MM




Code : RD-300-046
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Mood Light : 1x E27 lamp max 40W
Shade : Fabric TBA
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface Mounted
Switch: Single rocker switch for Reading
Finish : Chrome, satin nickel, black chrome, etc.



L:360MM W:275MM H:130MM



L:400MM W:120MM H:120MM



Code : RD-300-061/062
Input : AC100~240V
Light Source : LED 3W Osram
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Mood Light : 1x E27 lamp max 40W
Shade : Fabric TBA
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired
Installation : Surface Mounted
Finish : Chrome, satin nickel, black chrome, etc.



L:275MM W:210MM H:400MM

Code : RD-300-087
Input : AC100~240V
Light Source : 2W Osram LED
CCT : 2700K/3000K/4000K
Beam Angle : 30°
Lumen: 180lm
Mood Light : E27*1 Max60W without E27 light source
Shade : Fabric TBA
Switch: Twin rocker switches on plate
Plug: Hard wired
Installation : Surface mounted
Finish : Black bronze, Chrome





L:400MM W:230MM H:370MM

Code : RD-300-088
Input : AC100~240V
Light Source : 2W Osram LED
CCT : 2700K/3000K/4000K
Beam Angle : Beam angle 30°
Lumen: 180lm
Mood Light : E27*1 Max60W without E27 light source
Shade : Fabric TBA
Switch: Twin rocker switches on plate
Plug: Hard wired
Installation : Surface mounted
Finish : Black bronze



L:285MM W:150MM H:170MM

Code : RD-300-BA152
Input : AC100~240V
Light Source : 3W Osram LED
Mood Light : E27 max 60W(without E27 bulb)
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface mounted
Switch: Rocker switch
Finish : aluminum+steel+fabric(black bronze)



W:150MM S:210MM H:245MM

Code : RD-300-CLW01
Input : AC100~240V
Light Source : LED 3W Osram
Lamp : E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Twin Rocker Switch
Finish : stainless steel lamp body+Linen fabric shade



W:180MM L:190MM H:330MM

Code : RD-300-CLW02
Input : AC100~240V
Light Source : E27 Max 60W
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Rocker Switch on plate
Finish : Bright polished or custom make
Material: stainless steel lamp body+Linen fabric shade





W:250MM L:150MM H:360MM

Code : RD-300-CLW03
Input : AC100~240V
Light Source : LED 3W Osram
Lamp : E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Twin Rocker Switch on plate
Finish : stainless steel lamp body+Linen fabric shade
Material: stainless steel lamp body+Linen fabric shade



W:150MM S:210MM H:245MM


Code : RD-300-CLW04
Input : AC100~240V
Light Source : E27 Max 60W
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Rocker Switch on plate
Finish : Bright polished or other custom make color
Material: stainless steel lamp body+Linen fabric shade



Code : RD-300-81
Input : AC100~240V
Light Source : E26/E27 Max 60W
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Rocker Switch on plate
Material: stainless steel lamp body+Linen fabric shade



Code : RD-300-82
Input : AC100~240V
Light Source : LED 3W Osram
Lamp : E26/E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Twin Rocker Switch on plate
Material: stainless steel lamp body+Linen fabric shade





Code : RD-300-83
Input : AC100~240V
Light Source : E26/E27 Max 60W
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: No Switch
Material: stainless steel lamp body+Linen fabric shade



Code : RD-300-84
Input : AC100~240V
Light Source : LED 3W Osram
Lamp : E26/E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30° or customized
Lumen: 180lm
Driver: UL/SAA/TUV/CE listed
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Twin Rocker Switch on plate
USB Outlet : 5V 2.1A fast charger
Material: stainless steel lamp body+Linen fabric shade



Code : RD-300-85
Input : AC100~240V
Light Source : E27 Max 40W
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Chain Pull Switch
Finish : Bright polished
Material: stainless steel lamp body+Glass Shade



Code : RD-300-86
Input : AC100~240V
Light Source : E27 Max 40W
Plug: Hard wired or custom wall plug
Installation : Surface Mounted
Switch: Chain Pull Switch
Finish : Bright polished
Material: stainless steel lamp body+fabric

