




PRODUCT
CATALOG
Downlight series & Ceiling Lamp series
VERSION 1/ 2024

Natural spectrum

Natural spectrum Reduce blue light radiation
energy Natural and sharp light color
performance There is no ultraviolet light
harmful to human body or objects



Downlight
series



SCENE DISPLAY



Present the artistic
aesthetic style of
modern space



A warm home, a
tender light,
mapping a simple
happiness.




LIGHT

let the
heart have
a quiet

“***JUST CLICK***

MY ITEM

 www.artisanlighting.co.th



Page 016





Page 002



Page 003



Page 004



Page 004



Page 008



Page 008



Page 011



Page 012



Page 014



Page 016



Page 018



Page 020



Page 022



Page 023



Page 024



Page 035



Page 035



Page 036



Page 036



Page 038



Page 040



Page 041



Page 042



Page 056



Page 045



Page 046



Page 47



Page 048



Page 050



Page 042



Page 044



Page 046



Page 048



Page 050



Page 052



Page 059



Page 059



Page 060



Page 060



Page 057



Page 058



Page 056



Page 058



Page 054





Page 061



Page 062



Page 063



Page 064



Page 065



Page 066



Page 066



Page 067



Page 068



Page 069



Page 070



Page 072



Page 076



Page 107



Page 108




Page 109



Page 111



Page 113



Page 113



Page 113



Page 113



Page 113



Page 113



Page 113



Page 113



Page 113



Page 114



Page 114



Page 114



Page 114



Page 114



Page 114



Page 114



Page 114



Page 114



Ceiling lamp series



[Page 120](#)



[Page 121](#)



[Page 122](#)



[Page 126](#)



[Page 126](#)



[Page 126](#)



[Page 126](#)



[Page 128](#)



[Page 130](#)



[Page 132](#)




[Page 136](#)






The combination of structures and colors seem simple and stable, but in fact it is a profound expression of simplicity.




001




DL-321-04507

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 408Lm
Material: Aluminum





DL-321-04510

LED: CREE/Bridgelux
Power: 9W
Flux(Lm): 580Lm
Material: Aluminum



DL-321-04512

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 785Lm
Material: Aluminum



DL-321-04520

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1365Lm
Material: Aluminum



Optional



CCT



COLOR

■ Sand White+Black




002



Fast Track





003




DL-321-04710

LED: CREE/Bridgelux
Power: 9W
Flux(Lm): 580Lm
Material: Aluminum




DL-321-04712

LED: CREE/Bridgelux
Power: 1*12W
Flux(Lm): 780Lm
Material: Aluminum



DL-321-04810

LED: CREE/Bridgelux
Power: 9W
Flux(Lm): 580Lm
Material: Aluminum



DL-321-04812

LED: CREE/Bridgelux
Power: 1*12W
Flux(Lm): 408Lm
Material: Aluminum



Optional



CCT



COLOR

■ Sand White+Black



Fast Track




004




- IP20
-
-
- 1-10V
- Constant Current
- DALI
- tuya
-

005




DL-321-04607

LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 408Lm
 Material: Aluminum





DL-321-04610

LED: CREE/Bridgelux
 Power: 9W
 Flux(Lm): 580Lm
 Material: Aluminum



DL-321-04612

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 785Lm
 Material: Aluminum




DL-321-04620

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1365Lm
 Material: Aluminum



Optional



COLOR

■ Sand White+Black



Fast Track



006



Quietly elegant luxury, expresses kind of fashion that is not exaggerating, experiencing a highly tasteful nobility.



IP20



1-10V Constant Current DALI

007



DL-321-04505


LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 175Lm
Material: Aluminum



24° 36°



50PCS



DL-321-04505B

LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 175Lm
Material: Aluminum



24° 36°



50PCS



DL-321-04605

LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 175Lm
Material: Aluminum



24° 36°



50PCS



DL-321-04605B

LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 175Lm
Material: Aluminum




24° 36°



50PCS



Fast Track



CCT



COLOR

■ Sand White+Black



ANTI-GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS

008



Fast Track



Rotary removal or fixation
easy to stabilize



010



DL-321-0900E


LED:
CREE/Bridgelux
Power: 7W
Flux(Lm): 430Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-320910E


LED:
CREE/Bridgelux
Power: 12W
Flux(Lm): 743Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-320920E


LED:
CREE/Bridgelux
Power: 20W
Flux(Lm): 1310Lm
Material: Aluminum



15° 24° 36° 60°



30PCS



DL-321-0901E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 420Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-0911E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 744Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-0921E

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1315Lm
Material: Aluminum




15° 24° 36° 60°



30PCS



Fast Track



COLOR
 Sand White+Black



ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



COLOR
 Sand White+Black




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



DL-321-0902E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 425Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-0912E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 745Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-0922E


LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1340Lm
Material: Aluminum



15° 24° 36° 60°



30PCS



DL-321-0903E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 435Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-0913E

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 735Lm
Material: Aluminum



15° 24° 36° 60°



50PCS



DL-321-0923E

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1320Lm
Material: Aluminum



15° 24° 36° 60°



30PCS



Fast Track



COLOR
■ Sand White+Black




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



COLOR
■ Sand White+Black




ANTI GLARE NET




LINEAR SPREAD LENS



SQUARE SPREAD LENS



DL-321-1224E
 LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 311Lm
 Material: Aluminum




DL-321-1234E
 LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 840Lm
 Material: Aluminum



DL-321-1244E
 LED: CREE/Bridgelux
 Power: 18W
 Flux(Lm): 1408Lm
 Material: Aluminum




Fast Track



CCT
 3000K 4000K 5000K 6000K

COLOR
 Sand White



DL-321-1225E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 311Lm
Material: Aluminum



270°



50PCS



DL-321-1235E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 620Lm
Material: Aluminum



270°



30PCS



DL-321-1245E

LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1042Lm
Material: Aluminum




270°



30PCS



COLOR
■ Sand White



DL-321-1226E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 311Lm
Material: Aluminum



270°



50PCS



DL-321-1236E

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 620Lm
Material: Aluminum



270°



30PCS



DL-321-1246E


LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1042Lm
Material: Aluminum



270°



30PCS




COLOR
■ Sand White



Fast Track





DL-321-1220E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 321Lm
Material: Aluminum



270°



50PCS



DL-321-1230E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



270°



50PCS



DL-321-1240E

LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1408Lm
Material: Aluminum




270°



50PCS



COLOR
☐ Solid White



DL-321-1221E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 321Lm
Material: Aluminum



270°



50PCS



DL-321-1231E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



270°



50PCS



DL-321-1241E


LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1408Lm
Material: Aluminum



270°



50PCS




COLOR
☐ Solid White



Fast Track





DL-321-1222E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 321Lm
Material: Aluminum



270°



50PCS



DL-321-1232E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



270°



30PCS



DL-321-1242E

LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1408Lm
Material: Aluminum



270°



30PCS


CCT



3000K 4000K 5000K 6000K

COLOR

Send White



DL-321-1223E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 321Lm
Material: Aluminum



270°



50PCS



DL-321-1233E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



270°



30PCS



DL-321-1243E

LED: CREE/Bridgelux
Power: 18W
Flux(Lm): 1408Lm
Material: Aluminum



270°



30PCS

CCT



3000K 4000K 5000K 6000K


COLOR

Send White



Fast Track





DL-321-0810E

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 430Lm
Material: Aluminum



15° 24° 38°



50PCS



DL-321-0811E

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 744Lm
Material: Aluminum



15° 24° 38° 60°



30PCS



DL-321-0812E

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1240Lm
Material: Aluminum



15° 24° 38° 60°



30PCS



DL-321-0813E

LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1860Lm
Material: Aluminum



15° 24° 38° 60°



30PCS



DL-321-0820E

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 430Lm
Material: Aluminum



15° 24° 38°



50PCS



DL-321-0821E

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 744Lm
Material: Aluminum



15° 24° 38° 60°



30PCS



DL-321-0822E

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1240Lm
Material: Aluminum



15° 24° 38° 60°



30PCS



DL-321-0823E

LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1860Lm
Material: Aluminum




15° 24° 38° 60°



30PCS



Fast Track



COLOR

■ Sand White+Black




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



COLOR

■ Sand White+Black





ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



DL-321-0390E

LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 455Lm
 Material: Aluminum



15° 24° 36° 50°



30PCS



DL-321-0400E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum



10° 15° 24° 36° 50°



20PCS



DL-321-0410E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1300Lm
 Material: Aluminum



15° 24° 36° 50°



12PCS



Fast Track



CCT



COLOR

■ Sand White+Black




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



DL-321-0391E


LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 455Lm
 Material: Aluminum



15° 24° 36° 50°



20PCS



DL-321-0401E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum



10° 15° 24° 36° 50°



20PCS



DL-321-0411E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1300Lm
 Material: Aluminum



15° 24° 36° 50°



12PCS



SDL-321-0392E


LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 455Lm
 Material: Aluminum



15° 24° 36° 50°



30PCS



DL-321-0402E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum



10° 15° 24° 36° 50°



20PCS



DL-321-0412E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1300Lm
 Material: Aluminum



15° 24° 36° 50°



12PCS



Fast Track



COLOR

■ Sand White+Black




ANTI GLARE NET



LINEAR SPREAD LEVEL




SQUARE SPREAD LEVEL



COLOR

■ Sand White+Black



DL-321-0393E


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 490Lm
Material: Aluminum



15° 24° 36° 50°



20PCS



DL-321-0403E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



15° 24° 36° 50°



20PCS



DL-321-0413E


LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1400Lm
Material: Aluminum



15° 24° 36° 50°



12PCS



DL-321-0394E

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 397Lm
Material: Aluminum



15° 24° 36° 50°



30PCS



DL-321-0404E


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 682Lm
Material: Aluminum



15° 24° 36° 50°



20PCS



DL-321-0414E

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1300Lm
Material: Aluminum





15° 24° 36° 50°




12PCS



Fast Track



COLOR
■ Sand White+Black




COLOR
■ Sand White+Black






- IP20
- II
- 1-10V
- Constant Current
- DALI
- tuya
- Smart Home Icon

031




DL-321-0395E

LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 455Lm
 Material: Aluminum




DL-321-0405E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum




DL-321-0415E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1300Lm
 Material: Aluminum



Fast Track



- CCT
- 3000K
 - 4000K
 - 5000K
 - 6000K

- COLOR
- Sand White+Black
 - ANTI GLARE NET
 - LINEAR SPREAD LEIS
 - SQUARE SPREAD LEIS

032



Fast Track




In terms of design and aesthetics,
it realizes the versatility of changing direction,
and the light beam is arbitrary.




DL-321-0670E

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 455Lm
Material: Aluminum




DL-321-0671E

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 455Lm
Material: Aluminum




DL-321-0672E

LED: CREE/Bridgelux
Power: 2*7W
Flux(Lm): 910Lm
Material: Aluminum





DL-321-0673E

LED: CREE/Bridgelux
Power: 3*7W
Flux(Lm): 1360Lm
Material: Aluminum




DL-321-0680E

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 455Lm
Material: Aluminum




DL-321-0681E

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 455Lm
Material: Aluminum



DL-321-0682E

LED: CREE/Bridgelux
Power: 2*7W
Flux(Lm): 910Lm
Material: Aluminum



DL-321-0683E

LED: CREE/Bridgelux
Power: 3*7W
Flux(Lm): 1360Lm
Material: Aluminum



Fast Track



COLOR

■ Sand White+Black



ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



COLOR

■ Sand White+Black



ANTI GLARE NET










LINEAR SPREAD LENS



SQUARE SPREAD LENS





IP20   1-10V  Constant Current   





DL-321-0690E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum





DL-321-0691E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum




DL-321-0692E

LED: CREE/Bridgelux
 Power: 2*12W
 Flux(Lm): 1560Lm
 Material: Aluminum




DL-321-0693E

LED: CREE/Bridgelux
 Power: 3*12W
 Flux(Lm): 2350Lm
 Material: Aluminum



Fast Track



CCT


COLOR
 ■ Sand White+Black
  




IP20   1-10V  Constant Current   





DL-321-0700E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 800Lm
 Material: Aluminum




DL-321-0701E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 800Lm
 Material: Aluminum




DL-321-0702E

LED: CREE/Bridgelux
 Power: 2*12W
 Flux(Lm): 1600Lm
 Material: Aluminum





DL-321-0703E

LED: CREE/Bridgelux
 Power: 3*12W
 Flux(Lm): 1800Lm
 Material: Aluminum




Fast Track





CCT

 3000K 4000K 5000K 6000K

COLOR


DL-321-0710E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 360Lm
 Material: Aluminum




DL-321-0711E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 360Lm
 Material: Aluminum





DL-321-0712E

LED: CREE/Bridgelux
 Power: 2*20W
 Flux(Lm): 2720Lm
 Material: Aluminum




DL-321-0713E

LED: CREE/Bridgelux
 Power: 3*20W
 Flux(Lm): 4080Lm
 Material: Aluminum





DL-321-0720E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 360Lm
 Material: Aluminum




DL-321-0721E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 360Lm
 Material: Aluminum



DL-321-0722E

LED: CREE/Bridgelux
 Power: 2*20W
 Flux(Lm): 2720Lm
 Material: Aluminum




DL-321-0723E

LED: CREE/Bridgelux
 Power: 3*20W
 Flux(Lm): 4080Lm
 Material: Aluminum




Fast Track







DL-321-01607

LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 660Lm
 Material: Aluminum



DL-321-01612

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 1150Lm
 Material: Aluminum





DL-321-01615

LED: CREE/Bridgelux
 Power: 15W
 Flux(Lm): 1430Lm
 Material: Aluminum




Fast Track






DL-321-00407

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 450Lm
Material: Aluminum



DL-321-00412

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 790Lm
Material: Aluminum




DL-321-00420

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1310Lm
Material: Aluminum




DL-321-00430

LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1970Lm
Material: Aluminum




COLOR
Sand White




DL-321-00507

LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 450Lm
Material: Aluminum




DL-321-00512

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 790Lm
Material: Aluminum




DL-321-00520

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1310Lm
Material: Aluminum



DL-321-00530

LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1970Lm
Material: Aluminum



COLOR
Sand White



Fast Track






IP20 1-10V Constant Current DALI



	<p>DL-321-02005 LED: CREE/Bridgelux Power: 5W Flux(Lm): 284Lm Material: Aluminum</p>	 15° 24° 36° 40PCS
	<p>DL-321-02010 LED: CREE/Bridgelux Power: 10W Flux(Lm): 568Lm Material: Aluminum</p>	 15° 24° 36° 30PCS
	<p>DL-321-02015 LED: CREE/Bridgelux Power: 15W Flux(Lm): 852Lm Material: Aluminum</p>	 15° 24° 36° 20PCS
	<p>DL-321-02020 LED: CREE/Bridgelux Power: 20W Flux(Lm): 1136Lm Material: Aluminum</p>	 15° 24° 36° 12PCS
	<p>DL-321-02010M LED: CREE/Bridgelux Power: 10W Flux(Lm): 568Lm Material: Aluminum</p>	 15° 24° 36° 30PCS




Fast Track




CCT

COLOR




			<p>DL-321-02110-2 LED: CREE/Bridgelux Power: 2*10W Flux(Lm): 1360Lm Material: Aluminum</p>	 15PCS
			<p>DL-321-02115-2 LED: CREE/Bridgelux Power: 2*15W Flux(Lm): 1980Lm Material: Aluminum</p>	 10PCS
			<p>DL-321-02120-2 LED: CREE/Bridgelux Power: 2*20W Flux(Lm): 2720Lm Material: Aluminum</p>	 6PCS
			<p>DL-321-02110-3 LED: CREE/Bridgelux Power: 3*10W Flux(Lm): 1950Lm Material: Aluminum</p>	 4PCS
			<p>DL-321-02115-3 LED: CREE/Bridgelux Power: 3*15W Flux(Lm): 2970Lm Material: Aluminum</p>	 4PCS
			<p>DL-321-02120-3 LED: CREE/Bridgelux Power: 3*20W Flux(Lm): 4080Lm Material: Aluminum</p>	 4PCS




Fast Track







DL-321-02707A
 LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 480Lm
 Material: Aluminum





DL-321-02707B
 LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 480Lm
 Material: Aluminum




DL-321-02707C
 LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 480Lm
 Material: Aluminum



Fast Track



COLOR
 Sand White




DL-321-02807A

LED: CREE/Bridgelux

Power: 7W

Flux(Lm): 480Lm

Material: Aluminum




DL-321-02807B

LED: CREE/Bridgelux

Power: 7W

Flux(Lm): 480Lm

Material: Aluminum




DL-321-02807C

LED: CREE/Bridgelux

Power: 7W

Flux(Lm): 480Lm

Material: Aluminum




Fast Track





IP20 1-10V Constant Current DALI



DL-321-02803

LED: CREE/Bridgelux
Power: 3W
Flux(Lm): 180Lm
Material: Aluminum



6° 10° 20°



100PCS



DL-321-02803B


LED: CREE/Bridgelux
Power: 3W
Flux(Lm): 180Lm
Material: Aluminum



6° 10° 20°



100PCS



DL-321-02805

LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 300Lm
Material: Aluminum



6° 10° 20°



100PCS



DL-321-02805B

LED: CREE/Bridgelux
Power: 5W
Flux(Lm): 300Lm
Material: Aluminum



6° 10° 20°



100PCS

CCT



3000K 4000K 5000K 6000K

COLOR


Sand White+Black



Fast Track




Quietly elegant luxury, expresses kind of fashion that is not exaggerating,
experiencing a highly tasteful nobility




DL-321-01801

LED: OSRAM
Power: 1W
Flux(Lm): 55Lm
Material: Aluminum




DL-321-01803

LED: OSRAM
Power: 3W
Flux(Lm): 180Lm
Material: Aluminum




DL-321-01901

LED: OSRAM
Power: 4x1W
Flux(Lm): 215Lm
Material: Aluminum




DL-321-01901B

LED: OSRAM
Power: 1W
Flux(Lm): 55Lm
Material: Aluminum




Fast Track







LD-321-01101

LED: OSRAM
 Power: 1W
 Flux(Lm): 55Lm
 Material: Aluminum



LD-321-01301

LED: OSRAM
 Power: 1W
 Flux(Lm): 55Lm
 Material: Aluminum IP44



LD-321-01401

LED: OSRAM
 Power: 1W
 Flux(Lm): 55Lm
 Material: Aluminum IP44






LD-321-01501

LED: OSRAM
 Power: 1W
 Flux(Lm): 55Lm
 Material: Aluminum IP44



Fast Track






With a gentle press, the lamp will automatically pop out, making installation and disassembly more convenient and maintenance and replacement simpler.



DL-321-00504

LED: Bridgelux
Power: 7W
Flux(Lm): 490Lm
Material: Aluminum



DL-321-00506

LED: Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum




DL-321-00512

LED: Bridgelux
Power: 20W
Flux(Lm): 1460Lm
Material: Aluminum



Fast Track






DL-321-00504M

LED: Bridgelux
 Power: 7W
 Flux(Lm): 490Lm
 Material: Aluminum



DL-321-00506M

LED: Bridgelux
 Power: 12W
 Flux(Lm): 850Lm
 Material: Aluminum



DL-321-00512M

LED: Bridgelux
 Power: 20W
 Flux(Lm): 1460Lm
 Material: Aluminum



COLOR
 Sand White+Black



DL-321-00504Z

LED: Bridgelux
 Power: 7W
 Flux(Lm): 420Lm
 Material: Aluminum



DL-321-00506Z

LED: Bridgelux
 Power: 12W
 Flux(Lm): 720Lm
 Material: Aluminum



DL-321-00512Z


LED: Bridgelux
 Power: 12W
 Flux(Lm): 720Lm
 Material: Aluminum



COLOR
 Sand White+Black



Fast Track






IP20



1-10V Constant Current



DL-321-00508

LED: Bridgelux
Power: 8W
Flux(Lm): 460Lm
Material: Aluminum



DL-321-00508M

LED: Bridgelux
Power: 8W
Flux(Lm): 600Lm
Material: Aluminum



DL-321-00508M

LED: Bridgelux
Power: 8W
Flux(Lm): 420Lm
Material: Aluminum



Fast Track



CCT
3000K 4000K 5000K 6000K DALI

COLOR
Sand White+Black



DL-321-0030E

LED: Bridgelux
Power: 2W
Flux(Lm): 120Lm
Material: Aluminum



30°



50PCS



DL-321-0031E

LED: Bridgelux
Power: 4W
Flux(Lm): 240Lm
Material: Aluminum



30°



50PCS



DL-321-0032E


LED: Bridgelux
Power: 6W
Flux(Lm): 360Lm
Material: Aluminum



30°



50PCS



DL-321-0033E


LED: Bridgelux
Power: 10W
Flux(Lm): 600Lm
Material: Aluminum



30°



50PCS



DL-321-0034E


LED: Bridgelux
Power: 20W
Flux(Lm): 1200Lm
Material: Aluminum



30°



50PCS



DL-321-0040E

LED: Bridgelux
Power: 2W
Flux(Lm): 120Lm
Material: Aluminum



30°



50PCS



DL-321-0041E


LED: Bridgelux
Power: 4W
Flux(Lm): 240Lm
Material: Aluminum



30°



50PCS



DL-321-0042E

LED: Bridgelux
Power: 6W
Flux(Lm): 360Lm
Material: Aluminum



30°



50PCS



DL-321-0043E


LED: Bridgelux
Power: 10W
Flux(Lm): 600Lm
Material: Aluminum



30°



50PCS



DL-321-0044E

LED: Bridgelux
Power: 20W
Flux(Lm): 1200Lm
Material: Aluminum



30°



50PCS



Fast Track



COLOR
 Sand White+Black




COLOR
 Sand White+Black




DL-321-0050E

LED: CREE/Bridgelux
Power: 2W
Flux(Lm): 120Lm
Material: Aluminum





DL-321-0060E

LED: CREE/Bridgelux
Power: 2W
Flux(Lm): 120Lm
Material: Aluminum




DL-321-0051E

LED: CREE/Bridgelux
Power: 4W
Flux(Lm): 240Lm
Material: Aluminum





DL-321-0061E

LED: CREE/Bridgelux
Power: 4W
Flux(Lm): 240Lm
Material: Aluminum




DL-321-0052E

LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 360Lm
Material: Aluminum



DL-321-0062E

LED: CREE/Bridgelux
Power: 6W
Flux(Lm): 360Lm
Material: Aluminum




DL-321-0053E

LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 600Lm
Material: Aluminum




DL-321-0063E

LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 600Lm
Material: Aluminum



DL-321-0054E

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1200Lm
Material: Aluminum



DL-321-0064E

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1200Lm
Material: Aluminum



Fast Track



COLOR
■ Sand White+Black



COLOR
■ Sand White+Black



071



DL-321-0070E

LED: CREE/Bridgelux
 Power: 3*1W
 Flux(Lm): 180Lm
 Material: Aluminum



DL-321-0071E

LED: CREE/Bridgelux
 Power: 6*1W
 Flux(Lm): 720Lm
 Material: Aluminum




DL-321-0072E

LED: CREE/Bridgelux
 Power: 6*1W
 Flux(Lm): 720Lm
 Material: Aluminum



Fast Track



072



DL-321-00102


LED: CREE/Bridgelux
Power: 2W
Flux(Lm): 142Lm
Material: Aluminum



15° 24° 36°



90PCS



DL-321-00104

LED: CREE/Bridgelux
Power: 4W
Flux(Lm): 295Lm
Material: Aluminum



15° 24° 36°



80PCS



DL-321-00110

LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 897Lm
Material: Aluminum



15° 24° 36°



60PCS



DL-321-00120

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1027Lm
Material: Aluminum



15° 24° 36°



30PCS



DL-321-00130

LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1695Lm
Material: Aluminum



15° 24° 36°



20PCS



DL-321-00202

LED: CREE/Bridgelux
Power: 2W
Flux(Lm): 142Lm
Material: Aluminum



15° 24° 36°



90PCS



DL-321-00204

LED: CREE/Bridgelux
Power: 4W
Flux(Lm): 295Lm
Material: Aluminum



15° 24° 36°



80PCS



DL-321-00210

LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 897Lm
Material: Aluminum



15° 24° 36°



60PCS



DL-321-00220

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1027Lm
Material: Aluminum



15° 24° 36°



30PCS



DL-321-00230

LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1695Lm
Material: Aluminum



15° 24° 36°




20PCS






Fast Track



COLOR
 Sand White+Black




COLOR
 Sand White+Black




DL-321-00310
 LED: CREE/Bridgelux
 Power: 10W
 Flux(Lm): 500Lm
 Material: Aluminum





Fast Track



DL-321-00320
 LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1000Lm
 Material: Aluminum



DL-321-00330
 LED: CREE/Bridgelux
 Power: 30W
 Flux(Lm): 1500Lm
 Material: Aluminum






IP20 1-10V


077




DL-321-0170E
 LED: OSRAM
 Power: 6W
 Flux(Lm): 580Lm
 Material: Aluminum



DL-321-0171E
 LED: OSRAM
 Power: 12W
 Flux(Lm): 720Lm
 Material: Aluminum




DL-321-0172E
 LED: OSRAM
 Power: 20W
 Flux(Lm): 1200Lm
 Material: Aluminum



DL-321-0173E
 LED: OSRAM
 Power: 30W
 Flux(Lm): 1800Lm
 Material: Aluminum



Fast Track




CCT

 3000K 4000K 5000K 6000K

COLOR

078



DL-321-160E

LED: CREE/Bridgelux
 Power: 5W
 Flux(Lm): 330Lm
 Material: Aluminum



15° 24° 36° 50°



50PCS



DL-321-0161E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 790Lm
 Material: Aluminum



15° 24° 36° 50°



20PCS



DL-321-0162E

LED: CREE/Bridgelux
 Power: 30W
 Flux(Lm): 1980Lm
 Material: Aluminum



15° 24° 36° 50°



15PCS



Fast Track




CCT



COLOR


■ Sand White+Black



Optional

Black Chrome Pearl/black White

Quietly elegant luxury expresses kind of fashion that is not exaggerating experiencing a highly tasteful nobility.



DL-321-02207


LED: CREE/Bridgelux
Power: 7W
Flux(Lm): 450Lm
Material: Aluminum



15° 24° 36° 55°



40PCS



DL-321-02210

LED: CREE/Bridgelux
Power: 10W
Flux(Lm): 650Lm
Material: Aluminum



15° 24° 36° 55°



40PCS



DL-321-02212


LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 780Lm
Material: Aluminum



15° 24° 36° 55°



30PCS



DL-321-02220

LED: CREE/Bridgelux
Power: 20W
Flux(Lm): 1310Lm
Material: Aluminum



15° 24° 36° 55°



20PCS



DL-321-02230


LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1950Lm
Material: Aluminum



15° 24° 36° 55°



12PCS



DL-321-02240

LED: CREE/Bridgelux
Power: 40W
Flux(Lm): 2610Lm
Material: Aluminum




15° 24° 36° 55°



8PCS



Fast Track



CCT




COLOR

Sand White

Optional





DL-321-01809


LED: Bridgelux
Power: 8W
Flux(Lm): 467Lm
Material: Aluminum



100°



50PCS



DL-321-01812


LED: Bridgelux
Power: 12W
Flux(Lm): 900Lm
Material: Aluminum



100°



50PCS



DL-321-01818


LED: Bridgelux
Power: 18W
Flux(Lm): 1400Lm
Material: Aluminum



100°



30PCS



DL-321-01824

LED: Bridgelux
Power: 24W
Flux(Lm): 1800Lm
Material: Aluminum



100°



20PCS



DL-321-01908


LED: Bridgelux
Power: 8W
Flux(Lm): 471Lm
Material: Aluminum



100°



20PCS



DL-321-01912


LED: Bridgelux
Power: 12W
Flux(Lm): 850Lm
Material: Aluminum



100°



50PCS



DL-321-01918


LED: Bridgelux
Power: 18W
Flux(Lm): 1250Lm
Material: Aluminum



100°



30PCS



DL-321-01924

LED: Bridgelux
Power: 24W
Flux(Lm): 1680Lm
Material: Aluminum



100°




20PCS




Fast Track



COLOR
■ Sand White+Black



COLOR
■ Sand White+Black




DL-321-0140E
 LED: Bridgelux
 Power: 7W
 Flux(Lm): 500Lm
 Material: Aluminum



DL-321-0141E
 LED: Bridgelux
 Power: 12W
 Flux(Lm): 850Lm
 Material: Aluminum




DL-321-0142E
 LED: Bridgelux
 Power: 15W
 Flux(Lm): 1050Lm
 Material: Aluminum




DL-321-0143E
 LED: Bridgelux
 Power: 20W
 Flux(Lm): 1400Lm
 Material: Aluminum



DL-321-0144E
 LED: Bridgelux
 Power: 30W
 Flux(Lm): 2100Lm
 Material: Aluminum



Fast Track





- IP54
-
-
- 1-10V
- Constant Current
- DALI
- tuya
-



DL-321-00106

LED: Bridgelux
 Power: 6W
 Flux(Lm): 420Lm
 Material: Aluminum



DL-321-00112

LED: Bridgelux
 Power: 12W
 Flux(Lm): 840Lm
 Material: Aluminum



DL-321-00118

LED: Bridgelux
 Power: 18W
 Flux(Lm): 1260Lm
 Material: Aluminum



DL-321-00124

LED: Bridgelux
 Power: 24W
 Flux(Lm): 1680Lm
 Material: Aluminum





- CCT
- 3000K
 - 4000K
 - 5000K
 - 6000K

- COLOR
- Matte White



Fast Track





DL-321-00312

LED: Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



100°



20PCS



DL-321-00318

LED: Bridgelux
Power: 18W
Flux(Lm): 1250Lm
Material: Aluminum



100°



20PCS



COLOR
Send White



DL-321-00412


LED: Bridgelux
Power: 12W
Flux(Lm): 840Lm
Material: Aluminum



100°



20PCS



DL-321-00418

LED: Bridgelux
Power: 18W
Flux(Lm): 1250Lm
Material: Aluminum



100°




20PCS



COLOR
Send White




Fast Track






		<p>DL-321-0230E LED: CREE/Bridgelux Power: 8W Flux(Lm): 550Lm Material: Aluminum</p>	
		<p>DL-321-0231E LED: CREE/Bridgelux Power: 15W Flux(Lm): 1050Lm Material: Aluminum</p>	
		<p>DL-321-0232E LED: CREE/Bridgelux Power: 20W Flux(Lm): 1400Lm Material: Aluminum</p>	
		<p>DL-321-0233E LED: CREE/Bridgelux Power: 30W Flux(Lm): 2050Lm Material: Aluminum</p>	



Fast Track





- IP20
-
-
- 1-10V
- Constant Current
- DALI
- tuya
-




		<p>DL-321-00607 LED: CREE/Bridgelux Power: 7W Flux(Lm): 480Lm Material: Aluminum</p>	 12° 24° 36° 50PCS
		<p>DL-321-00612 LED: CREE/Bridgelux Power: 12W Flux(Lm): 820Lm Material: Aluminum</p>	 12° 24° 36° 30PCS
		<p>DL-321-00620 LED: CREE/Bridgelux Power: 20W Flux(Lm): 1360Lm Material: Aluminum</p>	 12° 24° 36° 24PCS
		<p>DL-321-00607-2 LED: CREE/Bridgelux Power: 2*7W Flux(Lm): 960Lm Material: Aluminum</p>	 12° 24° 36° 25PCS
		<p>DL-321-00612-2 LED: CREE/Bridgelux Power: 2*12W Flux(Lm): 1640Lm Material: Aluminum</p>	 12° 24° 36° 60° 15PCS
		<p>DL-321-00620-2 LED: CREE/Bridgelux Power: 2*20W Flux(Lm): 2720Lm Material: Aluminum</p>	 12° 24° 36° 12PCS


- CCT
- 3000K
 - 4000K
 - 5000K
 - 6000K

- COLOR
- Sand White+Black
 - ANTI GLARE NET
 - LINEAR SPREAD LENS
 - SQUARE SPREAD LENS



Fast Track





DL-321-0260E

LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 450Lm
 Material: Aluminum




DL-321-0261E

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum



DL-321-0262E

LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1300Lm
 Material: Aluminum



COLOR
 Sand White



DL-321-0240E

LED: Bridgelux
 Power: 15W
 Flux(Lm): 1000Lm
 Material: Aluminum



DL-321-0250E


LED: Bridgelux
 Power: 27W
 Flux(Lm): 1534Lm
 Material: Aluminum



COLOR
 Sand White



Fast Track





DL-321-0241E

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1340Lm
Material: Aluminum



15°x24°x36°



30PCS



DL-321-0251E

LED: CREE/Bridgelux
Power: 27W
Flux(Lm): 1534Lm
Material: Aluminum




15°x24°x36°



30PCS



COLOR
Sand White



DL-321-0242E

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 1340Lm
Material: Aluminum



15°x24°x36°



30PCS



DL-321-0252E

LED: CREE/Bridgelux
Power: 27W
Flux(Lm): 1534Lm
Material: Aluminum



15°x24°x36°




30PCS




COLOR
Sand White




Fast Track






			
		<p>DL-321-0180E LED: Bridgelux Power: 12W Flux(Lm): 900Lm Material: Aluminum IP65</p>	 100°  50PCS
			
		<p>DL-321-0181E LED: Bridgelux Power: 18W Flux(Lm): 1350Lm Material: Aluminum IP65</p>	 100°  30PCS
			
		<p>DL-321-0182E LED: Bridgelux Power: 24W Flux(Lm): 1780Lm Material: Aluminum IP65</p>	 100°  30PCS




Fast Track






1-10V Constant Current DALI



DL-321-0220E
 LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 840Lm
 Material: Aluminum IP65

15° 24° 45°
 30PCS



DL-321-0221E
 LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1400Lm
 Material: Aluminum IP65


15° 24° 45°
 20PCS




CCT
 3000K 4000K 5000K 6000K

COLOR
 Sand White-Black



Fast Track





DL-321-02912X

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 590Lm
 Material: Aluminum



40PCS



DL-321-02920X

LED: CREE/Bridgelux
 Power: 15W
 Flux(Lm): 950Lm
 Material: Aluminum





30PCS




Fast Track







DL-321-00412-1
 LED: CREE/Bridgelux
 Power: 12W*1
 Flux(Lm): 810Lm
 Material: Aluminum
 40PCS




DL-321-00412-2
 LED: CREE/Bridgelux
 Power: 12W*2
 Flux(Lm): 1620Lm
 Material: Aluminum
 20PCS




DL-321-00412-3
 LED: CREE/ridgelux
 Power: 12W*3
 Flux(Lm): 2430Lm
 Material: Aluminum
 15PCS




DL-321-00420-1
 LED: CREE/Bridgelux
 Power: 20W*1
 Flux(Lm): 1350Lm
 Material: Aluminum
 24PCS




DL-321-00420-2
 LED: CREE/Bridgelux
 Power: 20W*2
 Flux(Lm): 2700Lm
 Material: Aluminum
 18PCS




DL-321-00420-3
 LED: CREE/Bridgelux
 Power: 20W*3
 Flux(Lm): 4050Lm
 Material: Aluminum
 12PCS




DL-321-00430-1
 LED: CREE/Bridgelux
 Power: 30W*1
 Flux(Lm): 2040Lm
 Material: Aluminum
 18PCS



DL-321-00430-2
 LED: CREE/Bridgelux
 Power: 30W*2
 Flux(Lm): 4080Lm
 Material: Aluminum
 12PCS



DL-321-00430-3
 LED: CREE/Bridgelux
 Power: 30W*3
 Flux(Lm): 6120Lm
 Material: Aluminum
 8PCS




Fast Track






IP20 1-10V Constant Current DALI




DL-321-00512-1
 LED: CREE/Bridgelux
 Power: 12W*1
 Flux(Lm): 810Lm
 Material: Aluminum

15° 24° 36°
 30PCS




DL-321-00512-2
 LED: CREE/Bridgelux
 Power: 12W*2
 Flux(Lm): 1620Lm
 Material: Aluminum

15° 24° 36°
 15PCS



DL-321-00520-1
 LED: CREE/Bridgelux
 Power: 20W*1
 Flux(Lm): 1350Lm
 Material: Aluminum

15° 24° 36°
 24PCS



DL-321-00520-2
 LED: CREE/Bridgelux
 Power: 20W*2
 Flux(Lm): 2700Lm
 Material: Aluminum

15° 24° 36°
 12PCS

CCT

 3000K 4000K 5000K 6000K

COLOR
 Matte White+Black




Fast Track






IP20 Constant Current DALI

109




DL-321-0520P

Material : Aluminum




DL-321-0521P

Material : Aluminum




DL-321-0522P

Material : Aluminum



DL-321-0523P

Material : Aluminum




DL-321-0524P

Material : Aluminum



Fast Track






DL-321-0522P

Material : Aluminum



50PCS



DL-321-0523P

Material : Aluminum



30PCS



DL-321-0525P

Material : Aluminum



20PCS



DL-321-0524P

Material : Aluminum



10PCS



Fast Track



CCT



COLOR

Send White



DL-321-007AM

Material : Aluminum



100PCS



DL-321-0112P

Material : Aluminum



50PCS



DL-321-007OM

Material: Aluminum



100PCS



DL-321-007JM

Material : Aluminum



50PCS



DL-321-007BM

Material : Aluminum



100PCS



DL-321-007CM

Material : Aluminum





50PCS



DL-321-007KM

Material : Aluminum



50PCS



DL-321-007KM-2

Material : Aluminum



20PCS



DL-321-007DM

Material : Aluminum



100PCS



DL-321-007EM

Material : Aluminum




100PCS



DL-321-040AM

Material : Aluminum



100PCS



DL-321-041AM

Material : Aluminum



50PCS



DL-321-007FM

Material : Aluminum



100PCS



DL-321-007GM

Material : Aluminum



100PCS



DL-321-040BM

Material : Aluminum



100PCS



DL-321-040CM

Material : Aluminum



100PCS



SD007IM

Material : Aluminum




100PCS



SD007NM

Material : Aluminum





100PCS



SD040DM

Material : Aluminum



100PCS



DL-321-040EM

Material : Aluminum



100PC



Fast Track





DL-321-042AM

Material : Aluminum

100PCS



DL-321-043AM

Material : Aluminum

100PCS



DL-321-0282P

Material : Aluminum

50PCS



DL-321-0281P

Material : Aluminum

50PCS



DL-321-042BM

Material : Aluminum

100PCS



DL-321-043BM

Material : Aluminum

100PCS



DL-321-0641P

Material : Aluminum

50PCS



DL-321-0640P

Material : Aluminum

50PCS



Fast Track



DL-321-042CM

Material : Aluminum

100PCS



DL-321-043CM

Material : Aluminum

100PCS



DL-321-0750G

Material : Aluminum


50PCS



DL-321-007LM

Material : Aluminum

50PCS



DL-321-043DM

Material : Aluminum

100PCS



DL-321-043EM

Material : Aluminum

100PCS



DL-321-007-1

Material : Aluminum

50PCS



DL-321-007-2

Material : Aluminum

50PCS



DL-321-042EM

Material : Aluminum

100PCS



DL-321-042FM

Material : Aluminum

100PCS



DL-321-007-3

Material : Aluminum

50PCS


Natural spectrum

Natural spectrum Reduce blue light radiation energy
Natural and sharp light color performance There is no
ultraviolet light harmful to human body or objects



Ceiling lamp series





CE-321-0070E


LED: Bridgelux
 Power: 36W
 Flux(Lm): 750Lm
 Material: Aluminum



100°



40PCS



CE-321-0071E


LED: Bridgelux
 Power: 45W
 Flux(Lm): 1120Lm
 Material: Aluminum



100°



30PCS



CE-321-0072E

LED: Bridgelux
 Power: 55W
 Flux(Lm): 1780Lm
 Material: Aluminum



100°



16PCS



CE-321-0073E

LED: Bridgelux
 Power: 84W
 Flux(Lm): 2240Lm
 Material: Aluminum



100°



16PCS



Fast Track



CCT



COLOR





CE-321-0030E


LED: Bridgelux
Power: 12W
Flux(Lm): 880Lm
Material: Aluminum



100°



50PCS



CE-321-0031E


LED: Bridgelux
Power: 24W
Flux(Lm): 1780Lm
Material: Aluminum



100°



30PCS



CE-321-0032E


LED: Bridgelux
Power: 36W
Flux(Lm): 2680Lm
Material: Aluminum



100°



20PCS



CE-321-0033E


LED: Bridgelux
Power: 48W
Flux(Lm): 3580Lm
Material: Aluminum



100°



10PCS



CE-321-0034E

LED: Bridgelux
Power: 96W
Flux(Lm): 7180Lm
Material: Aluminum



100°



5PCS

CCT



3000K 4000K 5000K 6000K

COLOR

□ Sand White



CE-321-0040E

LED: Bridgelux
Power: 12W
Flux(Lm): 880Lm
Material: Aluminum



100°



50PCS



CE-321-0041E


LED: Bridgelux
Power: 24W
Flux(Lm): 1780Lm
Material: Aluminum



100°



30PCS



CE-321-0042E

LED: Bridgelux
Power: 36W
Flux(Lm): 2680Lm
Material: Aluminum



100°



20PCS



CE-321-0043E

LED: Bridgelux
Power: 48W
Flux(Lm): 3580Lm
Material: Aluminum



100°



10PCS



CE-321-0044E

LED: Bridgelux
Power: 96W
Flux(Lm): 7180Lm
Material: Aluminum



100°



5PCS

CCT



3000K 4000K 5000K 6000K

COLOR

□ Sand White



Fast Track





CE-321-00907-1

LED: CREE/Bridgelux
 Power: 7W
 Flux(Lm): 460Lm
 Material: Aluminum



CE-321-00907-2

LED: CREE/Bridgelux
 Power: 2*7W
 Flux(Lm): 920Lm
 Material: Aluminum



CE-321-00912-1

LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 790Lm
 Material: Aluminum



CE-321-00912-2


LED: CREE/Bridgelux
 Power: 2*12W
 Flux(Lm): 1550Lm
 Material: Aluminum



COLOR
 Sand White




Fast Track






CE-321-01412B
 LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 850Lm
 Material: Aluminum





CE-321-01412
 LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 395Lm
 Material: Aluminum



Fast Track



CE-321-01412X
 LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 850Lm
 Material: Aluminum



CE-321-01412F
 LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 850Lm
 Material: Aluminum





Constant Current



CE-321-0290E

LED: CREE/Bridgelux
 Power: 10W
 Flux(Lm): 660Lm
 Material: Aluminum




CE-321-0291E

LED: CREE/Bridgelux
 Power: 15W
 Flux(Lm): 980Lm
 Material: Aluminum



CE-321-0292E

LED: CREE/Bridgelux
 Power: 24W
 Flux(Lm): 1570Lm
 Material: Aluminum



CE-321-0293E

LED: CREE/Bridgelux
 Power: 30W
 Flux(Lm): 1970Lm
 Material: Aluminum



CCT

COLOR
 Sand Black
 Sand White




Fast Track











CE-321-0300E
 LED: Bridgelux
 Power: 10W
 Flux(Lm): 750Lm
 Material: Aluminum

 100°
 40PCS




CE-321-0301E
 LED: Bridgelux
 Power: 15W
 Flux(Lm): 1120Lm
 Material: Aluminum

 100°
 30PCS







CE-321-0302E
 LED: Bridgelux
 Power: 24W
 Flux(Lm): 1780Lm
 Material: Aluminum

 100°
 16PCS



CE-321-0303E
 LED: Bridgelux
 Power: 30W
 Flux(Lm): 2240Lm
 Material: Aluminum


 100°
 16PCS

CCT
 3000K
  4000K
  5000K
  6000K

COLOR
 Sand Black
 Sand White



Fast Track






- IP20
- II
- Constant Current
- DALI




CE-321-00912
 LED: CREE/Bridgelux
 Power: 12W
 Flux(Lm): 750Lm
 Material: Aluminum

- 15° 30° 45°
- 40PCS



CE-321-00920
 LED: CREE/Bridgelux
 Power: 20W
 Flux(Lm): 1280Lm
 Material: Aluminum

- 15° 30° 45°
- 30PCS



CE-321-00930
 LED: CREE/Bridgelux
 Power: 30W
 Flux(Lm): 1950Lm
 Material: Aluminum

- 15° 30° 45°
- 16PCS

- CCT
- 3000K
 - 4000K
 - 5000K
 - 6000K

- COLOR
- Sand Black
 - Sand White





Fast Track





IP20 Constant Current DALI



CE-321-S00612

LED: CREE/Bridgelux
Power: 12W
Flux(Lm): 750Lm
Material: Aluminum



15° 24° 36° 50°



20PCS

CE-321-S00630

LED: CREE/Bridgelux
Power: 30W
Flux(Lm): 1880Lm
Material: Aluminum




15° 24° 36° 50°



15PCS




Fast Track





CCT

3000K 4000K 5000K 6000K

COLOR
 Sand White



CE-321-00912
 LED: OSRAM
 Power: 12W
 Flux(Lm): 780Lm
 Material: Aluminum





CE-321-00920
 LED: OSRAM
 Power: 20W
 Flux(Lm): 1280Lm
 Material: Aluminum



CE-321-R00930
 LED: OSRAM
 Power: 30W
 Flux(Lm): 1950Lm
 Material: Aluminum



Fast Track





CONTACT



100/364-5 M.5 PRACHA U THIT RD.,
PHUKET, THAILAND



086-945-8988
093-579-9471



ARTISANLIGHTING.NET
โคมไฟสั่งทำ นำเข้า รับซ่อม คุณภาพดี
LAMP SHOP PHUKET



line OA :: @artisanlighting
www.artisanlighting.net