ARTISAN
LIGHTING PHUKET

PRODUCT
CATALOG

Downlight series & Ceiling Lamp series

VERSION 1/ 2024

Natural spectrum

Natural spectrum Reduce blue light radiation energy Natural and sharp light color performance There is no ultraviolet light harmful to human body or objects




ARTISAN
LIGHTING PHUKET


Downlight
series



SCENE DISPLAY










Present the artistic aesthetic style of modern space









A warm home, a tender light, mapping a simple happiness.





LIGHT

let the heart have a quiet

“JUST CLICK MY ITEM

www.artisanlighting.co.th



Page 016





Page 002



Page 003



Page 004



Page 004



Page 008



Page 008



Page 011



Page 012



Page 014



Page 016



Page 018



Page 020



Page 022



Page 023



Page 024



Page 035



Page 035



Page 036



Page 036



Page 038



Page 040



Page 041



Page 042



Page 056



Page 045



Page 046




Page 47




Page 048



Page 050



Page 042



Page 044



Page 046



Page 048



Page 050



Page 052



Page 059



Page 059



Page 060



Page 060



Page 057


Page 058

Page 056

Page 058

Page 054


ARTISAN
LIGHTING PHUKET



Page 061



Page 062



Page 063



Page 064



Page 065



Page 066




Page 066




Page 067



Page 068




Page 069



Page 070



Page 072



Page 076




Page 073



Page 074



Page 80



Page 80




Page 266



Page 267



Page 267



Page 267



Page 268



Page 268



Page 305



Page 114




Page 114



Page 114




Page 114



Page 114



Page 114



Page 114



Page 114



Page 114

Ceiling lamp series



Page 118



Page 121



Page 122



Page 123



Page 124



Page 126



Page 126



Page 126




Page 126



Page 128



Page 130



Page 132



Page 136








The combination of structures and colors seem simple and stable,but in fact it is a profound expression of simplicity.



IP20 | 1-10V | Constant Current | DALI | tuya






DL-321-04507

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：408Lm
Material：Aluminum

15° 24° 36° 50°

50PCS




DL-321-04510

LED：CREE/Bridgelux
Power：9W
Flux(Lm)：580Lm
Material：Aluminum

15° 24° 36° 50°

50PCS




DL-321-04512

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：785Lm
Material：Aluminum

10° 15° 24° 36° 50°

40PCS



DL-321-04520

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1365Lm
Material：Aluminum

15° 24° 36° 50°

30PCS

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

Optional



Black Chrome Pearl black White

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White+Black



ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS






IP20 | 1-10V | Constant Current | DALI








DL-321-04710

LED：CREE/Bridgelux
Power：9W
Flux(Lm)：580Lm
Material：Aluminum

10° 15° 24° 36° 50°

30PCS




DL-321-04712

LED：CREE/Bridgelux
Power：1*12W
Flux(Lm)：780Lm
Material：Aluminum

10° 15° 24° 36° 50°

30PCS




DL-321-04810

LED：CREE/Bridgelux
Power：9W
Flux(Lm)：580Lm
Material：Aluminum

10° 15° 24° 36° 50°

30PCS



DL-321-04812

LED：CREE/Bridgelux
Power：1*12W
Flux(Lm)：408Lm
Material：Aluminum

10° 15° 24° 36° 50°

30PCS

Optional



Black | Chrome | Pearl black | White

CCT

2700K | 3000K | 3500K | 4000K

COLOR

Sand White+Black

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK








DL-321-04607

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：408Lm
Material：Aluminum

15° 24° 36° 50°

50PCS




DL-321-04610

LED：CREE/Bridgelux
Power：9W
Flux(Lm)：580Lm
Material：Aluminum

10° 15° 24° 36° 50°

40PCS




DL-321-04612

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：785Lm
Material：Aluminum

10° 15° 24° 36° 50°

40PCS



DL-321-04620

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1365Lm
Material：Aluminum

15° 24° 36° 50°

30PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

Optional



CCT

2700K 3000K 3500K 4000K




COLOR

Sand White+Black


ANTI GLARE NET



LINEAR SPREAD LENS


SQUARE SPREAD LENS



Quietly elegant luxury,expresses kind of fashion that is not exaggerating,


experiencing a highly tasteful nobility.



IP20 II 1-10V Constant Current DALI








DL-321-04505

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：175Lm
Material：Aluminum

24° 36°

50PCS




DL-321-04505B

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：175Lm
Material：Aluminum

24° 36°

50PCS




DL-321-04605

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：175Lm
Material：Aluminum

24° 36°

50PCS



DL-321-04605B

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：175Lm
Material：Aluminum

24° 36°

50PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White+Black

ANTI GLARE NET


LINEAR SPREAD LENS

SQUARE SPREAD LENS


IP20
1-10V
Constant Current
DALI


ARTISAN
LIGHTING PHUKET
Fast Track
LINE
BACK
Rotary removal or fixation
easy to stabilize






DL-321-0900E

LED：
CREE/Bridgelux
Power：7W
Flux(Lm)：430Lm
Material：Aluminum

15° 24° 36° 60°

50PCS




DL-321-320910E

LED：
CREE/Bridgelux
Power：12W
Flux(Lm)：743Lm
Material：Aluminum

15° 24° 36° 60°

50PCS



DL-321-320920E

LED：
CREE/Bridgelux
Power：20W
Flux(Lm)：1310Lm
Material：Aluminum

15° 24° 36° 60°

30PCS

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS






DL-321-0901E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：420Lm
Material：Aluminum

15° 24° 36° 60°

50PCS




DL-321-0911E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：744Lm
Material：Aluminum

15° 24° 36° 60°

50PCS



DL-321-0921E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1315Lm
Material：Aluminum

15° 24° 36° 60°

30PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS








DL-321-0902E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：425Lm
Material：Aluminum










DL-321-0912E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：745Lm
Material：Aluminum









DL-321-0922E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1340Lm
Material：Aluminum





CCT



COLOR

















DL-321-0903E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：435Lm
Material：Aluminum










DL-321-0913E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：735Lm
Material：Aluminum









DL-321-0923E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1320Lm
Material：Aluminum





CCT



COLOR









ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK








DL-321-1224E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：311Lm
Material：Aluminum

270°

50PCS




DL-321-1234E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum

270°

50PCS



DL-321-1244E

LED：CREE/Bridgelux
Power：18W
Flux(Lm)：1408Lm
Material：Aluminum

270°

30PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White






DL-321-1225E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：311Lm
Material：Aluminum

270°

50PCS




DL-321-1235E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：620Lm
Material：Aluminum

270°

30PCS



DL-321-1245E

LED：CREE/Bridgelux
Power：18W
Flux(Lm)：1042Lm
Material：Aluminum

270°

30PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White






DL-321-1226E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：311Lm
Material：Aluminum

270°

50PCS




DL-321-1236E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：620Lm
Material：Aluminum

270°

50PCS



DL-321-1246E

LED：CREE/Bridgelux
Power：18W
Flux(Lm)：1042Lm
Material：Aluminum

270°

30PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White


ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK






DL-321-1220E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：321Lm
Material：Aluminum

270°

50PCS




DL-321-1230E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum

270°

50PCS



DL-321-1240E

LED：CREE/Bridgelux
Power：18W
Flux(Lm)：1408Lm
Material：Aluminum

270°

50PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White






DL-321-1221E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：321Lm
Material：Aluminum

270°

50PCS




DL-321-1231E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum

270°

50PCS



DL-321-1241E

LED：CREE/Bridgelux
Power：18W
Flux(Lm)：1408Lm
Material：Aluminum

270°

50PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White






DL-321-1222E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：321Lm
Material：Aluminum

270°

50PCS




DL-321-1232E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum

270°

30PCS



DL-321-1242E

LED：CREE/Bridgelux
Power：18W
Flux(Lm)：1408Lm
Material：Aluminum

270°

30PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White






DL-321-1223E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：321Lm
Material：Aluminum

270°

50PCS




DL-321-1233E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum

270°

50PCS



DL-321-1243E

LED：CREE/Bridgelux
Power：18W
Flux(Lm)：1408Lm
Material：Aluminum

270°

30PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White







DL-321-0810E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：430Lm
Material：Aluminum


15° 24° 38°


50PCS





DL-321-0811E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：744Lm
Material：Aluminum


15° 24° 38° 60°


30PCS





DL-321-0812E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1240Lm
Material：Aluminum


15° 24° 38° 60°


30PCS





DL-321-0813E

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1860Lm
Material：Aluminum


15° 24° 38° 60°


30PCS

CCT


3000K 4000K 5000K 6000K

COLOR


Sand White+Black


ANTI GLARE NET


LINEAR SPREAD LENS


SQUARE SPREAD LENS







DL-321-0820E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：430Lm
Material：Aluminum


15° 24° 38°


50PCS





DL-321-0821E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：744Lm
Material：Aluminum


15° 24° 38° 60°


30PCS





DL-321-0822E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1240Lm
Material：Aluminum


15° 24° 38° 60°


30PCS





DL-321-0823E

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1860Lm
Material：Aluminum


15° 24° 38° 60°


30PCS

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK









DL-321-0390E


LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum



15° 24° 36° 50°



30PCS





DL-321-0400E


LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum



10° 15° 24° 36° 50°



20PCS





DL-321-0410E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1300Lm
Material：Aluminum

15° 24° 36° 50°



12PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black



ANTI GLARE NET




LINEAR SPREAD LENS



SQUARE SPREAD LENS






DL-321-0391E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum

15° 24° 36° 50°

30PCS




DL-321-0401E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

10° 15° 24° 36° 50°

20PCS



DL-321-0411E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1300Lm
Material：Aluminum

15° 24° 36° 50°

12PCS

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS






SDL-321-0392E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum

15° 24° 36° 50°

30PCS




DL-321-0402E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

10° 15° 24° 36° 50°

20PCS



DL-321-0412E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1300Lm
Material：Aluminum

15° 24° 36° 50°

12PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black








DL-321-0393E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：490Lm
Material：Aluminum










DL-321-0403E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum









DL-321-0413E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1400Lm
Material：Aluminum






CCT



COLOR

Sand White+Black








DL-321-0394E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：397Lm
Material：Aluminum










DL-321-0404E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：682Lm
Material：Aluminum









DL-321-0414E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1300Lm
Material：Aluminum





CCT



COLOR

Sand White+Black







ARTISAN LIGHTING PHUKET


Fast Track












DL-321-0395E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum

15° 24° 36° 50°

30PCS




DL-321-0405E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

10° 15° 24° 36° 50°

20PCS



DL-321-0415E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1300Lm
Material：Aluminum

15° 24° 36° 50°

12PCS

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS






ARTISAN
LIGHTING PHUKET

Fast Track

In terms of design and aesthetics,
it realizes the versatility of changing direction,
and the light beam is arbitrary.






DL-321-0670E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum

15°24°36°50°

30PCS




DL-321-0671E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum

15°24°36°50°

30PCS




DL-321-0672E

LED：CREE/Bridgelux
Power：2*7W
Flux(Lm)：910Lm
Material：Aluminum

15°24°36°50°

20PCS



DL-321-0673E

LED：CREE/Bridgelux
Power：3*7W
Flux(Lm)：1360Lm
Material：Aluminum

15°24°36°50°

20PCS

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS






DL-321-0680E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum

15°24°36°50°

30PCS




DL-321-0681E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：455Lm
Material：Aluminum

15°24°36°50°

30PCS




DL-321-0682E

LED：CREE/Bridgelux
Power：2*7W
Flux(Lm)：910Lm
Material：Aluminum

15°24°36°50°

20PCS



DL-321-0683E

LED：CREE/Bridgelux
Power：3*7W
Flux(Lm)：1360Lm
Material：Aluminum

15°24°36°50°

20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ANTI GLARE NET

LINEAR SPREAD LENS


SQUARE SPREAD LENS

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK








DL-321-0690E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

15°24°36°50°

20PCS




DL-321-0691E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

15°24°36°50°

20PCS




DL-321-0692E

LED：CREE/Bridgelux
Power：2*12W
Flux(Lm)：1560Lm
Material：Aluminum

15°24°36°50°

12PCS



DL-321-0693E

LED：CREE/Bridgelux
Power：3*12W
Flux(Lm)：2350Lm
Material：Aluminum

15°24°36°50°

12PCS

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ANTI GLARE NET


LINEAR SPREAD LENS

SQUARE SPREAD LENS



IP20 | 1-10V | Constant Current | DALI | tuya






DL-321-0700E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：800Lm
Material：Aluminum

15°24°36°50°

20PCS




DL-321-0701E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：800Lm
Material：Aluminum

15°24°36°50°

20PCS




DL-321-0702E

LED：CREE/Bridgelux
Power：2*12W
Flux(Lm)：1600Lm
Material：Aluminum

15°24°36°50°

12PCS



DL-321-0703E

LED：CREE/Bridgelux
Power：3*12W
Flux(Lm)：1800Lm
Material：Aluminum

15°24°36°50°

10PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS






DL-321-0710E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：360Lm
Material：Aluminum

15°24°36°50°

12PCS




DL-321-0711E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：360Lm
Material：Aluminum

15°24°36°50°

12PCS




DL-321-0712E

LED：CREE/Bridgelux
Power：2*20W
Flux(Lm)：2720Lm
Material：Aluminum

15°24°36°50°

8PCS



DL-321-0713E

LED：CREE/Bridgelux
Power：3*20W
Flux(Lm)：4080Lm
Material：Aluminum

15°24°36°50°

8PCS

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS






DL-321-0720E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：360Lm
Material：Aluminum

15°24°36°50°

12PCS




DL-321-0721E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：360Lm
Material：Aluminum

15°24°36°50°

12PCS




DL-321-0722E

LED：CREE/Bridgelux
Power：2*20W
Flux(Lm)：2720Lm
Material：Aluminum

15°24°36°50°

8PCS



DL-321-0723E

LED：CREE/Bridgelux
Power：3*20W
Flux(Lm)：4080Lm
Material：Aluminum

15°24°36°50°

5PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black


ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS





IP20 | II | 1-10V | Constant Current | DALI | tuya






DL-321-01607

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：660Lm
Material：Aluminum

15° 24° 38°

50PCS




DL-321-01612

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：1150Lm
Material：Aluminum

15° 24° 38° 60°

30PCS



DL-321-01615

LED：CREE/Bridgelux
Power：15W
Flux(Lm)：1430Lm
Material：Aluminum

15° 24° 38° 60°

30PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS






DL-321-00407

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：450Lm
Material：Aluminum

15°24°36°50°

50PCS




DL-321-00412

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：790Lm
Material：Aluminum

15°24°36°50°

50PCS




DL-321-00420

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1310Lm
Material：Aluminum

15°24°36°50°

30PCS



DL-321-00430

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1970Lm
Material：Aluminum

15°24°36°50°

24PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White






DL-321-00507

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：450Lm
Material：Aluminum

15°24°36°60°

40PCS




DL-321-00512

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：790Lm
Material：Aluminum

15°24°36°60°

20PCS




DL-321-00520

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1310Lm
Material：Aluminum

15°24°36°60°

20PCS



DL-321-00530

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1970Lm
Material：Aluminum

15°24°36°60°

20PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White









DL-321-02005

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：284Lm
Material：Aluminum

15° 24° 36°

40PCS



DL-321-02010

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：568Lm
Material：Aluminum

15° 24° 36°

30PCS




DL-321-02015

LED：CREE/Bridgelux
Power：15W
Flux(Lm)：852Lm
Material：Aluminum

15° 24° 36°

20PCS




DL-321-02020

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1136Lm
Material：Aluminum

15° 24° 36°

12PCS



DL-321-02010M

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：568Lm
Material：Aluminum

15° 24° 36°

30PCS

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White+Black



IP20 | II | 1-10V | Constant Current | DALI | tuya








DL-321-02110-2

LED：CREE/Bridgelux
Power：2*10W
Flux(Lm)：1360Lm
Material：Aluminum


15° 24° 36°
15PCS



DL-321-02115-2

LED：CREE/Bridgelux
Power：2*15W
Flux(Lm)：1980Lm
Material：Aluminum


15° 24° 36°
10PCS



DL-321-02120-2

LED：CREE/Bridgelux
Power：2*20W
Flux(Lm)：2720Lm
Material：Aluminum


15° 24° 36°
6PCS



DL-321-02110-3

LED：CREE/Bridgelux
Power：3*10W
Flux(Lm)：1950Lm
Material：Aluminum


15° 24° 36°
4PCS



DL-321-02115-3

LED：CREE/Bridgelux
Power：3*15W
Flux(Lm)：2970Lm
Material：Aluminum

15° 24° 36°
4PCS



DL-321-02120-3

LED：CREE/Bridgelux
Power：3*20W
Flux(Lm)：4080Lm
Material：Aluminum

15° 24° 36°
4PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK








DL-321-02707A

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：480Lm
Material：Aluminum

24° 40°

30PCS




DL-321-02707B

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：480Lm
Material：Aluminum

24° 40°

20PCS



DL-321-02707C

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：480Lm
Material：Aluminum

24° 40°

10PCS

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White





IP20 | II | 1-10V | Constant Current | DALI | tuya





DL-321-02807A

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：480Lm
Material：Aluminum

24° 40°

30PCS




DL-321-02807B

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：480Lm
Material：Aluminum

24° 40°

20PCS



DL-321-02807C

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：480Lm
Material：Aluminum

24° 40°

10PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White








DL-321-02803

LED：CREE/Bridgelux
Power：3W
Flux(Lm)：180Lm
Material：Aluminum

6° 10° 20°

100PCS




DL-321-02803B

LED：CREE/Bridgelux
Power：3W
Flux(Lm)：180Lm
Material：Aluminum

6° 10° 20°

100PCS




DL-321-02805

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：300Lm
Material：Aluminum

6° 10° 20°

100PCS



DL-321-02805B

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：300Lm
Material：Aluminum

6° 10° 20°

100PCS

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White+Black

Quietly elegant luxury,expresses kind of fashion that is not exaggerating,
experiencing a highly tasteful nobility.



IP20 | 1-10V | Constant Current | DALI






DL-321-01801

LED：OSRAM
Power：1W
Flux(Lm)：55Lm
Material：Aluminum


6° 10° 20°
100PCS



DL-321-01803

LED：OSRAM
Power：3W
Flux(Lm)：180Lm
Material：Aluminum


6° 10° 20°
100PCS



DL-321-01901

LED：OSRAM
Power：4x1W
Flux(Lm)：215Lm
Material：Aluminum

15° 24°
50PCS



DL-321-01901B

LED：OSRAM
Power：1W
Flux(Lm)：55Lm
Material：Aluminum

15° 24°
100PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT


3000K 4000K 5000K 6000K

COLOR

Matte White+Black










LD-321-01101

LED：OSRAM
Power：1W
Flux(Lm)：55Lm
Material：Aluminum










LD-321-01301

LED：OSRAM
Power：1W
Flux(Lm)：55Lm
Material：Aluminum IP44










LD-321-01401

LED：OSRAM
Power：1W
Flux(Lm)：55Lm
Material：Aluminum IP44







LD-321-01501

LED：OSRAM
Power：1W
Flux(Lm)：55Lm
Material：Aluminum IP44



ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

CCT



COLOR


Sand Black
Sand White









Ears can be adjusted up and down
to meet different layer heights.





IP20 | II | 1-10V | Constant Current | DALI

With a gentle press, the lamp will automatically pop out,
making installation and disassembly more convenient and maintenance and replacement simpler.



DL-321-00504

LED：Bridgelux
Power：7W
Flux(Lm)：490Lm
Material：Aluminum

15° 24° 36° 50°

20PCS




DL-321-00506

LED：Bridgelux
Power：12W
Flux(Lm)：850Lm
Material：Aluminum

15° 24° 36° 50°

20PCS



DL-321-00512

LED：Bridgelux
Power：20W
Flux(Lm)：1460Lm
Material：Aluminum

15° 24° 36° 50°

20PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White+Black










DL-321-00504M

LED：Bridgelux
Power：7W
Flux(Lm)：490Lm
Material：Aluminum

15° 24° 36° 50°

40PCS






DL-321-00506M

LED：Bridgelux
Power：12W
Flux(Lm)：850Lm
Material：Aluminum

15° 24° 36° 50°

30PCS





DL-321-00512M

LED：Bridgelux
Power：20W
Flux(Lm)：1460Lm
Material：Aluminum

15° 24° 36° 50°

20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black





DL-321-00504Z

LED：Bridgelux
Power：7W
Flux(Lm)：420Lm
Material：Aluminum

15° 24° 36° 50°

20PCS





DL-321-00506Z

LED：Bridgelux
Power：12W
Flux(Lm)：720Lm
Material：Aluminum

15° 24° 36° 50°

20PCS





DL-321-00512Z

LED：Bridgelux
Power：12W
Flux(Lm)：720Lm
Material：Aluminum

15° 24° 36° 50°

20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK








DL-321-00508

LED：Bridgelux
Power：8W
Flux(Lm)：460Lm
Material：Aluminum

15° 24° 36° 50°

40PCS




DL-321-00508M

LED：Bridgelux
Power：8W
Flux(Lm)：600Lm
Material：Aluminum

15° 24° 36° 50°

40PCS



DL-321-00508M

LED：Bridgelux
Power：8W
Flux(Lm)：420Lm
Material：Aluminum

15° 24° 36° 50°

40PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black








DL-321-0030E

LED：Bridgelux
Power：2W
Flux(Lm)：120Lm
Material：Aluminum

30°

50PCS






DL-321-0031E

LED：Bridgelux
Power：4W
Flux(Lm)：240Lm
Material：Aluminum

30°

50PCS






DL-321-0032E

LED：Bridgelux
Power：6W
Flux(Lm)：360Lm
Material：Aluminum

30°

50PCS






DL-321-0033E

LED：Bridgelux
Power：10W
Flux(Lm)：600Lm
Material：Aluminum

30°

50PCS





DL-321-0034E

LED：Bridgelux
Power：20W
Flux(Lm)：1200Lm
Material：Aluminum

30°

50PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black








DL-321-0040E

LED：Bridgelux
Power：2W
Flux(Lm)：120Lm
Material：Aluminum

30°

50PCS






DL-321-0041E

LED：Bridgelux
Power：4W
Flux(Lm)：240Lm
Material：Aluminum

30°

50PCS






DL-321-0042E

LED：Bridgelux
Power：6W
Flux(Lm)：360Lm
Material：Aluminum

30°

50PCS






DL-321-0043E

LED：Bridgelux
Power：10W
Flux(Lm)：600Lm
Material：Aluminum

30°

50PCS





DL-321-0044E

LED：Bridgelux
Power：20W
Flux(Lm)：1200Lm
Material：Aluminum

30°

50PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black


ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK








DL-321-0050E

LED：CREE/Bridgelux
Power：2W
Flux(Lm)：120Lm
Material：Aluminum

15° 30° 50°

50PCS






DL-321-0051E

LED：CREE/Bridgelux
Power：4W
Flux(Lm)：240Lm
Material：Aluminum

15° 30° 50°

50PCS






DL-321-0052E

LED：CREE/Bridgelux
Power：6W
Flux(Lm)：360Lm
Material：Aluminum

15° 30° 50°

50PCS






DL-321-0053E

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：600Lm
Material：Aluminum

15° 30° 50°

50PCS





DL-321-0054E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1200Lm
Material：Aluminum

15° 30° 50°

50PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black








DL-321-0060E

LED：CREE/Bridgelux
Power：2W
Flux(Lm)：120Lm
Material：Aluminum

15° 30° 50°

50PCS






DL-321-0061E

LED：CREE/Bridgelux
Power：4W
Flux(Lm)：240Lm
Material：Aluminum

15° 30° 50°

50PCS






DL-321-0062E

LED：CREE/Bridgelux
Power：6W
Flux(Lm)：360Lm
Material：Aluminum

15° 30° 50°

50PCS






DL-321-0063E

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：600Lm
Material：Aluminum

15° 30° 50°

50PCS





DL-321-0064E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1200Lm
Material：Aluminum

15° 30° 50°

50PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ARTISAN LIGHTING PHUKET

Fast Track

LINE


BACK





IP20 | II | 1-10V | Constant Current | DALI | tuya






DL-321-0070E

LED：CREE/Bridgelux
Power：3*1W
Flux(Lm)：180Lm
Material：Aluminum

8°12°15°25°30°45°

50PCS




DL-321-0071E

LED：CREE/Bridgelux
Power：6*1W
Flux(Lm)：720Lm
Material：Aluminum

8°12°15°25°30°45°

50PCS



DL-321-0072E

LED：CREE/Bridgelux
Power：6*1W
Flux(Lm)：720Lm
Material：Aluminum

8°12°15°25°30°45°

50PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand Black


ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK








DL-321-00102

LED：CREE/Bridgelux
Power：2W
Flux(Lm)：142Lm
Material：Aluminum


15° 24° 36°


90PCS






DL-321-00104

LED：CREE/Bridgelux
Power：4W
Flux(Lm)：295Lm
Material：Aluminum


15° 24° 36°


80PCS






DL-321-00110

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：897Lm
Material：Aluminum


15° 24° 36°


60PCS






DL-321-00120

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1027Lm
Material：Aluminum


15° 24° 36°


30PCS





DL-321-00130

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1695Lm
Material：Aluminum


15° 24° 36°


20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black








DL-321-00202

LED：CREE/Bridgelux
Power：2W
Flux(Lm)：142Lm
Material：Aluminum


15° 24° 36°


90PCS






DL-321-00204

LED：CREE/Bridgelux
Power：4W
Flux(Lm)：295Lm
Material：Aluminum


15° 24° 36°


80PCS






DL-321-00210

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：897Lm
Material：Aluminum


15° 24° 36°


60PCS





DL-321-00220

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1027Lm
Material：Aluminum


15° 24° 36°


30PCS





DL-321-00230

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1695Lm
Material：Aluminum

15° 24° 36°

20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ARTISAN LIGHTING PHUKET

Fast Track


LINE

BACK



IP20 | 1-10V | Constant Current | DALI






DL-321-00310

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：500Lm
Material：Aluminum

40PCS






DL-321-00320

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1000Lm
Material：Aluminum

20PCS



DL-321-00330

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1500Lm
Material：Aluminum

15PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K


COLOR

Sand White+Black











DL-321-0170E


LED：OSRAM
Power：6W
Flux(Lm)：580Lm
Material：Aluminum



20° 36° 50°



50PCS





DL-321-0171E


LED：OSRAM
Power：12W
Flux(Lm)：720Lm
Material：Aluminum



20° 36° 50°



30PCS





DL-321-0172E


LED：OSRAM
Power：20W
Flux(Lm)：1200Lm
Material：Aluminum



20° 36° 50°



20PCS





DL-321-0173E

LED：OSRAM
Power：30W
Flux(Lm)：1800Lm
Material：Aluminum



20° 36° 50°



10PCS

CCT



3000K 4000K 5000K 6000K

COLOR


Matte White+Black

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK



IP20 | 1-10V | Constant Current | DALI | tuya









DL-321-160E

LED：CREE/Bridgelux
Power：5W
Flux(Lm)：330Lm
Material：Aluminum










DL-321-0161E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：790Lm
Material：Aluminum









DL-321-0162E

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1980Lm
Material：Aluminum



ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black




Optional

Black Chrome Pearl black White

Quietly elegant luxury,expresses kind of fashion that is not exaggerating,experiencing a highly tasteful nobility.

IP4240 | II | 1-10V | Constant Current | DALI | tuya






DL-321-02207

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：450Lm
Material：Aluminum

15° 24° 36° 55°

40PCS




DL-321-02210

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：650Lm
Material：Aluminum

15° 24° 36° 55°

40PCS




DL-321-02212

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

15° 24° 36° 55°

30PCS




DL-321-02220

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1310Lm
Material：Aluminum

15° 24° 36° 55°

20PCS




DL-321-02230

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1950Lm
Material：Aluminum

15° 24° 36° 55°

12PCS



DL-321-02240

LED：CREE/Bridgelux
Power：40W
Flux(Lm)：2610Lm
Material：Aluminum

15° 24° 36° 55°

8PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White

Optional



Black Chrome Pearl black White

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK








DL-321-01809

LED：Bridgelux
Power：8W
Flux(Lm)：467Lm
Material：Aluminum


100°
50PCS



DL-321-01812

LED：Bridgelux
Power：12W
Flux(Lm)：900Lm
Material：Aluminum


100°
50PCS



DL-321-01818

LED：Bridgelux
Power：18W
Flux(Lm)：1400Lm
Material：Aluminum

100°
30PCS



DL-321-01824

LED：Bridgelux
Power：24W
Flux(Lm)：1800Lm
Material：Aluminum

100°
20PCS

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White+Black








DL-321-01908

LED：Bridgelux
Power：8W
Flux(Lm)：471Lm
Material：Aluminum


100°
20PCS



DL-321-01912

LED：Bridgelux
Power：12W
Flux(Lm)：850Lm
Material：Aluminum


100°
50PCS



DL-321-01918

LED：Bridgelux
Power：18W
Flux(Lm)：1250Lm
Material：Aluminum

100°
30PCS



DL-321-01924

LED：Bridgelux
Power：24W
Flux(Lm)：1680Lm
Material：Aluminum

100°
20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ARTISAN LIGHTING PHUKET

Fast Track


LINE

BACK



IP54 | 1-10V | Constant Current | DALI






DL-321-0140E

LED：Bridgelux
Power：7W
Flux(Lm)：500Lm
Material：Aluminum

120°
30PCS



DL-321-0141E

LED：Bridgelux
Power：12W
Flux(Lm)：850Lm
Material：Aluminum


120°
20PCS



DL-321-0142E

LED：Bridgelux
Power：15W
Flux(Lm)：1050Lm
Material：Aluminum


120°
20PCS



DL-321-0143E

LED：Bridgelux
Power：20W
Flux(Lm)：1400Lm
Material：Aluminum

120°
20PCS



DL-321-0144E

LED：Bridgelux
Power：30W
Flux(Lm)：2100Lm
Material：Aluminum

120°
20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Matte White

ARTISAN LIGHTING PHUKET

Fast Track


LINE

BACK












DL-321-00106

LED：Bridgelux
Power：6W
Flux(Lm)：420Lm
Material：Aluminum


100°


50PCS






DL-321-00112

LED：Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum


100°


30PCS






DL-321-00118

LED：Bridgelux
Power：18W
Flux(Lm)：1260Lm
Material：Aluminum


100°


30PCS





DL-321-00124

LED：Bridgelux
Power：24W
Flux(Lm)：1680Lm
Material：Aluminum


100°


20PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT



3000K 4000K 5000K 6000K

COLOR

Matte White








DL-321-00312

LED：Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum

100°
20PCS



DL-321-00318

LED：Bridgelux
Power：18W
Flux(Lm)：1250Lm
Material：Aluminum

100°
20PCS

CCT


3000K 4000K 5000K 6000K

COLOR

Sand White








DL-321-00412

LED：Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum

100°
20PCS



DL-321-00418

LED：Bridgelux
Power：18W
Flux(Lm)：1250Lm
Material：Aluminum

100°
20PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White

ARTISAN LIGHTING PHUKET

Fast Track


LINE

BACK



IP20 | 1-10V | Constant Current | DALI | tuya





DL-321-0230E

LED：CREE/Bridgelux
Power：8W
Flux(Lm)：550Lm
Material：Aluminum


120°
40PCS



DL-321-0231E

LED：CREE/Bridgelux
Power：15W
Flux(Lm)：1050Lm
Material：Aluminum


120°
30PCS



DL-321-0232E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1400Lm
Material：Aluminum

120°
30PCS



DL-321-0233E

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：2050Lm
Material：Aluminum

120°
30PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K


COLOR

Sand White












DL-321-00607

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：480Lm
Material：Aluminum










DL-321-00612

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：820Lm
Material：Aluminum










DL-321-00620

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1360Lm
Material：Aluminum










DL-321-00607-2

LED：CREE/Bridgelux
Power：2*7W
Flux(Lm)：960Lm
Material：Aluminum










DL-321-00612-2

LED：CREE/Bridgelux
Power：2*12W
Flux(Lm)：1640Lm
Material：Aluminum









DL-321-00620-2

LED：CREE/Bridgelux
Power：2*20W
Flux(Lm)：2720Lm
Material：Aluminum





CCT



COLOR

Sand White+Black








ARTISAN LIGHTING PHUKET

Fast Track






DL-321-0260E

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：450Lm
Material：Aluminum

12° 24° 36°

50PCS




DL-321-0261E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

12° 24° 36°60°

30PCS



DL-321-0262E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1300Lm
Material：Aluminum

12° 24° 36°

30PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White






DL-321-0240E

LED：Bridgelux
Power：15W
Flux(Lm)：1000Lm
Material：Aluminum

100°

40PCS



DL-321-0250E

LED：Bridgelux
Power：27W
Flux(Lm)：1534Lm
Material：Aluminum

100°

40PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE


BACK


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White







DL-321-0241E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：1340Lm
Material：Aluminum


15°24°36°


30PCS





DL-321-0251E

LED：CREE/Bridgelux
Power：27W
Flux(Lm)：1534Lm
Material：Aluminum


15°24°36°



30PCS


CCT



COLOR

Sand White








DL-321-0242E

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：1340Lm
Material：Aluminum


15°24°36°


30PCS





DL-321-0252E

LED：CREE/Bridgelux
Power：27W
Flux(Lm)：1534Lm
Material：Aluminum


15°24°36°


30PCS

CCT



COLOR

Sand White



Fast Track










IP65 | II | 1-10V | Constant Current | DALI | tuya








DL-321-0180E

LED：Bridgelux
Power：12W
Flux(Lm)：900Lm
Material：Aluminum IP65

100°

50PCS




DL-321-0181E

LED：Bridgelux
Power：18W
Flux(Lm)：1350Lm
Material：Aluminum IP65

100°

30PCS



DL-321-0182E

LED：Bridgelux
Power：24W
Flux(Lm)：1780Lm
Material：Aluminum IP65

100°

30PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K


COLOR

Matte White



IP65 | 1-10V | Constant Current | DALI | tuya







DL-321-0220E


LED：CREE/Bridgelux
Power：12W
Flux(Lm)：840Lm
Material：Aluminum IP65



15° 24° 45°



30PCS





DL-321-0221E

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1400Lm
Material：Aluminum IP65



15° 24° 45°



20PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE


BACK

CCT

3000K 4000K 5000K 6000K


COLOR

Sand White+Black



IP20 | 1-10V | Constant Current | DALI






DL-321-02912X

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：590Lm
Material：Aluminum

40PCS



DL-321-02920X

LED：CREE/Bridgelux
Power：15W
Flux(Lm)：950Lm
Material：Aluminum

30PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White+Black

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK



IP20 | 1-10V | Constant Current | DALI










DL-321-00412-1

LED：CREE/Bridgelux
Power：12W*1
Flux(Lm)：810Lm
Material：Aluminum


40PCS



DL-321-00412-2

LED：CREE/Bridgelux
Power：12W*2
Flux(Lm)：1620Lm
Material：Aluminum

20PCS



DL-321-00412-3

LED：CREE/ridgelux
Power：12W*3
Flux(Lm)：2430Lm
Material：Aluminum


15PCS



DL-321-00420-1

LED：CREE/Bridgelux
Power：20W*1
Flux(Lm)：1350Lm
Material：Aluminum


24PCS



DL-321-00420-2

LED：CREE/Bridgelux
Power：20W*2
Flux(Lm)：2700Lm
Material：Aluminum

18PCS



DL-321-00420-3

LED：CREE/Bridgelux
Power：20W*3
Flux(Lm)：4050Lm
Material：Aluminum

12PCS






15° 24° 36°

DL-321-00430-1

LED：CREE/Bridgelux
Power：30W*1
Flux(Lm)：2040Lm
Material：Aluminum


18PCS



DL-321-00430-2

LED：CREE/Bridgelux
Power：30W*2
Flux(Lm)：4080Lm
Material：Aluminum

12PCS



DL-321-00430-3

LED：CREE/Bridgelux
Power：30W*3
Flux(Lm)：6120Lm
Material：Aluminum

8PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Matte White+Black


ARTISAN LIGHTING PHUKET

Fast Track


LINE

BACK










DL-321-00512-1

LED：CREE/Bridgelux
Power：12W*1
Flux(Lm)：810Lm
Material：Aluminum

15° 24° 36°

30PCS




DL-321-00512-2

LED：CREE/Bridgelux
Power：12W*2
Flux(Lm)：1620Lm
Material：Aluminum

15° 24° 36°

15PCS




DL-321-00520-1

LED：CREE/Bridgelux
Power：20W*1
Flux(Lm)：1350Lm
Material：Aluminum

15° 24° 36°

24PCS



DL-321-00520-2

LED：CREE/Bridgelux
Power：20W*2
Flux(Lm)：2700Lm
Material：Aluminum

15° 24° 36°

12PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Matte White+Black

ARTISAN LIGHTING PHUKET

Fast Track


LINE

BACK



DL-321-007AM

Material： Aluminum




100PCS



DL-321-0112P

Material： Aluminum




50PCS



DL-321-007OM

Materiál Aluminum




100PCS



DL-321-007JM

Material： Aluminum




50PCS



DL-321-007BM

Material： Aluminum




100PCS



DL-321-007CM

Material： Aluminum




50PCS



DL-321-007KM

Material： Aluminum




50PCS



DL-321-007KM-2

Material： Aluminum




20PCS



DL-321-007DM

Material： Aluminum




100PCS



DL-321-007EM

Material： Aluminum



100PCS



DL-321-040AM

Material： Aluminum




100PCS



DL-321-041AM

Material： Aluminum




50PCS



DL-321-007FM

Material： Aluminum




100PCS



DL-321-007GM

Material： Aluminum




100PCS



SD007IM

Material： Aluminum




100PCS



SD007NM

Material： Aluminum



100PCS



DL-321-040BM

Material： Aluminum




100PCS



DL-321-040CM

Material： Aluminum




100PCS



SD040DM

Material： Aluminum




100PCS



DL-321-040EM

Material： Aluminum



100PC

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK



DL-321-042AM

Material： Aluminum




Ø75mm
(Cut out)

100PCS



DL-321-043AM

Material： Aluminum




Ø80mm
(Cut out)

100PCS



DL-321-042BM

Material： Aluminum




Ø75mm
(Cut out)

100PCS



DL-321-043BM

Material： Aluminum




Ø80mm
(Cut out)

100PCS



DL-321-042CM

Material： Aluminum




Ø75mm
(Cut out)

100PCS



DL-321-043CM

Material： Aluminum




Ø80mm
(Cut out)

100PCS



DL-321-043DM

Material： Aluminum




Ø80mm
(Cut out)

100PCS



DL-321-043EM

Material： Aluminum




Ø80mm
(Cut out)

100PCS



DL-321-042EM

Material： Aluminum




Ø85mm
(Cut out)

100PCS



DL-321-042FM

Material： Aluminum




80x80mm
(Cut out)

100PCS



DL-321-0282P

Material： Aluminum




Ø75mm
(Cut out)

50PCS



DL-321-0281P

Material： Aluminum




Ø75*75mm
(Cut out)

50PCS



DL-321-0641P

Material： Aluminum




Ø100mm
(Cut out)

50PCS



DL-321-0640P

Material： Aluminum




100x100mm
(Cut out)

50PCS



DL-321-0750G

Material： Aluminum




Ø75mm
(Cut out)

50PCS



DL-321-007LM

Material： Aluminum




Ø90mm
(Cut out)

50PCS



DL-321-007-1

Material Aluminum




Ø85*85mm
(Cut out)

50PCS



DL-321-007-2

Material： Aluminum




Ø160*85mm
(Cut out)

50PCS



DL-321-007-3

Material： Aluminum



Ø230*85mm
(Cut out)

50PCS

ARTISAN
LIGHTING PHUKET

Fast Track

LINE

BACK

Natural spectrum

Natural spectrum Reduce blue light radiation energy Natural and sharp light color performance There is no ultraviolet light harmful to human body or objects

Ceiling lamp series

IP20 | Constant Current | DALI















CE-321-0070E

LED：Bridgelux
Power：36W
Flux(Lm)：750Lm
Material：Aluminum

100°

40PCS




CE-321-0071E

LED：Bridgelux
Power：45W
Flux(Lm)：1120Lm
Material：Aluminum

100°

30PCS




CE-321-0072E

LED：Bridgelux
Power：55W
Flux(Lm)：1780Lm
Material：Aluminum

100°

16PCS



CE-321-0073E

LED：Bridgelux
Power：84W
Flux(Lm)：2240Lm
Material：Aluminum

100°

16PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand Black
Sand White

ARTISAN LIGHTING PHUKET


Fast Track

LINE

BACK








CE-321-0520P

Material ： Aluminum


50PCS



CE-321-0521P

Material ： Aluminum


30PCS



CE-321-0522P

Material ： Aluminum


20PCS



CE-321-0523P

Material ： Aluminum

10PCS



CE-321-0524P

Material ： Aluminum

5PCS

COLOR

Sand White


ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK





CE-321-0030E

LED：Bridgelux
Power：12W
Flux(Lm)：880Lm
Material：Aluminum

100°

50PCS




CE-321-0031E

LED：Bridgelux
Power：24W
Flux(Lm)：1780Lm
Material：Aluminum

100°

30PCS




CE-321-0032E

LED：Bridgelux
Power：36W
Flux(Lm)：2680Lm
Material：Aluminum

100°

20PCS




CE-321-0033E

LED：Bridgelux
Power：48W
Flux(Lm)：3580Lm
Material：Aluminum

100°

10PCS



CE-321-0034E

LED：Bridgelux
Power：96W
Flux(Lm)：7180Lm
Material：Aluminum

100°


5PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White




CE-321-0040E

LED：Bridgelux
Power：12W
Flux(Lm)：880Lm
Material：Aluminum

100°

50PCS




CE-321-0041E

LED：Bridgelux
Power：24W
Flux(Lm)：1780Lm
Material：Aluminum

100°

30PCS




CE-321-0042E

LED：Bridgelux
Power：36W
Flux(Lm)：2680Lm
Material：Aluminum

100°

20PCS




CE-321-0043E

LED：Bridgelux
Power：48W
Flux(Lm)：3580Lm
Material：Aluminum

100°

10PCS



CE-321-0044E

LED：Bridgelux
Power：96W
Flux(Lm)：7180Lm
Material：Aluminum

100°

5PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White


ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK






CE-321-0522P

Material：Aluminum


50PCS



CE-321-0523P

Material：Aluminum


30PCS



CE-321-0525P

Material：Aluminum

20PCS



CE-321-0524P

Material：Aluminum

10PCS


CCT

3000K 4000K 5000K 6000K

COLOR

Sand White





CE-321-0540E

LED：Bridgelux


Power：24W

Flux(Lm)：1500Lm

Material：Aluminum

100°

50PCS



CE-321-0541E

LED：Bridgelux


Power：36W

Flux(Lm)：2570Lm

Material：Aluminum

100°

30PCS



CE-321-0542E

LED：Bridgelux


Power：45W

Flux(Lm)：3410Lm

Material：Aluminum

100°

20PCS



CE-321-0543E

LED：Bridgelux

Power：60W

Flux(Lm)：4310Lm

Material：Aluminum

100°

10PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand White

ARTISAN LIGHTING PHUKET

Fast Track

LINE


BACK



IP20 | 1-10V | Constant Current | DALI







CE-321-00907-1

LED：CREE/Bridgelux
Power：7W
Flux(Lm)：460Lm
Material：Aluminum

15° 24° 36°

30PCS




CE-321-00907-2

LED：CREE/Bridgelux
Power：2*7W
Flux(Lm)：920Lm
Material：Aluminum

15° 24° 36°

18PCS




CE-321-00912-1

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：790Lm
Material：Aluminum

24° 36°

30PCS



CE-321-00912-2

LED：CREE/Bridgelux
Power：2*12W
Flux(Lm)：1550Lm
Material：Aluminum

24° 36°

18PCS

CCT

3000K 4000K 5000K 6000K

COLOR


Sand White

ARTISAN LIGHTING PHUKET

Fast Track


LINE

BACK



IP20 | Constant Current






CE-321-01412B

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：850Lm
Material：Aluminum

15°24°36°60°

50PCS






CE-321-01412

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：395Lm
Material：Aluminum

15°24°36°60°

50PCS






CE-321-01412X

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：850Lm
Material：Aluminum

15°24°36°60°

50PCS





CE-321-01412F

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：850Lm
Material：Aluminum

15°24°36°60°

50PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Sand Black
Sand White

ANTI GLARE NET | LINEAR SPREAD LENS | SQUARE SPREAD LENS

IP20 | Constant Current | DALI






CE-321-0290E

LED：CREE/Bridgelux
Power：10W
Flux(Lm)：660Lm
Material：Aluminum

15° 24° 36°50°

40PCS




CE-321-0291E

LED：CREE/Bridgelux
Power：15W
Flux(Lm)：980Lm
Material：Aluminum

15° 24° 36°50°

30PCS




CE-321-0292E

LED：CREE/Bridgelux
Power：24W
Flux(Lm)：1570Lm
Material：Aluminum

15° 24° 36°50°

16PCS



CE-321-0293E

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1970Lm
Material：Aluminum

15° 24° 36°50°

16PCS

CCT

3000K 4000K 5000K 6000K

COLOR

Sand Black
Sand White

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK





IP20 | Constant Current | DALI






CE-321-0300E

LED：Bridgelux
Power：10W
Flux(Lm)：750Lm
Material：Aluminum


100°
40PCS



CE-321-0301E

LED：Bridgelux
Power：15W
Flux(Lm)：1120Lm
Material：Aluminum


100°
30PCS



CE-321-0302E

LED：Bridgelux
Power：24W
Flux(Lm)：1780Lm
Material：Aluminum

100°
16PCS



CE-321-0303E

LED：Bridgelux
Power：30W
Flux(Lm)：2240Lm
Material：Aluminum

100°
16PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE


BACK

CCT

3000K 4000K 5000K 6000K


COLOR

Sand Black
Sand White



IP20 | II | Constant Current | DALI






CE-321-00912

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：750Lm
Material：Aluminum

15° 30° 45°

40PCS




CE-321-00920

LED：CREE/Bridgelux
Power：20W
Flux(Lm)：1280Lm
Material：Aluminum

15° 30° 45°

30PCS



CE-321-00930

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1950Lm
Material：Aluminum

15° 30° 45°

16PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT


3000K 4000K 5000K 6000K

COLOR

Sand Black
Sand White







CE-321-S00612

LED：CREE/Bridgelux
Power：12W
Flux(Lm)：750Lm
Material：Aluminum

15° 24° 36° 50°

20PCS



CE-321-S00630

LED：CREE/Bridgelux
Power：30W
Flux(Lm)：1880Lm
Material：Aluminum

15° 24° 36° 50°

15PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K


COLOR

Sand White



IP20 | Constant Current | DALI






CE-321-00912

LED：OSRAM
Power：12W
Flux(Lm)：780Lm
Material：Aluminum

20° 36° 50°

30PCS




CE-321-00920

LED：OSRAM
Power：20W
Flux(Lm)：1280Lm
Material：Aluminum

20° 36° 50°

20PCS



CE-321-R00930

LED：OSRAM
Power：30W
Flux(Lm)：1950Lm
Material：Aluminum

20° 36° 50°

10PCS

ARTISAN LIGHTING PHUKET

Fast Track

LINE

BACK

CCT

3000K 4000K 5000K 6000K

COLOR

Matte White+Black



ARTISAN
LIGHTING PHUKET

CONTACT

100/364-5 M.5 PRACHA U THIT RD.,
PHUKET, THAILAND

086-945-8988
093-579-9471

ARTISANLIGHTING.NET
โคมไฟสั่งทำ นำเข้า รับซ่อม คุณภาพดี
LAMP SHOP PHUKET

line OA :: @artisanlighting
www.artisanlighting.net