



# PRODUCTS CATALOG

SPOTLIGHT & TRACK LIGHT SERIES

VERSION 1/ 2024

[WWW.ARTISANLIGHTING.NET](http://WWW.ARTISANLIGHTING.NET)

# SPOT LIGHT

## series



# TRACK LIGHT

## series



019



020



020



020



017



021



021



021



022



024



025



027



028



029



030



030



031



031



031




031






# SPOT LIGHT





**SP-321-03812-1B**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 810Lm  
Material: Aluminum





**SP-321-03812-2B**


LED: CREE/Bridgelux  
Power: 2x12W  
Flux(Lm): 1680Lm  
Material: Aluminum



**SP-321-03812-3B**

LED: CREE/Bridgelux  
Power: 3x12W  
Flux(Lm): 2550Lm  
Material: Aluminum






**SP-321-04312**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum

10° 15° 24° 36° 60°

50PCS



**SP-321-03612**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum

15° 24° 36° 60°

50PCS




**SP-321-03712**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum

15° 24° 36° 60°

50PCS



**SP-321-03812**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum

10° 15° 24° 36° 50°

50PCS

IP20 Constant Current

CCT

3000K 4000K 5000K 6000K

COLOR

■ Sand Black  
□ Sand White

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS





## SP-321-02012


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



10° 15° 24° 36° 50°



50PCS



## SP-321-02007A

LED: CREE/Bridgelux  
 Power: 7W  
 Flux(Lm): 480Lm  
 Material: Aluminum



10° 15° 24° 36° 50°



50PCS

IP20

Constant Current

CCT

3000K 4000K 5000K 6000K


COLOR

Sand Black
  Sand White

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS




### SP-321-03812-1

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum

10° 15° 24° 36° 50°

50PCS



### SP-321-03812-2

LED: CREE/Bridgelux  
 Power: 2\*7W  
 Flux(Lm): 1700Lm  
 Material: Aluminum

10° 15° 24° 36° 50°

20PCS



### SP-321-03812-3

LED: CREE/Bridgelux  
 Power: 3\*12W  
 Flux(Lm): 2550Lm  
 Material: Aluminum

15° 24° 36° 50°

20PCS

IP20

Constant Current

CCT

3000K 4000K 5000K 6000K

COLOR


■ Sand Black  
 □ Sand White

ANTI GLARE NET

LINEAR SPREAD LENS

SQUARE SPREAD LENS





### SP-321-03612B

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



50PCS



### SP-321-03712B

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



50PCS



### SP-321-03812B

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum




15° 24° 36° 60°



50PCS

CCT



COLOR

■ Sand Black  
 □ Sand White





ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



**SP-321-02012B**


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



50PCS



**SP-321-04312B**

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°




50PCS

IP20 Constant Current

CCT  
 3000K 4000K 5000K 6000K

COLOR  
 Sand Black  
 Sand White

ANTI GLARE NET LINEAR SPREAD LENS SQUARE SPREAD LENS



**SP-321-02012X**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum



15° 24° 36° 60°



50PCS



**SP-321-04312X**


LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum





15° 24° 36° 60°



50PCS







### SP-321-03812-1X


LED : CREE/Bridgelux  
 Power : 12W  
 Flux(Lm) : 850Lm  
 Material : Aluminum



15° 24° 36° 60°



50PCS



### SP-321-03812-2X


LED : CREE/Bridgelux  
 Power : 2x12W  
 Flux(Lm) : 1700Lm  
 Material : Aluminum



15° 24° 36° 60°



20PCS



### SP-321-03812-3X

LED : CREE/Bridgelux  
 Power : 3x12W  
 Flux(Lm) : 2550Lm  
 Material : Aluminum




15° 24° 36° 60°



20PCS

CCT



COLOR




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



### SP-321-02012F


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



50PCS



### SP-321-04312F


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum




15° 24° 36° 60°



50PCS






**SP-321-03607F**

LED: CREE/Bridgelux  
Power: 9W  
Flux(Lm): 550Lm  
Material: Aluminum

15° 24° 36°

50PCS




**SP-321-03612F**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum

15° 24° 36° 60°

50PCS




**SP-321-03712F**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum

15° 24° 36° 60°

50PCS




**SP-321-03812F**


LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum

15° 24° 36° 60°

50PCS







**SP-321-03812-1F**


LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 850Lm  
Material: Aluminum



15° 24° 36° 60°



50PCS



**SP-321-03812-2F**



LED: CREE/Bridgelux  
Power: 2x12W  
Flux(Lm): 1700Lm  
Material: Aluminum



15° 24° 36° 60°



20PCS



**SP-321-03812-3F**


LED: CREE/Bridgelux  
Power: 3x12W  
Flux(Lm): 2550Lm  
Material: Aluminum




15° 24° 36° 60°





20PCS








**SP-321-0270E**

LED: Bridgelux  
Power: 12W  
Flux(Lm): 880Lm  
Material: Aluminum




**SP-321-0271E**

LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 950Lm  
Material: Aluminum





**SP-321-0272E**


LED: CREE/Bridgelux  
Power: 12W  
Flux(Lm): 680Lm  
Material: Aluminum





**SP-321-0273X**

Material: Aluminum





T.188



### SP-321-00112

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



30PCS

### SP-321-00212

LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum



6° 10° 20°



60PCS

### SP-321-00312


LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum




15° 24° 36° 60°



30PCS







### SP-321-00112B



LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### SP-321-00212B


LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### SP-321-00312B


LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum




15° 24° 36° 60°



30PCS





### SP-321-00112X



LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### SP-321-00212X



LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### SP-321-00312X

LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum




15° 24° 36° 60°




30PCS

CCT



COLOR




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



### SP-321-00112F


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### SP-321-00212F


LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### SP-321-00312F

LED: CREE/Bridgelux  
 Power: 2\*12W  
 Flux(Lm): 1680Lm  
 Material: Aluminum



15° 24° 36° 60°



30PCS

CCT  

 3000K 4000K 5000K 6000K

COLOR  

 Sand Black  
 Sand White

ANTI GLARE NET  
 LINEAR SPREAD LENS  
 SQUARE SPREAD LENS




# TRACK LIGHT





### TRA-321-02512

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 750Lm  
 Material: Aluminum




15° 24° 36° 60°



30PCS

### TRA-321-02520

LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1240Lm  
 Material: Aluminum




15° 24° 36° 60°



20PCS

### TRA-321-02530

LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 1860Lm  
 Material: Aluminum



15° 24° 36° 60°




20PCS



COLOR  
 ■ Sand Black  
 ■ Sand White





### TRA-321-0270E


LED: Bridgelux  
 Power: 12W  
 Flux(Lm): 880Lm  
 Material: Aluminum



100°



40PCS



### TRA-321-0271E


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 750Lm  
 Material: Aluminum



15° 24° 36°



40PCS



### TRA-321-0272E


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 682Lm  
 Material: Aluminum



15° 24° 36° 60°



40PCS




### TRA-321-0273X


Material: Aluminum




40PCS




CCT



COLOR





### TRA-321-90918A


LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1160Lm  
 Material: Aluminum



10° 15° 24° 36° 60°



20PCS



### TRA-321-90918B


LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1210Lm  
 Material: Aluminum



10° 20° 30°



20PCS



### TRA-321-90918C

LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1320Lm  
 Material: Aluminum



100°



20PCS

IP20
II
House icon
1-10V
Constant Current
DALI
tuya
WiFi icon

CCT

3000K
4000K
5000K
6000K

COLOR

Sand Black

ANTI GLARE NET
LINEAR SPREAD LENS
SQUARE SPREAD LENS



## TRA-321-0430E

LED: CREE/Bridgelux  
 Power: 7W  
 Flux(Lm): 1160Lm  
 Material: Aluminum



10° 15° 24° 36° 60°



20PCS



## TRA-321-0431E


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 1210Lm  
 Material: Aluminum



10° 20° 30°



20PCS



## TRA-321-0432E


LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1320Lm  
 Material: Aluminum



100°



20PCS



## TRA-321-0433E



LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 1320Lm  
 Material: Aluminum



100°



20PCS



COLOR  
 Sand Black



ANTI GLARE NET




LINEAR SPREAD LENS





SQUARE SPREAD LENS



# MULTI-FUNCTION ALUMINUM TRACK LAMP





### TRA-321-02412



LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 750Lm  
 Material: Aluminum



15° 24° 36° 50°



30PCS



### TRA-321-02420


LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1240Lm  
 Material: Aluminum



15° 24° 36° 50°



20PCS



### TRA-321-02430


LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 1860Lm  
 Material: Aluminum



15° 24° 36° 50°



20PCS





### TRA-321-02512

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 750Lm  
 Material: Aluminum



15° 24° 36° 60°



30PCS



### TRA-321-02520

LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1240Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### TRA-321-02530


LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 1860Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS









- IP20
- II
- Home
- 1-10V
- Constant Current
- DALI
- tuya
- M





### TRA-321-02612



LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 750Lm  
 Material: Aluminum



15° 24° 36° 60°



30PCS



### TRA-321-02620



LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1240m  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### TRA-321-02630



LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 1860Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### TRA-321-02645

LED: CREE/Bridgelux  
 Power: 45W  
 Flux(Lm): 2780Lm  
 Material: Aluminum




15° 24° 36° 60°



20PCS

CCT



COLOR

■ Sand Black  
 □ Sand White




ANTI GLARE NET



LINEAR SPREAD LENS



SQUARE SPREAD LENS



### TRA-321-0010E


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 810Lm  
 Material: Aluminum



15° 24° 36° 60°



30PCS



### TRA-321-0011E


LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1350Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS



### TRA-321-0012E

LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 2040Lm  
 Material: Aluminum



15° 24° 36° 60°



20PCS

IP20
II
House icon
1-10V
Constant Current
DALI
tuya
Smart icon


CCT

3000K
4000K
5000K
6000K

COLOR


Sand Black
Sand White

ANTI GLARE NET
LINEAR SPREAD LENS
SQUARE SPREAD LENS



### TRA-321-01912TJ


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 780Lm  
 Material: Aluminum



15-60°  
 30PCS

### TRA-321-01920TJ


LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 1280Lm  
 Material: Aluminum






15-60°  
 20PCS

### TRA-321-01930TJ


LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 1950Lm  
 Material: Aluminum




15-60°  
 20PCS



CCT



COLOR





### TRA-321-0320E


LED: CREE/Bridgelux  
 Power: 10W  
 Flux(Lm): 300Lm  
 Material: Aluminum



20°-35°



8PCS



### TRA-321-0321E


LED: CREE/Bridgelux  
 Power: 20W  
 Flux(Lm): 600Lm  
 Material: Aluminum



20°-35°



6PCS



### TRA-321-0322E

LED: CREE/Bridgelux  
 Power: 30W  
 Flux(Lm): 1500Lm  
 Material: Aluminum



25°-40°



4PCS



### TRA-321-02803



LED: CREE/Bridgelux  
 Power: 3W  
 Flux(Lm): 180Lm  
 Material: Aluminum



6° 10° 20°



50PCS



### TRA-321-02805

LED: CREE/Bridgelux  
 Power: 5W  
 Flux(Lm): 300Lm  
 Material: Aluminum



6° 10° 20°



50PCS



COLOR  
 Sand Black



ANTI GLARE NET




LINEAR SPREAD LENS



SQUARE SPREAD LENS





### TRA-321-02012


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



10° 15° 24° 36° 50°



50PCS



### TRA-321-02012B

LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



50PCS



### TRA-321-02012X


LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



50PCS



### TRA-321-90812F



LED: CREE/Bridgelux  
 Power: 12W  
 Flux(Lm): 850Lm  
 Material: Aluminum



15° 24° 36° 60°



50PCS





100/364-5 M.5 PRACHA U THIT RD.,  
PHUKET, THAILAND



086-945-8988  
093-579-9471



ARTISANLIGHTING.NET  
โคมไฟสั่งทำ นำเข้า รับซ่อม คุณภาพดี  
LAMP SHOP PHUKET



line OA :: @artisanlighting  
[www.artisanlighting.net](http://www.artisanlighting.net)

