



# CATALOG



**BOLLARD**



**POLE LIGHT**



**FLOOD LIGHT**




[www.artisanlighting.net](http://www.artisanlighting.net)


**Version 1 2024**

# Bollard







**Material :** Die-cast Aluminium Acrylic **IP54**




4020




4043




4020



4043



8114B



8110B

Dimension : Unit of cm.



**Material :** Die-cast Aluminium **IP54**



LED



BL-247-B13104 80/SB  
8W 800LM 3000K CRI80  
20000Hrs

BL-247-B104-80/BK  
8W 800LM 3000K CRI80  
20000Hrs

BL-247-B3076A-BK  
Die-Cast Aluminium | PC  
E27 x 1

BL-247-B7214-BK  
Aluminium | PC  
E27 x 1

Dimension : Unit of cm.



# Solar cell

LED

**Material :** Die-cast Aluminium **IP65**

## BL-247-BCB-8016-80CM

- Material : Die-Cast Aluminium
- Solar Panel : 6V 2.5W High Efficiency Polycrystalline Silicon
- Battery : 3.7V 4000mAh
- Watt : 2W
- Color Temperature : 3000K
- Luminous Flux : 200lm
- CRI : 80
- Charging Time : 6 Hours
- Working Time : 8 Hours 100%
- IP Rating : 65
- Life Time : 30,000 hrs




LED

**Material :** Die-cast Aluminium **IP65**

## BL-247-BCB06A7W-80CM

- Material : Aluminium Alloy | PMMA
- Battery : 4.2V 6000mAh
- Watt : 7W
- Luminous Flux : 700lm
- Color Temperature : 3000K-4000K-6000K
- CRI : 80
- Charging Time : 6 Hours
- Working Time : 8 Hours 100%
- IP Rating : 65
- Life Time : 30,000 hrs



เลือกปรับความสูงได้ถึง **3** ระดับ

Dimension : Unit of cm.



**Material :** Die-Cast Aluminum | Clear PC

**IP65**

**BL-247-B163S-BK**

E27 x 1

 **Solar cell**

**BL-247-BCB8163-BK**

Material: Die-Cast Aluminium | Clear PC

Battery: 3.7V/4000 mAh

Output Power: 0.6W

Watt: 2W

Color Temperature: 3000K

Luminous Flux: 200lm

CRI: 80

Charging Time: 6 Hours

Working Time: 8 Hours 100%

IP Rating: 65

Life Time: 30,000 hrs


**LED**



Dimension : Unit of cm.



**Material** Diffuse : Glass Body : Aluminum **IP54**



**BL-346-BB16-076**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB16-076A** : AØ108 B250 C300 mm.
- **BL-346-BB16-076B** : AØ108 B550 C600 mm.
- **BL-346-BB16-076C** : AØ108 B850 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

**BL-346-BB16-077**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB16-077A** : A110 B250 C300 mm.
- **BL-346-BB16-077B** : A110 B550 C600 mm.
- **BL-346-BB16-077C** : A110 B850 C900 mm.



**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB16-080**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB16-080A** : A120 B100 C300 mm.
- **BL-346-BB16-080B** : A120 B400 C600 mm.
- **BL-346-BB16-080C** : A120 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB16-081**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB16-081A** : A120 B400 C600 mm.
- **BL-346-BB16-081B** : A120 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB16-082**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB16-082A** : A120 B100 C300 mm.
- **BL-346-BB16-082B** : A120 B400 C600 mm.
- **BL-346-BB16-082C** : A120 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB16-083**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90




- **BL-346-BB16-083A** : A120 B400 C600 mm.
- **BL-346-BB16-083B** : A120 B700 C900 mm.



**Material** Diffuse : PC Body : Aluminum

**IP54**



**BL-346-BB18-C001**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

- **BL-346-BB18-C001A-300** : AØ90 B180 C300 mm.
- **BL-346-BB18-C001A-600** : AØ90 B480 C600 mm.
- **BL-346-BB18-C001A-900** : AØ90 B780 C900 mm.

Lamp Type : LED  
 Power : 6W  
 LM : 480  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB18-C001B-300** : AØ108 B175 C300 mm.
- **BL-346-BB18-C001B-600** : AØ108 B475 C600 mm.
- **BL-346-BB18-C001B-900** : AØ108 B775 C900 mm.

Lamp Type : LED  
 Power : 9W  
 LM : 720  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB18-C001C-300** : AØ150 B155 C300 mm.
- **BL-346-BB18-C001C-600** : AØ150 B455 C600 mm.
- **BL-346-BB18-C001C-900** : AØ150 B755 C900 mm.

Lamp Type : LED  
 Power : 12W  
 LM : 960  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90






Bollard

**Material** Diffuse : PC Body : Aluminum

**IP54**



**BL-346-BB18-C002**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

- **BL-346-BB18-C002A-300** : AØ90 B160 C300 mm.
- **BL-346-BB18-C002A-600** : AØ90 B460 C600 mm.
- **BL-346-BB18-C002A-900** : AØ90 B760 C900 mm.

Lamp Type : LED  
 Power : 6W  
 LM : 480  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB18-C002B-300** : AØ108 B143 C300 mm.
- **BL-346-BB18-C002B-600** : AØ108 B443 C600 mm.
- **BL-346-BB18-C002B-900** : AØ108 B743 C900 mm.


Lamp Type : LED  
 Power : 9W  
 LM : 720  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB18-C002C-300** : AØ150 B104 C300 mm.
- **BL-346-BB18-C002C-600** : AØ150 B404 C600 mm.
- **BL-346-BB18-C002C-900** : AØ150 B704 C900 mm.

Lamp Type : LED  
 Power : 12W  
 LM : 960  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

**Material** Diffuse : PC Body : Aluminum

**IP54**



**BL-346-BB18-C013**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED / E27

Power : 12W

LM : 960

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB18-C013A** : A150 B150 C200 mm.
- **BL-346-BB18-C013B** : A150 B150 C500 mm.
- **BL-346-BB18-C013C** : A150 B150 C800 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB18-C014**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 5W

LM : 400

CCT : 2700K-6000K

PF : 0.6


Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB18-C014** : AØ30 BØ90 C600 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



**BL-346-BB18-C021**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB18-C021A** : A100 B50 C600 mm.
- **BL-346-BB18-C021B** : A150 B80 C600 mm.





**Material** Diffuse : Glass Body : Aluminum

**IP54**

### BL-346-BB18-C022

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black


Lamp Type : LED

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB18-C022A/150** : AØ30 BØ90 C600 mm. Power : 12W LM : 960
- **BL-346-BB18-C022B/150** : AØ30 BØ90 C600 mm. Power : 12W LM : 960
- **BL-346-BB18-C022C/150** : AØ30 BØ90 C600 mm. Power : 12W LM : 960
- **BL-346-BB18-C022A/200** : AØ30 BØ90 C600 mm. Power : 20W LM : 1600
- **BL-346-BB18-C022B/200** : AØ30 BØ90 C600 mm. Power : 20W LM : 1600
- **BL-346-BB18-C022C/200** : AØ30 BØ90 C600 mm. Power : 20W LM : 1600






**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB18-C023

Body color : Black / Dark Gray / Sliver Gray



- Sliver Gray
- Dark Gray
- Black

Lamp Type : LED  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB18-C023A/150** : AØ150 B60 C200 mm. Power : 12W LM : 960
- **BL-346-BB18-C023B/150** : AØ150 B360 C500 mm. Power : 12W LM : 960
- **BL-346-BB18-C023C/150** : AØ150 B660 C800 mm. Power : 12W LM : 960
- **BL-346-BB18-C023A/200** : AØ200 B60 C200 mm. Power : 20W LM : 1600
- **BL-346-BB18-C023B/200** : AØ200 B360 C500 mm. Power : 20W LM : 1600
- **BL-346-BB18-C023C/200** : AØ200 B660 C800 mm. Power : 20W LM : 1600


**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB18-C024

Body color : Black / Dark Gray / Sliver Gray


- Sliver Gray
- Dark Gray
- Black

Lamp Type : LED  
 Power : 12W  
 LM : 960  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90



- **BL-346-BB18-C024A** : A150 B60 C200 mm.
- **BL-346-BB18-C024B** : A150 B360 C500 mm.
- **BL-346-BB18-C024C** : A150 B660 C800 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**



### BL-346-BB19-C001

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB19-C001A** : A120 B100 C300 mm.
- **BL-346-BB19-C001B** : A120 B400 C600 mm.
- **BL-346-BB19-C001C** : A120 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB19-C002

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB19-C002A** : A120 B400 C600 mm.
- **BL-346-BB19-C002B** : A120 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB19-C003

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB19-C003A** : A120 B100 C300 mm.
- **BL-346-BB19-C003B** : A120 B400 C600 mm.
- **BL-346-BB19-C003C** : A120 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB19-C004

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB19-C004A** : A120 B400 C600 mm.
- **BL-346-BB19-C004B** : A120 B700 C900 mm.



**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB19-C005

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB19-C005A** : A125 B100 C300 mm.
- **BL-346-BB19-C005B** : A125 B400 C600 mm.
- **BL-346-BB19-C005C** : A125 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB19-C006

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6


Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB19-C006A** : A120 B400 C600 mm.
- **BL-346-BB19-C006B** : A120 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**



**BL-346-BB19-C013**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90



**BL-346-BB19-C013**

- AØ200 BØ100 C539 mm. Power : 7W LM : 560
- AØ200 BØ100 C539 mm. Power : 5W LM : 400


**Material** Diffuse : PC Body : Aluminum **IP54**

**BL-346-BB19-C014**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90




**BL-346-BB19-C014**

- AØ200 B702 Power : 7W LM : 560
- AØ200 B702 Power : 5W LM : 400





**Material** Diffuse : PC Body : Aluminum **IP54**



**BL-346-BB19-C015**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB19-C015A** : A120 B120 C600 mm.
- **BL-346-BB19-C015B** : A150 B150 C600 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

**BL-346-BB21-BL01**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6


Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB21-BL01A** : AØ150 B100 C300 mm.
- **BL-346-BB21-BL01B** : AØ150 B400 C600 mm.
- **BL-346-BB21-BL01C** : AØ150 B700 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



**BL-346-BB21-BL02**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL02A** : AØ150 B400 C600 mm.
- **BL-346-BB21-BL02B** : AØ150 B700 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

**BL-346-BB21-BL03**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6


Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB21-BL03A** : AØ150 B100 C300 mm.
- **BL-346-BB21-BL03B** : AØ150 B400 C600 mm.
- **BL-346-BB21-BL03C** : AØ150 B700 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



**BL-346-BB21-BL04**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL04A** : AØ150 B400 C600 mm.
- **BL-346-BB21-BL04B** : AØ150 B700 C900 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

**BL-346-BB21-BL05**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black


Lamp Type : LED

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V


CRI : 80-90



- **BL-346-BB21-BL05A/150** : AØ150 B100 C300 mm. Power : 15W LM : 1200
- **BL-346-BB21-BL05B/150** : AØ150 B400 C600 mm. Power : 15W LM : 1200
- **BL-346-BB21-BL05C/150** : AØ150 B700 C900 mm. Power : 15W LM : 1200
- **BL-346-BB21-BL05A/200** : AØ200 B100 C300 mm. Power : 15W LM : 1200
- **BL-346-BB21-BL05B/200** : AØ200 B400 C600 mm. Power : 15W LM : 1200
- **BL-346-BB21-BL05C/200** : AØ200 B700 C900 mm. Power : 15W LM : 1200



**Material** Diffuse : PC Body : Aluminum **IP54**



**BL-346-BB21-BL06**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W

LM : 1600

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL06A/150** : AØ150 B400 C600 mm.
- **BL-346-BB21-BL06B/150** : AØ150 B700 C900 mm.
- **BL-346-BB21-BL06A/200** : AØ200 B400 C600 mm.
- **BL-346-BB21-BL06B/200** : AØ200 B700 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

**BL-346-BB21-BL07**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 15W


LM : 1200

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90




- **BL-346-BB21-BL07A** : AØ200 B100 C300 mm.
- **BL-346-BB21-BL07B** : AØ200 B400 C600 mm.
- **BL-346-BB21-BL07C** : AØ200 B700 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

**BL-346-BB21-BL08**

Body color : Black / Dark Gray / Sliver Gray



-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 15W

LM : 1200

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL08A** : AØ200 B400 C600 mm.
- **BL-346-BB21-BL08B** : AØ200 B700 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

**BL-346-BB21-BL09**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6


Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB21-BL09A** : A150 B100 C300 mm.
- **BL-346-BB21-BL09B** : A150 B400 C600 mm.
- **BL-346-BB21-BL09C** : A150 B700 C900 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



**BL-346-BB21-BL010**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL10A** : A150 B400 C600 mm.
- **BL-346-BB21-BL10B** : A150 B700 C900 mm.

**Material** Diffuse : Acrylic Body : Aluminum **IP54**

**BL-346-BB21-BL11**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 960

CCT : 2700K-6000K

PF : 0.6


Voltage : AC110-265V

CRI : 80-90




- **BL-346-BB21-BL11A** : A150 B100 C300 mm.
- **BL-346-BB21-BL11B** : A150 B400 C600 mm.
- **BL-346-BB21-BL11C** : A150 B700 C900 mm.





**Material** Diffuse : Acrylic Body : Aluminum **IP54**



### BL-346-BB21-BL12

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W

LM : 1600

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL12A** : A150 B400 C600 mm.
- **BL-346-BB21-BL12B** : A150 B700 C900 mm.

**Material** Diffuse : Acrylic Body : Aluminum **IP54**

### BL-346-BB21-BL13

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 7W


LM : 560

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V


CRI : 80-90



- **BL-346-BB21-BL13A** : A90 B165 C300 mm.
- **BL-346-BB21-BL13B** : A90 B465 C600 mm.
- **BL-346-BB21-BL13C** : A90 B765 C900 mm.

**Material** Diffuse : Glass Body : Aluminum

**IP65**



**BL-346-BB21-BL14**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 Power : 10W  
 LM : 800  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

• **BL-346-BB21-BL14** : AØ65 B185 C800 mm.

**Material** Diffuse : Glass Body : Aluminum


**IP65**

**BL-346-BB21-BL15**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black


Lamp Type : LED , GU10/MR16  
 Power : 2\*10W  
 LM : 1600  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90



• **BL-346-BB21-BL15** : AØ65 B185 C800 mm.

**Material** Diffuse : Glass Body : Aluminum

**IP54**



**BL-346-BB21-BL17**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED  
 Power : 10W  
 LM : 800  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB21-BL17/120A** : A120 B120 C300 D500 mm.
- **BL-346-BB21-BL17/120B** : A120 B120 C600 D800 mm.
- **BL-346-BB21-BL17/150A** : A150 B150 C300 D500 mm.
- **BL-346-BB21-BL17/150B** : A150 B150 C600 D800 mm.
- **BL-346-BB21-BL17/200A** : A200 B200 C300 D500 mm.
- **BL-346-BB21-BL17/200B** : A200 B200 C600 D800 mm.

**Material** Diffuse : PC Body : Aluminum


**IP54**

**BL-346-BB21-BL19**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black


Lamp Type : LED  
 Power : 7W  
 LM : 560  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90



- **BL-346-BB21-BL19** : AØ100 B630 C800 mm.

**Material** Diffuse : Glass Body : Aluminum

**IP54**



**BL-346-BB21-BL20**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 7W

LM : 560

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL20** : A100 B290 C600 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB21-BL21**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 12W


LM : 960

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB21-BL21A** : AØ200 B55 C400 mm.
- **BL-346-BB21-BL21B** : AØ200 B55 C600 mm.
- **BL-346-BB21-BL21C** : AØ200 B55 C900 mm.



**Material** Diffuse : PC Body : Aluminum **IP54**



**BL-346-BB21-BL22**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB21-BL22** : AØ150 BØ100 C500 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

**BL-346-BB21-BL23**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB21-BL23** : AØ150 B665 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB21-BL24**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB21-BL24A** : AØ150 B15 C400 mm.
- **BL-346-BB21-BL24B** : AØ150 B15 C600 mm.
- **BL-346-BB21-BL24A** : AØ150 B15 C900 mm.

**Material** Diffuse : Acrylic Body : PVC

**IP54**

**BL-346-BB23-0201**

Body color : Black

-  Black


Lamp Type : LED

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90




MB23-020101 MB23-020103 MB23-020106

- **BL-346-BB23-020101** : AØ18 B - C700 mm. Power : 1W LM : 80
- **BL-346-BB23-020103** : AØ18 BØ150 C700 mm. Power : 3\*1W LM : 240
- **BL-346-BB23-020106** : AØ18 BØ150 C800 mm. Power : 6\*1W LM : 480





**Material** Diffuse : PC Body : Aluminum **IP54**



**BL-346-BB23-0202**

Body color : Black / Dark Gray / Sliver Gray

- Sliver Gray
- Dark Gray
- Black

Lamp Type : LED  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB23-020201** : A075 B0150 C<sub>1</sub>600 C<sub>2</sub>- C<sub>3</sub>- mm. Power : 1\*3W LM : 240
- **BL-346-BB23-020203** : A075 B0150 C<sub>1</sub>600 C<sub>2</sub>800 C<sub>3</sub>1000 mm. Power : 3\*3W LM : 720
- **BL-346-BB23-020205** : A075 B0150 C<sub>1</sub>600 C<sub>2</sub>800 C<sub>3</sub>1000 mm. Power : 5\*3W LM : 1200


**Material** Diffuse : PC Body : PVC **IP54**

**BL-346-BB23-0203**

Body color : Black / Dark Gray / Sliver Gray


- Sliver Gray
- Dark Gray
- Black

Lamp Type : LED  
 Power : 7W  
 LM : 560  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90



- **BL-346-BB23-0203** : A0200 B0200 C550 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**



### BL-346-BB23-0204

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 7W

LM : 560

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB23-0204** : AØ200 B700 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### BL-346-BB23-0205

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 5W

LM : 400

CCT : 2700K-6000K

PF : 0.6


Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB23-020504** : AØ160 BØ76 C400 mm.
- **BL-346-BB23-020506** : AØ160 BØ76 C600 mm.
- **BL-346-BB23-0205010** : AØ160 BØ76 C1000 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



**BL-346-BB23-0206**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 7W

LM : 560

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB23-020603** : A120 B70 C300 mm.
- **BL-346-BB23-020606** : A120 B70 C600 mm.
- **BL-346-BB23-020609** : A120 B70 C900 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

**BL-346-BB23-0208**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W


LM : 1600

CCT : 2700K-6000K

PF : 0.95


Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB23-020802** : AØ200 B60 C200 mm.
- **BL-346-BB23-020805** : AØ200 B360 C500 mm.
- **BL-346-BB23-020808** : AØ200 B660 C800 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



**BL-346-BB23-0209**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 1600

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB23-020904** : AØ120 B450 mm.
- **BL-346-BB23-020906** : AØ120 B600 mm.
- **BL-346-BB23-020908** : AØ120 B800 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

**BL-346-BB23-0210**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V


CRI : 80-90



- **BL-346-BB23-021003** : A90 B200 C300 mm.
- **BL-346-BB23-021006** : A90 B500 C600 mm.
- **BL-346-BB23-021009** : A90 B800 C900 mm.
- **BL-346-BB23-021103** : A125 B170 C300 mm.
- **BL-346-BB23-021106** : A125 B470 C600 mm.
- **BL-346-BB23-021109** : A125 B770 C900 mm.



**Material** Diffuse : PC Body : Aluminum **IP54**



**BL-346-BB23-0212**

Body color : Black / Dark Gray / Sliver Gray

- Sliver Gray
- Dark Gray
- Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB23-021203** : A90 B200 C300 mm.
- **BL-346-BB23-021206** : A90 B500 C600 mm.
- **BL-346-BB23-021209** : A90 B800 C900 mm.
- **BL-346-BB23-021303** : A120 B170 C300 mm.
- **BL-346-BB23-021306** : A120 B470 C600 mm.
- **BL-346-BB23-021309** : A120 B770 C900 mm.


**Material** Diffuse : PC Body : Aluminum **IP54**

**BL-346-BB23-0214**

Body color : Black / Dark Gray / Sliver Gray

- Sliver Gray
- Dark Gray
- Black

Lamp Type : E14 / GU10



- **BL-346-BB23-021403** : A90 B200 C300 mm.
- **BL-346-BB23-021406** : A90 B500 C600 mm.
- **BL-346-BB23-021409** : A90 B800 C900 mm.
- **BL-346-BB23-021503** : A125 B140 C300 mm.
- **BL-346-BB23-021506** : A125 B440 C600 mm.
- **BL-346-BB23-021509** : A125 B740 C900 mm.

**Material** Diffuse : PC Body : Aluminum


**IP54**

**BL-346-BB23-0216**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : E14 / GU10



- **BL-346-BB23-021603** : A90 B200 C300 mm.
- **BL-346-BB23-021606** : A90 B500 C600 mm.
- **BL-346-BB23-021609** : A90 B800 C900 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB23-0218**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V


CRI : 80-90



- **BL-346-BB23-021803** : A150 B150 C300 mm.
- **BL-346-BB23-021806** : A150 B150 C600 mm.
- **BL-346-BB23-021809** : A150 B150 C900 mm.



**Material** Diffuse : Acrylic Body : Aluminum **IP54**



**BL-346-BB23-0219**


Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **BL-346-BB23-021906** : AØ90 B380 C600 mm. Power : 15W LM : 1200
- **BL-346-BB23-021910** : AØ90 B780 C1000 mm. Power : 20W LM : 1600
- **BL-346-BB23-022006** : AØ108 B380 C600 mm. Power : 15W LM : 1200
- **BL-346-BB23-022010** : AØ108 B780 C1000 mm. Power : 20W LM : 1600
- **BL-346-BB23-022106** : AØ145 B380 C600 mm. Power : 15W LM : 1200
- **BL-346-BB23-022110** : AØ145 B780 C1000 mm. Power : 20W LM : 1600

**Material** Diffuse : Acrylic Body : Aluminum **IP54**



**BL-346-BB23-0222**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90

- **BL-346-BB23-022203** : AØ65 B120 C300 mm. Power : 5W LM : 400
- **BL-346-BB23-022206** : AØ65 B120 C600 mm. Power : 5W LM : 400
- **BL-346-BB23-022209** : AØ65 B120 C900 mm. Power : 5W LM : 400
- **BL-346-BB23-022303** : AØ90 B120 C300 mm. Power : 10W LM : 800
- **BL-346-BB23-022306** : AØ90 B120 C600 mm. Power : 10W LM : 800
- **BL-346-BB23-022309** : AØ90 B120 C900 mm. Power : 10W LM : 800
- **BL-346-BB23-022403** : AØ108 B120 C300 mm. Power : 12W LM : 960
- **BL-346-BB23-022406** : AØ108 B120 C600 mm. Power : 12W LM : 960
- **BL-346-BB23-022409** : AØ108 B120 C900 mm. Power : 12W LM : 960

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB23-0225**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 5W


LM : 400

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **BL-346-BB23-022503** : AØ76 B110 C300 mm.
- **BL-346-BB23-022506** : AØ76 B110 C600 mm.
- **BL-346-BB23-022509** : AØ76 B110 C900 mm.

**Material** Diffuse : PC Body : Aluminum

**IP54**

**BL-346-BB23-0226**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 9W


LM : 720

CCT : 2700K-6000K

PF : 0.6


Voltage : DC24V

CRI : 80-90



- **BL-346-BB23-0226** : AØ105 B810 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



### BL-346-BB23-0230

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 10W

LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90


- **BL-346-BB23-023003** : AØ90 B150 C300 mm.
- **BL-346-BB23-023006** : AØ90 B430 C600 mm.
- **BL-346-BB23-023009** : AØ90 B750 C900 mm.



# POLE LIGHT



**Material :** Die-Cast Aluminium | Glass



**IP65**


**LED**

**POLE-247-PN002C1/20W**

20W 2000LM 3000K CRI80

30,000Hrs

300



305

**IP44**

**POLE-247-P1041-3.2M**

E27 x1

Ø60 x L25 x H305 cm.



25

**Material :** Die-Cast Aluminium | Glass **IP44**

**Socket :** E27



**POLE-247-P018CF-BK-M/3A**



**POLE-247-P018CF/BK-M/2A**



**POLE-247-P018F2-BK-M**



**POLE-247-P018LF-BK-M**

Dimension : Unit of cm.

**Material :** Die-Cast Aluminium | Glass **IP44**

**Socket :** E27



**POLE-247-P0623CF-BK/3A**



**POLE-247-2P0623CF-BK/2A**



**POLE-247-P0623LF-BK**



**POLE-247-P0623F2-BK**



**Material :** Die-Cast Aluminium | Glass **IP44**

**Socket :** E27



**POLE-247-P051CF-BK/3A**



**POLE-247-P051CF-BK/2A**



**POLE-247-P051F2-BK**



**POLE-247-P051LF-BK**

**Material :** Die-Cast Aluminium | PC **IP44**

**Socket :** E27



**POLE-247-P020JF-BK/3A**

**POLE-247-P020JF-BK/2A**



**POLE-247-P020CF-BK/2A**

**POLE-247-P020CF-BK/3A**



**POLE-247-P020LF-BK**



**POLE-247-P020F2-BK**

**Material:** Die-cast Aluminium | PC **IP54**

**LED**



**POLE-247-P281D-BK**  
E27 x 1



**POLE-247-P274S-BK**  
E27 x 1



**POLE-247-P275S-BK**  
E27 x 1



**POLE-247-P154-BK-L** **IP44**  
E27 x 1



**POLE-247-P156-BK**  
E27 x 1

**Material:** PMMA

**IP44**



**POLE-247-P801S-10"-PMMA**  
E27 x 1



**POLE-247-P826S-10"**  
E27 x 1

**POLE-247-P801S-12"-PMMA**  
E27 x 1

**POLE-247-P826S-12"**  
E27 x 1



**POLE-247-P053S-10"**  
E27 x 1

**POLE-247-P053S-14"**  
E27 x 1

**POLE-247-P053S-12"**  
E27 x 1

**POLE-247-P053S-16"**  
E27 x 1



Unit of cm.

	W	H
10"	Ø25	40
12"	Ø30	45
14"	Ø36	50
16"	Ø40	56

**Material :** Die-Cast Aluminium | Glass **IP44**



41

16

**POLE-247-P009S-BK**  
E27 x 1



55

16

**POLE-247-P020S-BK**  
E27 x 1



44

16

**POLE-247-P018S-BK**  
E27 x 1



47

16

**POLE-247-P018S-BK-M**  
E27 x 1



37

15,8

15,8

**POLE-247-P073S-BK**  
E27 x 1



50

15,3

**POLE-247-P024S-BK**  
E27 x 1

**Material :** Die-Cast Aluminium | Glass **IP44**



**POLE-247-P17-PF-S-BK POLE-247-P17-PF-M-BK POLE-247-P17-PF-L-BK**

E27 x1

E27 x1

E27 x1



53

**IP43**

**POLE-247-P0623S-BK**

E27 x1

16



47

**POLE-247-P002S-BK**

E27 x1

16



**POLE-247-P007S-BK**

E27 x1

**POLE-247-P0980S-BK**

E27 x1



**POLE-247-P003S1**

E27 x1

**POLE-247-P003S5-L**

E27 x1





**Material** Diffuse : Acrylic Body : Aluminum **IP54**

**POLE-346-PB-T001**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W


LM : 1600

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90



**Material** Diffuse : Glass Body : Aluminum **IP54**

**POLE-346-PB-T002**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W


LM : 1600

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90



• **POLE-346-PB-T002** : A120 B45 C1455 D1000 E2500 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



**POLE-346-PB-T005**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W

LM : 1600

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90

- **POLE-346-PB-T005** : AØ150 B50 C1450 D1000 E2500 mm.
- **POLE-346-PB-T006** : AØ150 B50 C1450 D1000 E2500 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

**POLE-346-PB-T007**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W


LM : 1600

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90




- **POLE-346-PB-T007** : A120 B45 C1455 D1000 E2500 mm.





**Material** Diffuse : Glass Body : Aluminum **IP54**



### POLE-346-PB-T008

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W

LM : 1600

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90

- **POLE-346-PB-T008** : A120 B45 C1455 D1000 E2500 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**

### POLE-346-PB-T009

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black


Lamp Type : LED

CCT : 2700K-6000K

PF : 0.9


Voltage : AC110-265V

CRI : 80-90



- **POLE-346-PB-T009** : A200 B100 C200 D1300 E1000 F2500 mm. Power : 20W LM : 1600
- **POLE-346-PB-T009/150** : A150 B150 C100 D1300 E1100 F2500 mm. Power : 20W LM : 1600
- **POLE-346-PB-T009/150** : A200 B200 C100 D1300 E1100 F2500 mm. Power : 30W LM : 2400

**Material** Diffuse : Acrylic Body : Aluminum **IP54**



**POLE-346-PB-T010**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 40W

LM : 3200

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90

• **POLE-346-PB-T010** : A150 B1500 C1000 D2500 mm.

**Material** Diffuse : Acrylic Body : Aluminum **IP54**

**POLE-346-PB-T011**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 30W


LM : 2400

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V


CRI : 80-90



• **POLE-346-PB-T010** : A150 B80 C800 D3500 mm.



**Material** Diffuse : PC Body : Aluminum **IP54**



### POLE-346-PB-T012

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 40W

LM : 3200

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90

• **POLE-346-PB-T012** : A145 B30 C1470 D1000 E2500 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### POLE-346-PB-T013

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W


LM : 1200

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90




• **POLE-346-PB-T013** : A200 B140 C2360 D2500 mm.



POLE LIGHT

**Material** Diffuse : PC Body : Aluminum **IP54**



### POLE-346-PB-T014

Body color : Black / Dark Gray / Sliver Gray



Lamp Type : LED

Power : 20W

LM : 1200

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90

- **POLE-346-PB-T014** : A200 B140 C2360 D2500 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### POLE-346-PB-T015

Body color : Black / Dark Gray / Sliver Gray



Lamp Type : LED

Power : 40W


LM : 3200

CCT : 2700K-6000K

PF : 0.9


Voltage : AC110-265V

CRI : 80-90



- **POLE-346-PB-T015A** : A150 B30 C1470 D1000 E2500 mm.
- **POLE-346-PB-T015B** : A200 B55 C1445 D1000 E2500 mm.

**Material** Diffuse : Glass Body : Aluminum **IP54**



### POLE-346-PB-T016

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W

LM : 1600

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V

CRI : 80-90

- **POLE-346-PB-T016** : A150 B50 C1450 D1000 E2500 mm.

**Material** Diffuse : PC Body : Aluminum **IP54**

### POLE-346-PB-T017

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED

Power : 20W


LM : 1600

CCT : 2700K-6000K

PF : 0.9

Voltage : AC110-265V


CRI : 80-90



- **POLE-346-PB-T017** : AØ200 B55 C2500 mm.



# FLOOD LIGHT



**Material :** Die-Cast Aluminium

**IP44**

## MR16 GU5.3



**1. FL-247-F701-BK**

**2. FL-247-F702-BK**

**3. FL-247-F703-BK**

**4. FL-247-F402-BK**

**5. FL-247-F404-BK**



**FL-247-F402DD-BK**

MR16 X 1

**FL-247-F404DD-BK**

MR16 X 1





**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB18-601

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

Power : 10W


LM : 800

CCT : 2700K-6000K

PF : 0.6

Voltage : AC110-265V

CRI : 80-90



- **FL-346-FB18-601** : AØ65 B145 C400 mm.

**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB18-604

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

Power : 10W

LM : 800

CCT : 2700K-6000K


PF : 0.6

Voltage : AC110-265V


CRI : 80-90



MB18-604



MB18-606



- **FL-346-FB18-604** : AØ58 B95 C180 mm.
- **FL-346-FB18-606** : AØ58 B175 C260 mm.

**Material** Diffuse : Glass Body : Aluminum **IP65**

**FL-346-FB18-605**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black



Lamp Type : LED , GU10/MR16  
 Power : 10W  
 LM : 800  
 CCT : 2700K-6000K  
 PF : 0.6  
 Voltage : AC110-265V  
 CRI : 80-90

- **FL-346-FB18-605** : AØ58 B95 C315 mm.
- **FL-346-FB18-607** : AØ58 B175 C400 mm.


**Material** Diffuse : Glass Body : Plastic **IP65**

**FL-346-FB18-608**

Body color : Black


-  Black

LGU10/MR16



- **FL-346-FB18-608** : AØ75 B135 C395 mm.
- **FL-346-FB18-609** : AØ75 B175 C430 mm.

**Material** Diffuse : Glass Body : Aluminum **IP65**



### FL-346-FB18-612

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90

- **FL-346-FB18-612S** : AØ50 B92 C292 mm. Power : 5W LM : 400 PF : 0.6
- **FL-346-FB18-612M** : AØ76 B126 C372mm. Power : 10W LM : 800 PF : 0.6
- **FL-346-FB18-612L** : AØ50 B92 C292 mm. Power : 15W LM : 1200 PF : 0.6
- **FL-346-FB18-612XL** : AØ90 B125 C400 mm. Power : 20W LM : 1600 PF : 0.95
- **FL-346-FB18-612XXL** : AØ1080 B155 C410 mm. Power : 30W LM : 2400 PF : 0.95


**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB18-613

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90




- **FL-346-FB18-613S** : AØ50 B92 C98 mm. Power : 5W LM : 400 PF : 0.6
- **FL-346-FB18-613M** : AØ64 B95 C114 mm. Power : 10W LM : 800 PF : 0.6
- **FL-346-FB18-613L** : AØ76 B126 C125 mm. Power : 15W LM : 1200 PF : 0.6
- **FL-346-FB18-613XL** : AØ90 B125 C152 mm. Power : 20W LM : 1600 PF : 0.95
- **FL-346-FB18-613XXL** : AØ108 B155 C164 mm. Power : 30W LM : 2400 PF : 0.95



**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB18-614

Body color : Black / Dark Gray / Sliver Gray



-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90

- **FL-346-FB18-614S** : A Ø50 B125 C292 mm. Power: 5W LM: 400 PF: 0.6
- **FL-346-FB18-614M** : A Ø64 B138 C310 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB18-614L** : A Ø76 B185 C372 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB18-614XL** : A Ø90 B168 C400 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB18-614XXL** : A Ø108 B220 C410 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB18-614M (GU10/MR16)** : A Ø60 B138 C310 mm.

**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB18-615

Body color : Black / Dark Gray / Sliver Gray


-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V


CRI : 80-90



- **FL-346-FB18-615S** : A Ø50 B125 C98 mm. Power: 5W LM: 400 PF: 0.6
- **FL-346-FB18-615M** : A Ø64 B138 C114 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB18-615L** : A Ø76 B185 C125 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB18-615XL** : A Ø90 B168 C152 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB18-615XXL** : A Ø108 B220 C164 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB18-615M (GU10/MR16)** : A Ø60 B138 C114 mm.



**Material** Diffuse : Glass Body : Aluminum **IP65**



### FL-346-FB18-616

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90

- **FL-346-FB18-616-64:** A Ø64 B185 C385 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB18-616-76:** A Ø76 B185 C397 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB18-616-90:** A Ø90 B168 C410 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB18-616-108:** A Ø108 B220 C436 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB18-616-60 (GU10/MR16):** A Ø60 B185 C385 mm.

**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB18-616Z

Body color : Black / Dark Gray / Sliver Gray


-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V


CRI : 80-90



- **FL-346-FB18-616-64:** A Ø64 B185 C167 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB18-616Z-76:** A Ø76 B185 C179 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB18-616Z-90:** A Ø90 B168 C197 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB18-616Z-108:** A Ø108 B220 C226 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB18-616-60 (GU10/MR16):** A Ø60 B185 C167 mm.



**Material** Diffuse : Glass Body : Aluminum **IP65**



### FL-346-FB18-617

Body color : Black / Dark Gray / Sliver Gray



Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90

- **FL-346-FB18-617-64:** A Ø64 B125 C385 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB18-617-76:** A Ø76 B125 C397 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB18-617-90:** A Ø90 B125 C410 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB18-617-108:** A Ø108 B155 C436 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB18-617-60 (GU10/MR16):** A Ø60 B125 C385 mm.

**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB18-617Z

Body color : Black / Dark Gray / Sliver Gray




Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90



- **FL-346-FB18-617-64:** A Ø64 B125 C167 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB18-617Z-76:** A Ø76 B125 C179 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB18-617Z-90:** A Ø90 B125 C197 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB18-617Z-108:** A Ø108 B155 C226 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB18-617-60 (GU10/MR16):** A Ø60 B125 C167 mm.



**Material** Diffuse : Acrylic Body : Aluminum **IP65**

### FL-346-FB-60129

Body color : Black / Dark Gray / Sliver Gray


-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90



- **FL-346-FB-60129S**: A Ø50 B120 C340 mm. Power: 3W LM: 240 PF: 0.6
- **FL-346-FB-60129L**: A Ø65 B140 C360 mm. Power: 5W LM: 400 PF: 0.6
- **FL-346-FB-60129L (GU10/MR16)**: A Ø65 B140 C360 mm.

**Material** Diffuse : Glass Body : Aluminum **IP65**

### FL-346-FB23-0101

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90



- **FL-346-FB23-010150**: A Ø50 B183 C250 mm. Power: 5W LM: 400 PF: 0.6
- **FL-346-FB23-010163**: A Ø63 B183 C262 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB23-010160 (GU10/MR16)**: A Ø60 B183 C262 mm.

**Material** Diffuse : Glass Body : Aluminum

**IP65**

### FL-346-FB23-0102

Body color : Black / Dark Gray / Sliver Gray



-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90

- **FL-346-FB23-010270:** A Ø70 B132 C312 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB23-010280:** A Ø80 B164 C377 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB23-010295:** A Ø95 B165 C400 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB23-010266 (GU10/MR16):** A Ø66 B132 C312 mm.

**Material** Diffuse : Glass Body : Aluminum

**IP65**

### FL-346-FB23-0103

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90



- **FL-346-FB23-010354:** A Ø54 B110 C294 mm. Power: 5W LM: 400 PF: 0.6
- **FL-346-FB23-010370:** A Ø70 B132 C312 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB23-010380:** A Ø80 B164 C377 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB23-010395:** A Ø95 B165 C400 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB23-010366 (GU10/MR16):** A Ø66 B132 C312 mm.

**Material** Diffuse : Glass Body : Aluminum

**IP65**

### FL-346-FB23-0108

Body color : Black / Dark Gray / Sliver Gray



- Sliver Gray
- Dark Gray
- Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90

- **FL-346-FB23-0108:** A Ø58 B100 C94 mm. Power: 2\*10W LM: 1600 PF: 0.6
- **FL-346-FB23-0108 (GU10/MR16):** A Ø58 B100 C94 mm.

**Material** Diffuse : Glass Body : Aluminum


**IP65**

### FL-346-FB23-0109

Body color : Black / Dark Gray / Sliver Gray

- Sliver Gray
- Dark Gray
- Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90



- **FL-346-FB23-010950:** A Ø50 B92 C122 mm. Power: 5W LM: 400 PF: 0.6
- **FL-346-FB23-010964:** A Ø64 B95 C140 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB23-010976:** A Ø76 B126 C152 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB23-010990:** A Ø90 B125 C178 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB23-0109108:** A Ø108 B155 C190 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB23-010964 (GU10/MR16):** A Ø64 B95 C140 mm.

**Material** Diffuse : Glass Body : Aluminum


**IP65**

**FL-346-FB23-0110**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90



- **FL-346-FB23-011050:** A Ø50 B125 C122 mm. Power: 5W LM: 400 PF: 0.6
- **FL-346-FB23-011064:** A Ø64 B138 C140 mm. Power: 10W LM: 800 PF: 0.6
- **FL-346-FB23-011076:** A Ø76 B185 C152 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB23-011090:** A Ø90 B168 C178 mm. Power: 20W LM: 1600 PF: 0.95
- **FL-346-FB23-0110108:** A Ø108 B220 C190 mm. Power: 30W LM: 2400 PF: 0.95
- **FL-346-FB23-011064 (GU10/MR16):** A Ø64 B138 C140 mm.

**Material** Diffuse : Glass Body : Aluminum

**IP65**

**FL-346-FB23-0113**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90




- **FL-346-FB23-0113:** A Ø73 B110 C380 mm. Power: 10W LM: 800 PF: 0.6



**Material** Diffuse : Glass Body : Aluminum

**IP65**



**FL-346-FB23-0114**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90

- **FL-346-FB23-0114:** A Ø72 B135 C290 mm. Power: 10W LM: 800 PF: 0.6

**Material** Diffuse : Glass Body : Aluminum

**IP65**

**FL-346-FB23-0601**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black



Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90



MB23-0601



MB23-0602



- **FL-346-FB23-0601:** A Ø150 B180 C270 mm. Power: 30W LM: 2400 PF: 0.9
- **FL-346-FB23-0602:** A Ø150 B180 C270 mm. Power: 24W LM: 1920 PF: 0.9

**Material** Diffuse : Glass Body : Aluminum


**IP65**

### FL-346-FB23-0603

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90



- **FL-346-FB23-0603A**: A Ø135 B125 C175 mm. Power: 20W LM: 1600 PF: 0.9
- **FL-346-FB23-0603B**: A Ø170 B160 C195 mm. Power: 30W LM: 2400 PF: 0.9
- **FL-346-FB23-0603C**: A Ø210 B190 C230 mm. Power: 50W LM: 4000 PF: 0.9

**Material** Diffuse : Glass Body : Aluminum


**IP65**

### FL-346-FB23-0604

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90



- **FL-346-FB23-0604A**: A Ø125 B80 C55 mm. Power: 6W LM: 480 PF: 0.6
- **FL-346-FB23-0604B**: A Ø172 B100 C66 mm. Power: 18W LM: 1440 PF: 0.6

**Material** Diffuse : Glass Body : Aluminum


**IP65**

### FL-346-FB23-0606

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90



- **FL-346-FB23-0605129:** A Ø129 B129 C120 mm. Power: 12W LM: 960 PF: 0.6
- **FL-346-FB23-0605154:** A Ø154 B154 C135 mm. Power: 18W LM: 1440 PF: 0.6
- **FL-346-FB23-0605178:** A Ø178 B178 C148 mm. Power: 24W LM: 1920 PF: 0.9
- **FL-346-FB23-0605203:** A Ø203 B203 C165 mm. Power: 36W LM: 2880 PF: 0.9
- **FL-346-FB23-0605232:** A Ø232 B232 C175 mm. Power: 50W LM: 4000 PF: 0.9




**Material** Diffuse : Glass Body : Aluminum


**IP65**



MB23-0606



MB23-0607



### FL-346-FB23-0605

Body color : Black / Dark Gray / Sliver Gray

 Sliver Gray

 Dark Gray

 Black

Lamp Type : LED , GU10/MR16

CCT : 2700K-6000K

Voltage : AC110-265V

CRI : 80-90

- **FL-346-FB23-060690:** A Ø90 B90 C110 mm. Power: 8W LM: 640 PF: 0.6
- **FL-346-FB23-0606120:** A Ø120 B120 C160 mm. Power: 18W LM: 1440 PF: 0.6
- **FL-346-FB23-0606145:** A Ø145 B145 C180 mm. Power: 32W LM: 2560 PF: 0.9
- **FL-346-FB23-0606200:** A Ø200 B200 C210 mm. Power: 72W LM: 5760 PF: 0.9
- **FL-346-FB23-060790:** A Ø90 B90 C110 mm. Power: 8W LM: 640 PF: 0.6
- **FL-346-FB23-0607120:** A Ø120 B120 C160 mm. Power: 18W LM: 1440 PF: 0.6
- **FL-346-FB23-0607145:** A Ø145 B145 C180 mm. Power: 32W LM: 2560 PF: 0.9
- **FL-346-FB23-0607200:** A Ø200 B200 C210 mm. Power: 72W LM: 5760 PF: 0.9




**Material** Diffuse : Glass Body : Aluminum

**IP65**

**FL-346-FB23-0609**

Body color : Black / Dark Gray / Sliver Gray



-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90

- **FL-346-FB23-060990:** A Ø90 B90 C140 mm. Power: 15W LM: 1200 PF: 0.6
- **FL-346-FB23-0609125:** A Ø125 B125 C165 mm. Power: 20W LM: 1600 PF: 0.9

**Material** Diffuse : Glass Body : Aluminum

**IP65**

**FL-346-FB23-0610**

Body color : Black / Dark Gray / Sliver Gray

-  Sliver Gray
-  Dark Gray
-  Black

Lamp Type : LED , GU10/MR16  
 CCT : 2700K-6000K  
 Voltage : AC110-265V  
 CRI : 80-90



- **FL-346-FB23-0610:** A Ø65 B65 C105 mm. Power: 8W LM: 640 PF: 0.6
- **FL-346-FB23-0611:** A Ø65 B65 C105 mm. Power: 8W LM: 640 PF: 0.6
- **FL-346-FB23-0612:** A Ø100 B65 C105 mm. Power: 12W LM: 960 PF: 0.6
- **FL-346-FB23-0613:** A Ø100 B65 C105 mm. Power: 12W LM: 960 PF: 0.6

# CONTACT



086-945-8988

093-579-9471



Artisanlighting.net

โคมไฟแต่งทำ นำเข้า รับซ่อม คุณภาพดี  
LAMP SHOP PHUKET



[www.artisanlighting.net](http://www.artisanlighting.net)



@artisanlighting



100/364-5 M.5 PRACHA U THIT RD.,  
PHUKET, THAILAND